



LW21(12)-16系列

万能转换开关

常规接点图汇总

目 录

1. LW21(12)-16○/○.○○○○○.1	_____	3
2. LW21(12)-16○/○.○○○○○.2	_____	5
3. LW21(12)-16○/○.○○○○○.3	_____	16
4. LW21(12)-16○/○.○○○○○.4	_____	35
5. LW21(12)-16○/○.○○○○○.5	_____	56
6. LW21(12)-16○/○.○○○○○.6	_____	71
7. LW21(12)-16○/○.○○○○○.7	_____	89
8. LW21(12)-16○/○.○○○○○.8	_____	99
9. LW21(12)-16○/○.○○○○○.9	_____	109
10. LW21(12)-16○/○.○○○○○.10	_____	114
11. LW21(12)-16○/○.○○○○○.11	_____	121
12. LW21(12)-16○/○.○○○○○.12	_____	125
13. LW21(12)-16○/○.○○○○○.13	_____	130
14. LW21(12)-16○/○.○○○○○.14	_____	131
15. LW21(12)-16○/○.○○○○○.15	_____	132
16. LW21(12)-16○/○.○○○○○.16	_____	133
17. LW21(12)-16○/○.○○○○○.18	_____	134
18. 电压电流转换开关	_____	135
19. 定位自复型转换开关	_____	139
20. 热工型转换开关	_____	165
21. 勘误表 1	_____	171
22. 勘误表 2	_____	172



型号 角度 端子编号	Z/4.0001.1		Z/4.0002.1		/9.0004.1		/9.0006.1		/9.0007.1		/9.0008.1		/4.0009.1		Z/4.0010.1		/4.0071.1	
	0°	45°	0°	45°	0°	90°	45°	45°	90°	0°	0°	90°	45°	0°	0°	45°	0°	45°
端子编号	ñ	ð	ñ	ð	ñ	ð	ð	ð	ÿ	ñ	ñ	ð	ð	ñ	ñ	ð	ñ	ð
1-2	0			0		0		0		0	0		0		0			0
3-4		0		0		0		0		0		0		0		0		0

型号 角度 端子编号	/9.0291.1		/9.0292.1		/9.0293.1		/9.0294.1		/9.0295.1		/9.0296.1		/9.0297.1		/9.0298.1		/9.0299.1	
	45°	45°	0°	90°	0°	90°	45°	45°	45°	45°	45°	45°	90°	0°	90°	0°	90°	0°
端子编号	ð	ð	ñ	ð	ñ	ð	ð	ð	ð	ð	ð	ð	ÿ	ñ	ÿ	ñ	ÿ	ñ
1-2	0		0		0			0	0		0		0			0	0	
3-4	0		0			0	0			0		0		0		0		0

型号 角度 端子编号	/4.5070.1		/4.5071.1		/4.5389.1		9.9003.1											
	0°	45°	0°	45°	45°	0°	0°	90°										
端子编号	ñ	ð	ñ	ð	ð	ñ	ñ	ð										
1-2		0	0		0		0											
3-4	0			0	0		0											

型号 角度 端子编号																		
端子编号																		
1-2																		
3-4																		

型号 角度 端子编号	D/4.0003.1			Z/4.0011.1			Z/4.0012.1			Z/4.0013.1			Z/4.0014.1			Z/4.0015.1		
	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
端子编号	ð	ñ	ð	ð	ñ	ð	ð	ñ	ð	ð	ñ	ð	ð	ñ	ð	ð	ñ	ð
1-2		0	0			0			0	0			0		0	0	0	
3-4			0	0				0	0			0	0		0		0	0

型号 角度 端子编号	D/4.0016.1			D/4.0061.1			D/4.0062.1			D/4.0063.1			4.0080.1			/4.0081.1		
	45°	0°	45°	45°	0°	45°				45°	0°	45°	45°	0°	45°	45°	0°	45°
端子编号	ð	ñ	ð	ð	ñ	ð				ð	ñ	ð	ð	ñ	ð	ð	ñ	ð
1-2	0			0								0	0					0
3-4	0	0				0				0		0			0			

型号 角度 端子编号	/4.0082.1			/4.0083.1			/4.0084.1			/4.0085.1			/4.0086.1			D/4.0087.1		
	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
端子编号	ð	ñ	ð	ð	ñ	ð	ð	ñ	ð	ð	ñ	ð	ð	ñ	ð	ð	ñ	ð
1-2			0	0			0		0		0				0			0
3-4		0	0			0	0		0	0			0			0		

型号 角度 端子编号	/9.0305.1			/9.0306.1			/9.0307.1			/9.0308.1			/9.0309.1			/9.0310.1		
	45°	0°	45°	90°	0°	90°	90°	0°	90°	90°	0°	90°	90°	0°	90°	90°	0°	90°
端子编号	ð	ñ	ð	ÿ	ñ	ð	ÿ	ñ	ð	ÿ	ñ	ð	ÿ	ñ	ð	ÿ	ñ	ð
1-2	0			0		0	0		0				0			0		
3-4	0				0		0		0						0		0	

型号 角度 端子编号	D/49.4648.1			Z/49.4651.1			Z/4.5011.1			/4.5013.1			/4.5080.1			/4.5081.1		
	90°	0°	45°	90°	0°	45°	45°	0°	45°	90°	45°	0°	0°	45°	90°	45°	0°	45°
端子编号	ÿ	ñ	ð	ÿ	ñ	ð	ð	ñ	ð	ÿ	ð	ñ	ñ	ð	ð	ð	ñ	ð
1-2			0			0		0	0		0		0			0		0
3-4		0			0	0		0		0			0			0		

型号 角度 端子编号	/4.5082.1			/4.5084.1			/4.5086.1			/4.5087.1			/4.5088.1			/4.5089.1		
	45°	0°	45°	45°	0°	45°	0°	45°	90°	90°	45°	0°	0°	45°	90°	45°	0°	45°
端子编号	ð	ñ	ð	ð	ñ	ð	ñ	ð	ð	ÿ	ð	ñ	ñ	ð	ð	ð	ñ	ð
1-2		0			0	0	0			0				0	0	0		
3-4		0			0	0			0		0				0	0		0

型号 角度 端子编号	/4.5090.1			/4.5091.1			/4.5092.1			/4.5093.1			/4.5094.1			/9.5095.1		
	45° ḡ	0° ñ	45° ḡ	ḡ 90°	ḡ 45°	ñ 0°	45° ḡ	0° ñ	45° ḡ	90° ḡ	45° ḡ	0° ñ	90° ḡ	45° ḡ	0° ñ	90° ḡ	0° ñ	90° ḡ
1-2	ḡ	ḡ			ḡ							ḡ		ḡ	ḡ			ḡ
3-4		ḡ	ḡ			ḡ					ḡ		ḡ			ḡ		

型号 角度 端子编号	/4.5096.1			/4.5097.1			/4.5098.1			/4.5099.1			/9.5296.1					
	90° ḡ	45° ḡ	0° ñ	0° ñ	45° ḡ	90° ḡ	45° ḡ	0° ñ	45° ḡ	45° ḡ	0° ñ	45° ḡ	90° ḡ	0° ñ	90° ḡ			
1-2			ḡ		ḡ			ḡ	ḡ		ḡ			ḡ				
3-4	ḡ					ḡ	ḡ	ḡ				ḡ		ḡ				

型号 角度 端子编号																		
1-2																		
3-4																		

型号 角度 端子编号				Z/4.4801.1			Z/4.4802.1								
				45° ḡ	0° ñ	45° ḡ	45° ḡ	0° ñ	45° ḡ						
1-2						ḡ	ḡ		ḡ			ḡ			
3-4						ḡ	ḡ		ḡ	ḡ					

型号 角度 端子编号	/4.4501.1				/9.4502.1				/4.4503.1				4.4506.1				/4.5181.1			
	90° ḡ	45° ḡ	0° ñ	45° ḡ	180° ḡ	90° ḡ	0° ñ	45° ḡ	135° ÷	90° ḡ	45° ḡ	0° ñ	45° ḡ	0° ñ	45° ḡ	90° ḡ	45° ḡ	0° ñ	45° ḡ	90° ḡ
1-2	ḡ			ḡ		ḡ		ḡ	ḡ			ḡ			ḡ	ḡ		ḡ		ḡ
3-4	ḡ	ḡ			ḡ		ḡ		ḡ	ḡ			ḡ			ḡ			ḡ	ḡ

型号 角度 端子编号	4.5594.1				/9.9002.1															
	0° ñ	45° ḡ	90° ḡ	120° ḡ	90° ḡ	0° ñ	90° ḡ	180° ḡ												
1-2		ḡ		ḡ	ḡ		ḡ													
3-4			ḡ	ḡ		ḡ	ḡ													

型号 角度 端子编号	/4.5180.1					/4.5182.1					/4.5183.1								
	90° ḡ	45° ḡ	0° ñ	45° ḡ	90° ḡ	90° ḡ	45° ḡ	0° ñ	45° ḡ	90° ḡ	90° ḡ	45° ḡ	0° ñ	45° ḡ	90° ḡ				
1-2		ḡ		ḡ	ḡ	ḡ	ḡ			ḡ				ḡ	ḡ				
3-4					ḡ	ḡ			ḡ	ḡ				ḡ	ḡ				

型号 角度 端子编号													D/9.4044.1					
													跳后 ḡ	分后 ḡ	预分 ḡ	远方 ñ	预合 ḡ	合后 ḡ
1-2																		
3-4													ḡ					ḡ

型号 角度 端子编号	Z/4.0320.2		Z/4.0321.2		Z/4.0322.2		/4.0391.2		/4.0392.2		/4.0394.2		/4.0395.2		/4.0396.2		/4.0455.2	
	0°	45°	0°	45°	0°	45°	0°	45°	0°	45°	45°	0°	0°	45°	45°	45°	90°	45°
1-2	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔
3-4																		
5-6																		
7-8																		

9.0615.2

型号 角度 端子编号	/9.0609.2		/9.0611.2		/9.0616.2		/9.0617.2		/9.0618.2		/9.0619.2		/9.0620.2		/9.0621.2		/9.0622.2	
	45°	45°	45°	45°	45°	45°	90°	0°	90°	0°	45°	45°	45°	45°	0°	90°	45°	45°
1-2	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔
3-4																		
5-6																		
7-8																		

型号 角度 端子编号	/9.0623.2		/9.0624.2		/9.0628.2		/9.0632.2		/9.0633.2		/9.0637.2		/9.0641.2		/9.0642.2		/9.0644.2	
	45°	45°	0°	90°	45°	45°	45°	45°	90°	0°	0°	90°	0°	90°	0°	90°	0°	90°
1-2	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔
3-4																		
5-6																		
7-8																		

型号 角度 端子编号	/9.0662.2		/9.0663.2		/9.0670.2		/4.5388.2		/4.5390.2		/4.5391.2		/4.5393.2		/4.5394.2		/4.5395.2	
	0°	90°	0°	90°	90°	0°	0°	45°	0°	45°	0°	45°	0°	45°	0°	45°	0°	45°
1-2	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔
3-4																		
5-6																		
7-8																		

型号 角度 端子编号	/4.5396.2		/4.5552.2		/9.5616.2		/9.5622.2		/9.5632.2		/9.5637.2		/9.5642.2		/9.6583.2		/9.9020.2	
	0°	45°	45°	0°	45°	45°	45°	45°	90°	0°	45°	45°	45°	45°	90°	0°	0°	90°
1-2	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔
3-4																		
5-6																		
7-8																		

型号 角度 端子编号	/9.9023.2																	
	0°	90°																
1-2	↔	↔																
3-4																		
5-6																		
7-8																		

型号 角度 端子编号	Z/4.0324.2			Z/4.0330.2			Z/4.0331.2			Z/4.0332.2			Z/4.0333.2			Z/4.0334.2		
	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
1-2	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔
3-4																		
5-6																		
7-8																		

型号 角度 端子编号	Z/4.0335.2			Z/4.0336.2			Z/4.0337.2			Z/4.0338.2			Z/4.0339.2			Z/4.0340.2		
	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
1-2	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔
3-4																		
5-6																		
7-8																		

型号 角度 端子编号	Z/4.0341.2			Z/4.0342.2			Z/4.0343.2			Z/4.0344.2			Z/4.0345.2			/4.0346.2		
	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°				45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°
1-2	0°	45°	0°	0°	45°	0°	0°	45°	0°				0°	45°	0°	0°	45°	0°
3-4	0°		0°		0°		0°								0°		0°	
5-6	0°					0°		0°					0°					0°
7-8		0°		0°			0°	0°					0°		0°			

型号 角度 端子编号	Z/4.0347.2			/4.0348.2			/4.0349.2			Z/4.0350.2			/4.0351.2			/4.0352.2		
	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°	0° 45° 90°	45° 0° 90°	90° 45° 90°	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°
1-2	0°	45°	0°	0°		0°		0°	0°	0°	0°	0°		0°			0°	0°
3-4			0°	0°				0°	0°		0°			0°			0°	
5-6		0°	0°		0°	0°			0°	0°			0°				0°	
7-8	0°							0°		0°	0°			0°		0°		

型号 角度 端子编号	/4.0353.2			Z/4.0354.2			/4.0355.2			D/4.0356.2			D/4.0357.2			/4.0397.2		
	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°
1-2			0°		0°	0°		0°	0°		0°	0°		0°		0°	0°	0°
3-4			0°		0°	0°		0°			0°	0°		0°			0°	0°
5-6		0°		0°			0°				0°	0°	0°				0°	
7-8		0°		0°	0°		0°	0°			0°	0°	0°	0°				

型号 角度 端子编号	D/4.0398.2			/4.0401.2			/4.0402.2			/4.0403.2			/4.0404.2			/4.0405.2		
	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°
1-2		0°	0°			0°		0°	0°	0°				0°			0°	0°
3-4			0°	0°				0°	0°				0°				0°	0°
5-6		0°		0°				0°	0°	0°				0°			0°	0°
7-8		0°				0°		0°			0°		0°			0°	0°	0°

型号 角度 端子编号	/4.0406.2			/4.0407.2			/4.0408.2			/4.0410.2			/4.0411.2			/4.0412.2		
	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°
1-2	0°	0°	0°	0°			0°		0°		0°		0°			0°	0°	0°
3-4	0°					0°	0°		0°	0°			0°		0°		0°	
5-6			0°			0°	0°	0°	0°	0°	0°		0°				0°	0°
7-8		0°	0°			0°	0°	0°	0°		0°		0°			0°		

型号 角度 端子编号	/4.0413.2			/4.0414.2			/4.0415.2			Z/4.0416.2			/4.0417.2			/4.0418.2		
	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°
1-2	0°		0°	0°			0°		0°		0°		0°			0°	0°	
3-4	0°					0°			0°						0°		0°	
5-6			0°	0°				0°				0°						0°
7-8	0°		0°			0°		0°		0°				0°				0°

型号 角度 端子编号	/4.0419.2			/4.0420.2			/4.0421.2			/4.0422.2			/4.0423.2			/4.0424.2		
	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°
1-2	0°			0°				0°				0°			0°			
3-4	0°					0°		0°		0°			0°			0°		
5-6		0°				0°			0°	0°				0°				0°
7-8			0°	0°				0°		0°				0°		0°		

型号 角度 端子编号	/4.0425.2			/4.0426.2			/4.0427.2			/4.0428.2			/4.0430.2			Z/4.0431.2		
	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°	45° 0° 45°	0° 45° 45°	45° 0° 45°
1-2	0°			0°			0°						0°	0°			0°	0°
3-4			0°		0°		0°								0°		0°	0°
5-6		0°				0°		0°					0°					0°
7-8		0°				0°		0°					0°	0°				

型号 角度 端子编号	/4.0432.2			/4.0433.2			/4.0434.2			/4.0435.2			/4.0436.2			/4.0437.2		
	45° 0° 0°	0° 0° 0°	45° 0° 0°	45° 0° 0°	0° 0° 0°	45° 0° 0°	45° 0° 0°	0° 0° 0°	45° 0° 0°	45° 0° 0°	0° 0° 0°	45° 0° 0°	45° 0° 0°	0° 0° 0°	45° 0° 0°	45° 0° 0°	0° 0° 0°	45° 0° 0°
1-2	0			0			0			0			0			0		
3-4			0			0	0					0				0		
5-6		0	0	0		0			0	0			0		0			0
7-8									0		0		0			0		

型号 角度 端子编号	/4.0438.2			/4.0439.2			/4.0440.2			/4.0441.2			/4.0442.2			/4.0444.2		
	45° 0° 0°	0° 0° 0°	45° 0° 0°	45° 0° 0°	0° 0° 0°	45° 0° 0°	45° 0° 0°	0° 0° 0°	45° 0° 0°	45° 0° 0°	0° 0° 0°	45° 0° 0°	45° 0° 0°	0° 0° 0°	45° 0° 0°	45° 0° 0°	0° 0° 0°	45° 0° 0°
1-2	0		0	0		0		0	0			0		0	0	0	0	0
3-4	0	0			0			0		0			0		0		0	0
5-6		0	0	0		0	0			0			0		0		0	0
7-8				0		0		0				0				0		0

型号 角度 端子编号	/4.0445.2			/9.0448.2			/4.0450.2			/4.0451.2			/4.0452.2			/4.0453.2		
	45° 0° 0°	0° 0° 0°	45° 0° 0°	90° 0° 0°	0° 0° 0°	90° 0° 0°	45° 0° 0°	0° 0° 0°	45° 0° 0°	45° 0° 0°	0° 0° 0°	45° 0° 0°	45° 0° 0°	0° 0° 0°	45° 0° 0°	45° 0° 0°	0° 0° 0°	45° 0° 0°
1-2			0	0			0					0	0					0
3-4	0			0			0			0		0		0				0
5-6	0					0		0	0	0			0				0	
7-8	0				0			0		0					0		0	

型号 角度 端子编号	/4.0454.2			/4.0456.2			/4.0457.2			/4.0505.2			/9.0608.2			/9.0626.2		
	45° 0° 0°	0° 0° 0°	45° 0° 0°	45° 0° 0°	0° 0° 0°	45° 0° 0°	45° 0° 0°	0° 0° 0°	45° 0° 0°	45° 0° 0°	0° 0° 0°	45° 0° 0°	90° 0° 0°	0° 0° 0°	90° 0° 0°	90° 0° 0°	0° 0° 0°	90° 0° 0°
1-2	0			0			0				0		0	0		0		0
3-4			0	0		0			0	0				0	0		0	
5-6		0	0		0		0				0				0		0	
7-8	0				0		0				0		0				0	

型号 角度 端子编号	/9.0627.2			/9.0635.2			/9.0636.2			/9.0645.2			/9.0649.2			/9.0660.2		
	90° 0° 0°	0° 0° 0°	90° 0° 0°	90° 0° 0°	0° 0° 0°	90° 0° 0°	90° 0° 0°	0° 0° 0°	90° 0° 0°	90° 0° 0°	0° 0° 0°	90° 0° 0°	90° 0° 0°	0° 0° 0°	90° 0° 0°	90° 0° 0°	0° 0° 0°	90° 0° 0°
1-2		0				0	0		0	0			0	0		0		
3-4		0		0			0		0		0			0	0			0
5-6	0		0	0				0			0			0		0		
7-8	0		0			0		0		0			0			0		

型号 角度 端子编号	/9.0665.2			/9.1919.2			/9.5096.2			/9.5097.2			/9.5197.2			/4.5397.2		
	90° 0° 0°	0° 0° 0°	90° 0° 0°	90° 0° 0°	0° 0° 0°	90° 0° 0°	90° 0° 0°	45° 0° 0°	0° 0° 0°	90° 0° 0°	0° 0° 0°	90° 0° 0°	90° 0° 0°	0° 0° 0°	90° 0° 0°	0° 0° 0°	45° 0° 0°	90° 0° 0°
1-2	0			0					0		0			0				0
3-4					0		0					0	0				0	0
5-6			0			0			0		0			0			0	0
7-8			0	0		0	0				0		0					0

型号 角度 端子编号	/4.5401.2			/4.5402.2			/4.5403.2			/4.5404.2			/4.5405.2			/4.5406.2		
	45° 0° 0°	0° 0° 0°	45° 0° 0°	45° 0° 0°	0° 0° 0°	45° 0° 0°	45° 0° 0°	0° 0° 0°	45° 0° 0°	45° 0° 0°	0° 0° 0°	45° 0° 0°	45° 0° 0°	0° 0° 0°	45° 0° 0°	45° 0° 0°	0° 0° 0°	45° 0° 0°
1-2		0	0	0		0			0			0			0		0	
3-4		0	0			0	0		0		0	0			0		0	
5-6		0	0	0		0	0		0			0				0		
7-8			0			0		0		0			0				0	

型号 角度 端子编号	/4.5407.2			/4.5408.2			/4.5410.2			/4.5411.2			/4.5412.2			/4.5413.2		
	45° 0° 0°	0° 0° 0°	45° 0° 0°	45° 0° 0°	0° 0° 0°	45° 0° 0°	45° 0° 0°	0° 0° 0°	45° 0° 0°	45° 0° 0°	0° 0° 0°	45° 0° 0°	45° 0° 0°	0° 0° 0°	45° 0° 0°	45° 0° 0°	0° 0° 0°	45° 0° 0°
1-2	0			0	0			0	0		0			0		0		0
3-4			0		0	0	0	0		0				0		0		0
5-6		0	0	0	0		0	0				0		0		0		0
7-8				0	0	0		0		0		0			0	0		

型号 角度 端子编号	/4.5414.2			/4.5415.2			/4.5416.2			/4.5417.2			/4.5418.2			/4.5419.2		
	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0
1-2	0			0			0	0				0		0	0	0	0	
3-4	0				0	0			0	0	0			0	0		0	0
5-6	0				0			0		0	0			0		0		
7-8		0		0			0	0			0	0		0			0	

型号 角度 端子编号	/4.5420.2			/4.5421.2			/4.5422.2			/4.5423.2			/4.5424.2			/9.5425.2		
	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	90° 1	45° 0	0° 1	45° 0	0° 1	45° 0	0° 0	90° 1	180° 0
1-2		0	0		0		0				0	0			0		0	0
3-4		0				0		0				0		0			0	0
5-6			0	0				0			0	0	0				0	0
7-8			0			0			0			0	0			0		

型号 角度 端子编号	/4.5426.2			/4.5427.2			/4.5430.2			/4.5431.2			/4.5433.2			/4.5434.2		
	90° 1	45° 0	0° 1	90° 1	45° 0	0° 1	45° 0	0° 1	45° 0	90° 1	45° 0	0° 1	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0
1-2		0				0	0				0	0	0			0		0
3-4			0		0			0			0		0			0		0
5-6		0				0	0	0				0	0	0		0		
7-8			0		0				0			0	0			0		

型号 角度 端子编号	/4.5435.2			/4.5436.2			/4.5438.2			/4.5444.2			/4.5445.2			/4.5449.2		
	90° 1	45° 0	0° 1	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0
1-2		0	0		0		0			0		0			0	0		
3-4	0				0		0	0				0		0				0
5-6			0	0	0				0	0			0		0			
7-8	0								0			0		0		0		

型号 角度 端子编号	/4.5452.2			/4.5471.2			/4.5479.2			/4.5551.2			/4.5563.2			/4.5574.2		
	45° 0	0° 1	45° 0	90° 1	45° 0	0° 1	90° 1	45° 0	0° 1	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	0° 0	45° 0	90° 1
1-2	0		0	0					0	0				0	0			
3-4	0				0				0		0		0	0			0	
5-6			0			0		0				0	0					0
7-8	0							0				0						

型号 角度 端子编号	/4.5575.2			/4.5582.2			/4.5584.2			/4.5585.2			/4.5587.2			/9.5593.2		
	0° 1	45° 0	90° 0	135° 0	90° 1	45° 0	90° 1	45° 0	0° 1	90° 1	45° 0	45° 0	45° 0	0° 1	45° 0	90° 1	0° 0	90° 1
1-2			0	0			0			0				0	0	0		
3-4		0			0			0			0			0		0	0	
5-6			0			0			0			0	0				0	0
7-8		0		0										0				0

型号 角度 端子编号	/4.5599.2			/9.5625.2			/9.5627.2			/9.5628.2			/9.5630.2			/9.5634.2		
	45° 0	0° 1	45° 0	90° 1	0° 1	90° 0	90° 1	0° 1	90° 0	90° 1	0° 1	90° 0	90° 1	0° 1	90° 0	90° 1	0° 1	90° 0
1-2	0	0	0	0	0			0		0			0		0	0		
3-4	0			0	0		0					0	0		0	0		
5-6		0			0	0			0	0			0		0			0
7-8			0		0	0			0			0	0	0		0		

型号 角度 端子编号	/9.5640.2			/9.5643.2			/9.5651.2			/9.5652.2			/9.5660.2			/4.5667.2		
	90° 1	0° 1	90° 0	90° 1	0° 1	90° 0	90° 1	0° 1	90° 0	90° 1	0° 1	90° 0	90° 1	0° 1	90° 0	45° 0	0° 1	45° 0
1-2			0	0	0		0		0	0		0	0				0	0
3-4	0	0			0	0		0		0	0			0	0	0	0	
5-6	0					0	0		0	0		0	0					0
7-8		0	0	0				0	0		0	0		0	0	0		

型号 角度 端子编号	/4.4205.2				D/4.4059.2				/4.5398.2				/4.5399.2				/9.5409.2			
	90°	45°	0°	45°	45°	0°	45°	90°	135°	90°	45°	0°	0°	45°	90°	135°	90°	0°	90°	180°
1-2	ī	ō	ñ	ō	ō	ñ	ō	ō	÷	ī	ō	ñ	ñ	ō	ō	ø	ī	ñ	ō	ō
3-4																				
5-6																				
7-8																				

型号 角度 端子编号	/9.5400.2				/4.5428.2				/49.5437.2				/4.5439.2				/49.5440.2			
	0°	90°	180°	270°	45°	0°	45°	90°	90°	45°	45°	90°	0°	45°	90°	135°	90°	45°	45°	90°
1-2	ñ	ō	ō	ī	ō	ñ	ō	ō	ī	ō	ō	ō	ñ	ō	ō	ø	ī	ō	ō	ō
3-4																				
5-6																				
7-8																				

型号 角度 端子编号	/4.5448.2				/4.5454.2				/49.5455.2				/4.5470.2				/4.5472.2			
	45°	0°	45°	90°	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	90°	45°	0°
1-2	ō	ñ	ō	ō	ī	ō	ñ	ō	ō	ī	ō	ō	ō	ō	ñ	ō	ō	ī	ō	ñ
3-4																				
5-6																				
7-8																				

型号 角度 端子编号	/4.5473.2				/4.5475.2				/4.5477.2				/4.5478.2				/4.5480.2			
	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°
1-2	ō	ñ	ō	ō	ō	ñ	ō	ō	ō	ñ	ō	ō	ō	ñ	ō	ō	ō	ñ	ō	ō
3-4																				
5-6																				
7-8																				

型号 角度 端子编号	/4.5481.2				/4.5485.2				/4.5486.2				/4.5487.2				/4.5489.2			
	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	90°	45°	0°	45°	45°	0°	45°	90°
1-2	ō	ñ	ō	ō	ō	ñ	ō	ō	ō	ñ	ō	ō	ī	ō	ñ	ō	ō	ñ	ō	ō
3-4																				
5-6																				
7-8																				

型号 角度 端子编号	/4.5490.2				/4.5491.2				/4.5492.2				/4.5493.2				/4.5494.2			
	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°
1-2	ō	ñ	ō	ō	ō	ñ	ō	ō	ō	ñ	ō	ō	ō	ñ	ō	ō	ō	ñ	ō	ō
3-4																				
5-6																				
7-8																				

型号 角度 端子编号	/4.5495.2				/4.5496.2				/4.5497.2				/4.5498.2				/4.5499.2			
	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°
1-2	ō	ñ	ō	ō	ō	ñ	ō	ō	ō	ñ	ō	ō	ō	ñ	ō	ō	ō	ñ	ō	ō
3-4																				
5-6																				
7-8																				

型号 角度 端子编号	/4.5500.2				/4.5501.2				/4.5502.2				/4.5503.2				/4.5504.2			
	90°	45°	0°	45°	0°	45°	90°	135°	0°	45°	90°	135°	45°	0°	45°	90°	0°	45°	90°	135°
1-2	ō	ñ	ō	ō	ñ	ō	ō	ø	ñ	ō	ō	ø	ō	ñ	ō	ō	ñ	ō	ō	ø
3-4																				
5-6																				
7-8																				

型号 角度 端子编号	/4.5505.2				/4.5506.2				/4.5507.2				/4.5508.2				/4.5509.2			
	0°	45°	90°	135°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°
1-2	0	0	0	0	0			0	0			0	0			0	0			0
3-4		0	0	0				0	0			0	0			0	0			0
5-6			0	0	0				0						0					0
7-8				0		0						0	0			0			0	

型号 角度 端子编号	/4.5510.2				/4.5511.2				/4.5512.2				/4.5513.2				/4.5514.2			
	45°	0°	45°	90°	90°	45°	0°	45°	45°	0°	45°	90°	45°	0°	45°	90°	0°	45°	90°	135°
1-2		0		0	0	0			0			0	0	0	0			0	0	0
3-4		0	0		0			0	0			0			0			0	0	0
5-6	0	0					0	0			0	0	0						0	0
7-8						0	0									0				

型号 角度 端子编号	/4.5515.2				/4.5516.2				/4.5517.2				/4.5518.2				/4.5543.2			
	0°	45°	90°	135°	45°	0°	45°	90°	45°	0°	45°	90°	0°	45°	90°	135°	45°	0°	45°	90°
1-2		0		0	0						0		0				0		0	0
3-4		0	0				0		0				0	0			0	0	0	0
5-6			0					0				0	0		0		0	0	0	0
7-8				0	0		0	0	0				0			0	0	0	0	0

型号 角度 端子编号	/4.5549.2				/9.5544.2				/9.5555.2				/4.5556.2				/4.5557.2			
	90°	45°	0°	45°	90°	0°	90°	180°	0°	90°	180°	270°	90°	45°	0°	45°	45°	0°	45°	90°
1-2				0	0							0				0				0
3-4			0			0		0		0				0	0		0			
5-6	0						0	0			0			0	0	0			0	
7-8		0						0			0			0	0					0

型号 角度 端子编号	/4.5562.2				/4.5565.2				/4.5571.2				/4.5578.2				/4.5586.2			
	45°	0°	45°	90°	0°	45°	90°	135°	0°	45°	90°	135°	90°	45°	0°	45°	45°	0°	45°	90°
1-2	0	0	0		0							0	0				0	0		
3-4	0	0		0		0				0					0			0	0	
5-6	0		0	0			0			0	0				0		0			0
7-8		0	0	0				0			0	0		0	0	0		0		

型号 角度 端子编号	/4.5591.2				/4.5597.2				/4.5623.2				/4.5624.2				/9.5633.2			
	45°	0°	45°	90°	0°	45°	90°	135°	90°	45°	45°	90°	45°	0°	45°	90°	90°	0°	90°	180°
1-2	0		0	0		0			0		0			0	0	0	0			
3-4	0	0	0			0	0	0		0		0			0				0	
5-6	0	0		0				0	0	0					0			0		
7-8		0	0	0							0	0				0				0

型号 角度 端子编号	/9.5639.2				9.5645.2				/9.5920.2				/9.5921.2				/9.5929.2			
	0°	90°	180°	270°	0°	90°	180°	270°	0°	90°	180°	270°	0°	90°	180°	270°	0°	90°	180°	270°
1-2				0				0		0	0	0		0	0	0	0			0
3-4				0		0					0				0			0		
5-6	0	0						0			0				0		0	0		
7-8		0					0					0	0						0	0

型号 角度 端子编号																				
1-2																				
3-4																				
5-6																				
7-8																				

型号 角度 端子编号	/4.0500.2					/4.0501.2					/4.0502.2					/4.0503.2				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
1-2	Ÿ	Œ	ŋ	Œ	Ÿ	Ÿ	Œ	ŋ	Œ	Ÿ	Ÿ	Œ	ŋ	Œ	Ÿ	Ÿ	Œ	ŋ	Œ	Ÿ
3-4		Ÿ			Ÿ		Ÿ		Ÿ					Ÿ	Ÿ	Ÿ	Ÿ		Ÿ	Ÿ
5-6				Ÿ	Ÿ	Ÿ				Ÿ	Ÿ	Ÿ								Ÿ
7-8								Ÿ			Ÿ				Ÿ	Ÿ				

型号 角度 端子编号	/4.0504.2					/4.0506.2														
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°										
1-2	Ÿ	Œ	ŋ	Œ	Ÿ	Ÿ		Ÿ		Ÿ										
3-4	Ÿ	Ÿ		Ÿ		Ÿ														
5-6	Ÿ							Ÿ												
7-8		Ÿ			Ÿ					Ÿ										

型号 角度 端子编号	D/4.4023.2					/4.4207.2					D/4.4020.2					D/4.4043.2				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
1-2	Ÿ	Œ	ŋ	Œ	Ÿ	Ÿ	Ÿ	Ÿ	Ÿ		Ÿ	Ÿ		Ÿ	Ÿ	Ÿ				
3-4		Ÿ		Ÿ		Ÿ	Ÿ	Ÿ	Ÿ	Ÿ	Ÿ	Ÿ		Ÿ	Ÿ				Ÿ	Ÿ
5-6	Ÿ	Ÿ		Ÿ		Ÿ	Ÿ		Ÿ	Ÿ	Ÿ					Ÿ	Ÿ			
7-8		Ÿ		Ÿ	Ÿ	Ÿ		Ÿ	Ÿ	Ÿ					Ÿ				Ÿ	Ÿ

型号 角度 端子编号	/4.4502.2					/4.4504.2					/4.4543.2					/4.4547.2				
	90°	135°	180°	135°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
1-2	Ÿ	÷	Œ	Œ	Ÿ	Ÿ									Ÿ		Ÿ		Ÿ	
3-4		Ÿ					Ÿ					Ÿ		Ÿ	Ÿ			Ÿ	Ÿ	
5-6				Ÿ					Ÿ		Ÿ	Ÿ								Ÿ
7-8					Ÿ					Ÿ										

型号 角度 端子编号	/4.5453.2										/4.5519.2					/4.5520.2				
	90°	45°	0°	45°	90°						90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
1-2	Ÿ	Œ	ŋ	Œ	Ÿ						Ÿ	Œ	ŋ	Œ	Ÿ			Ÿ	Œ	Ÿ
3-4		Ÿ										Ÿ			Ÿ				Ÿ	
5-6			Ÿ											Ÿ	Ÿ	Ÿ				
7-8				Ÿ								Ÿ		Ÿ	Ÿ					Ÿ

型号 角度 端子编号	/4.5522.2					/4.5523.2					/4.5524.2					/4.5525.2				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
1-2	Ÿ	Ÿ	Ÿ	Ÿ	Ÿ	Ÿ	Ÿ						Ÿ					Ÿ		
3-4		Ÿ	Ÿ	Ÿ	Ÿ	Ÿ	Ÿ					Ÿ		Ÿ						Ÿ
5-6		Ÿ	Ÿ			Ÿ			Ÿ		Ÿ				Ÿ	Ÿ				
7-8			Ÿ	Ÿ		Ÿ			Ÿ			Ÿ	Ÿ	Ÿ						

型号 角度 端子编号	/4.5526.2					/4.5527.2					/4.5528.2					/4.5529.2				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
1-2					Ÿ			Ÿ			Ÿ	Ÿ			Ÿ	Ÿ	Ÿ		Ÿ	Ÿ
3-4			Ÿ			Ÿ	Ÿ								Ÿ	Ÿ	Ÿ		Ÿ	Ÿ
5-6				Ÿ					Ÿ	Ÿ	Ÿ			Ÿ	Ÿ		Ÿ		Ÿ	
7-8		Ÿ				Ÿ				Ÿ		Ÿ					Ÿ		Ÿ	

型号 角度 端子编号	/4.5530.2					/4.5531.2					/4.5532.2					/4.5533.2				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
1-2			Ÿ			Ÿ					Ÿ							Ÿ		
3-4	Ÿ	Ÿ		Ÿ	Ÿ			Ÿ		Ÿ		Ÿ		Ÿ					Ÿ	Ÿ
5-6	Ÿ				Ÿ	Ÿ		Ÿ					Ÿ	Ÿ		Ÿ	Ÿ			
7-8	Ÿ	Ÿ								Ÿ		Ÿ	Ÿ					Ÿ		

型号 角度 端子编号	/4.5534.2					/4.5535.2					/4.5536.2					/4.5537.2				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	ī	ō	ñ	ö	ð	ī	ō	ñ	ö	ð	ī	ō	ñ	ö	ð	ī	ō	ñ	ö	ð
1-2				ū					ū			ū	ū	ū	ū		ū			
3-4		ū		ū			ū		ū			ū	ū	ū	ū		ū			
5-6	ū	ū		ū			ū	ū	ū				ū	ū					ū	ū
7-8							ū	ū	ū					ū					ū	

型号 角度 端子编号	/4.5538.2					/4.5544.2					/4.5545.2					/4.5547.2				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	135°	90°	45°	0°	45°	135°	90°	45°	0°	45°
	ī	ō	ñ	ö	ð	ī	ō	ñ	ö	ð	÷	ī	ō	ñ	ö	÷	ī	ō	ñ	ö
1-2	ū	ū					ū				ū					ū				
3-4	ū				ū				ū						ū					ū
5-6				ū	ū			ū					ū					ū		
7-8		ū		ū						ū				ū					ū	

型号 角度 端子编号	/4.5570.2					/4.5572.2					/3.5580.2					/4.5581.2				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	0°	30°	60°	90°	120°	90°	45°	0°	45°	90°
	ī	ō	ñ	ö	ð	ī	ō	ñ	ö	ð	ñ	ö	ö	ö	ø	ī	ō	ñ	ö	ð
1-2	ū	ū				ū	ū	ū				ū	ū	ū	ū	ū		ū		ū
3-4					ū			ū	ū	ū			ū	ū	ū		ū	ū		
5-6				ū	ū		ū	ū					ū		ū			ū		ū
7-8	ū							ū	ū						ū				ū	

型号 角度 端子编号	/4.5583.2					/4.5595.2					/4.5596.2					/4.5600.2				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	45°	0°	45°	90°	135°	90°	45°	0°	45°	90°
	ī	ō	ñ	ö	ð	ī	ō	ñ	ö	ð	ö	ñ	ö	ö	ø	ī	ō	ñ	ö	ð
1-2		ū						ū				ū					ū	ū	ū	ū
3-4					ū			ū				ū	ū	ū	ū			ū	ū	ū
5-6			ū			ū								ū	ū	ū	ū	ū		
7-8				ū						ū					ū	ū	ū	ū	ū	

型号 角度 端子编号	/4.5601.2					/4.5602.2					/4.5603.2					/4.5604.2				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	0°	45°	90°	135°	180°	90°	45°	0°	45°	90°
	ī	ō	ñ	ö	ð	ī	ō	ñ	ö	ð	ñ	ö	ö	ø	ö	ī	ō	ñ	ö	ð
1-2	ū								ū	ū		ū	ū	ū	ū	ū			ū	ū
3-4	ū	ū		ū		ū	ū			ū			ū	ū	ū		ū		ū	ū
5-6				ū	ū	ū			ū	ū				ū	ū	ū	ū		ū	
7-8	ū	ū		ū	ū	ū	ū								ū					ū

型号 角度 端子编号	/4.5605.2					/4.5606.2					/4.5607.2					/4.5608.2				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	0°	45°	90°	135°	180°
	ī	ō	ñ	ö	ð	ī	ō	ñ	ö	ð	ī	ō	ñ	ö	ð	ñ	ö	ö	ø	ö
1-2		ū				ū			ū	ū				ū			ū	ū	ū	ū
3-4	ū					ū	ū			ū					ū			ū	ū	ū
5-6				ū		ū	ū		ū	ū	ū	ū							ū	ū
7-8					ū		ū		ū	ū	ū					ū				

型号 角度 端子编号	/4.5609.2					/4.5610.2					/4.5611.2					/4.5612.2				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	ī	ō	ñ	ö	ð	ī	ō	ñ	ö	ð	ī	ō	ñ	ö	ð	ī	ō	ñ	ö	ð
1-2	ū	ū				ū			ū		ū						ū			ū
3-4				ū	ū					ū	ū	ū		ū					ū	ū
5-6	ū					ū	ū							ū		ū				
7-8					ū				ū	ū					ū	ū				

型号 角度 端子编号	/4.5613.2					/4.5614.2					/4.5615.2					/4.5617.2				
	90°	45°	0°	45°	90°	0°	45°	90°	135°	180°	90°	45°	0°	45°	90°	0°	45°	90°	135°	180°
	ī	ō	ñ	ö	ð	ñ	ö	ö	ø	ö	ī	ō	ñ	ö	ð	ñ	ö	ö	ø	ö
1-2	ū	ū			ū		ū					ū		ū				ū	ū	ū
3-4	ū			ū	ū			ū				ū					ū			ū
5-6	ū	ū			ū				ū						ū		ū		ū	ū
7-8	ū			ū	ū				ū		ū							ū		ū

型号 角度 端子编号	/4.5618.2					/4.5619.2					/4.5620.2					D/4.5621.2				
	0° Ń	45° Đ	90° Đ	135° Đ	180° Đ	45° Đ	0° Ń	45° Đ	90° Đ	135° Đ	90° Ń	45° Đ	0° Ń	45° Đ	90° Đ	90° Ń	45° Đ	0° Ń	45° Đ	90° Đ
1-2		Đ			Đ	Đ						Đ				Đ				
3-4			Đ					Đ	Đ	Đ			Đ							Đ
5-6				Đ		Đ			Đ	Đ				Đ		Đ	Đ			
7-8			Đ		Đ				Đ						Đ				Đ	Đ

型号 角度 端子编号	/4.5635.2					/9.5638.2					/4.5646.2					/4.5644.2				
	90° Ń	45° Đ	0° Ń	45° Đ	90° Đ	90° Ń	45° Đ	90° Đ	135° Đ	180° Đ	45° Đ	0° Ń	45° Đ	90° Đ	135° Đ	90° Ń	45° Đ	0° Ń	45° Đ	90° Đ
1-2					Đ		Đ				Đ						Đ			
3-4	Đ	Đ		Đ				Đ	Đ	Đ			Đ					Đ		
5-6	Đ							Đ	Đ	Đ			Đ	Đ					Đ	
7-8	Đ			Đ				Đ					Đ	Đ	Đ					

型号 角度 端子编号	/4.5666.2					/4.5668.2					/9.5670.2									
	90° Ń	45° Đ	0° Ń	45° Đ	90° Đ	90° Ń	45° Đ	0° Ń	45° Đ	90° Đ	90° Ń		0° Ń		90° Đ					
1-2	Đ	Đ				Đ			Đ	Đ		Đ	Đ	Đ	Đ					
3-4		Đ		Đ	Đ	Đ			Đ	Đ	Đ	Đ	Đ	Đ						
5-6					Đ	Đ			Đ	Đ	Đ	Đ	Đ	Đ	Đ					
7-8						Đ	Đ			Đ				Đ	Đ					

型号 角度 端子编号																				
1-2																				
3-4																				
5-6																				
7-8																				

型号 角度 端子编号											/4.5473.2					/4.5539.2						
											0° ñ	45° ö	90° ð	135° ø	180° ö	225° ÷	90° ÿ	45° ō	0° ñ	45° ö	90° ð	135° ø
1-2												û			û	û					û	û
3-4													û		û	û	û	û				
5-6														û		û	û			û		û
7-8															û	û						

型号 角度 端子编号	/4.5540.2					/4.5541.2					/4.5542.2									
	90° Ń	45° Đ	0° Ń	45° Đ	90° Đ	135° Đ	135° Đ	90° Ń	45° Đ	0° Ń	45° Đ	90° Đ	0° Ń	45° Đ	90° Đ	135° Đ	180° Đ	225° ÷		
1-2	Đ	Đ				Đ	Đ				Đ							Đ		
3-4	Đ				Đ				Đ			Đ		Đ	Đ			Đ		
5-6		Đ		Đ				Đ								Đ	Đ	Đ		
7-8						Đ														

型号 角度 端子编号	/3.5550.2					/4.5589.2					/4.5598.2									
	0° 自动	30° 开	60° 开	90° 2	120° 3	150° 4	90° Ń	45° Đ	0° Ń	45° Đ	90° Đ	135° Đ	0° Ń	45° Đ	90° Đ	135° Đ	90° Ń	45° Đ	0° Ń	45° Đ
1-2	Đ						Đ		Đ		Đ			Đ		Đ		Đ		
3-4		Đ			Đ	Đ		Đ	Đ			Đ			Đ		Đ	Đ	Đ	
5-6			Đ		Đ	Đ			Đ	Đ	Đ	Đ				Đ	Đ	Đ	Đ	
7-8				Đ	Đ	Đ							Đ							

型号 角度 端子编号	/4.6432.2					/4.8670.2														
	90° Ń	45° Đ	0° Ń	45° Đ	90° Đ	90° Ń	45° Đ	0° Ń	45° Đ	90° Đ	135° Đ									
1-2			Đ			Đ				Đ										
3-4						Đ	Đ			Đ										
5-6	Đ							Đ		Đ										
7-8			Đ					Đ	Đ	Đ										

型号 角度 端子编号	D/4.4045.2							D/4.4052.2							/4.5451.2						
	跳回	分后	预分	远方	预合	合后	合	分	分后	预分	停用	预合	合后	合	135°	90°	45°	0°	45°	90°	135°
1-2	Ÿ	ð	ð	ñ	ð	ð	ð	Ÿ	ð	ð	ñ	ð	ð	ð	÷	Ÿ	ð	ñ	ð	ð	ð
3-4	Ÿ							Ÿ								Ÿ	Ÿ			Ÿ	
5-6				Ÿ				Ÿ	Ÿ									Ÿ	Ÿ	Ÿ	
7-8	Ÿ	Ÿ	Ÿ		Ÿ	Ÿ	Ÿ						Ÿ	Ÿ							

型号 角度 端子编号	/3.5476.2							/4.5548.2							/4.5558.2						
	90°	60°	30°	0°	30°	60°	90°	225°	180°	135°	90°	45°	0°	45°	135°	90°	45°	0°	45°	90°	135°
1-2	Ÿ	ð	ð		Ÿ		Ÿ	Ÿ	Ÿ	Ÿ	Ÿ				÷	Ÿ	ð	ñ	ð	ð	ð
3-4		Ÿ	Ÿ			Ÿ	Ÿ	Ÿ	Ÿ	Ÿ		Ÿ	Ÿ		Ÿ	Ÿ	Ÿ		Ÿ	Ÿ	Ÿ
5-6				Ÿ	Ÿ	Ÿ	Ÿ	Ÿ	Ÿ	Ÿ		Ÿ		Ÿ	Ÿ	Ÿ		Ÿ			Ÿ
7-8								Ÿ		Ÿ	Ÿ				Ÿ		Ÿ			Ÿ	Ÿ

型号 角度 端子编号	/4.5559.2							/4.5560.2							/4.5561.2						
	135°	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	135°
1-2	÷	Ÿ	ð	ñ	ð	ð	ð	Ÿ	Ÿ	Ÿ					÷	Ÿ	ð	ñ	ð	ð	ð
3-4	Ÿ	Ÿ	Ÿ					Ÿ		Ÿ				Ÿ	Ÿ	Ÿ	Ÿ	Ÿ	Ÿ	Ÿ	Ÿ
5-6					Ÿ	Ÿ	Ÿ			Ÿ		Ÿ		Ÿ	Ÿ	Ÿ		Ÿ		Ÿ	Ÿ
7-8	Ÿ						Ÿ		Ÿ				Ÿ				Ÿ	Ÿ	Ÿ	Ÿ	

型号 角度 端子编号	/4.5566.2								/4.5567.2								/4.5568.2							
	0°	45°	90°	135°	180°	225°	270°	315°	0°	45°	90°	135°	180°	225°	270°	315°	135°	90°	45°	0°	45°	90°	135°	180°
	ñ	ð	ð	ø	ò	÷	ÿ	õ	ñ	ð	ð	ø	ò	÷	ÿ	õ	÷	ÿ	õ	ñ	ð	ð	ø	ò
1-2	ù			ù			ù	ù		ù		ù		ù		ù	ù	ù		ù	ù			
3-4		ù			ù					ù	ù				ù	ù		ù	ù			ù	ù	
5-6			ù			ù						ù	ù	ù	ù	ù		ù	ù			ù	ù	
7-8				ù			ù																	

型号 角度 端子编号	/4.5569.2								/4.5588.2								/4.5590.2							
	0°	45°	90°	135°	180°	225°	270°	315°	135°	90°	45°	0°	45°	90°	135°	180°	90°	45°	0°	45°	90°	135°	180°	225°
	ñ	ð	ð	ø	ð	÷	Ÿ	ð	÷	Ÿ	ð	ñ	ð	ð	ø	ð	Ÿ	ð	ñ	ð	ð	ø	ð	÷
1-2		ð		ð		ð		ð		ð		ð		ð		ð		ð						
3-4			ð	ð			ð	ð			ð	ð			ð	ð			ð					
5-6					ð	ð		ð				ð	ð		ð	ð				ð				
7-8	ð		ð																		ð			

型号 角度 端子编号	/3.5576.2							/3.5579.2													
	0°	30°	60°	90°	120°	150°	180°	210°	240°	120°	90°	60°	30°	0°	30°	60°	90°	120°			
1-2	ñ	ð	ð	ð	ð	ð	ð	÷	÷	÷	Ÿ	ð	ð	ñ	ð	ð	ð	ð			
3-4			Ÿ	Ÿ			Ÿ	Ÿ				Ÿ	Ÿ		Ÿ	Ÿ					
5-6					Ÿ	Ÿ	Ÿ	Ÿ			Ÿ	Ÿ	Ÿ		Ÿ	Ÿ	Ÿ				
7-8									Ÿ	Ÿ	Ÿ	Ÿ	Ÿ		Ÿ	Ÿ	Ÿ	Ÿ			

型号 角度 端子编号	/4.0924.3		/9.0925.3		/4.0931.3		/9.0932.3		Z/4.0647.3		/9.0934.3		/9.0936.3		/9.0993.3		/4.3102.3	
	0°	45°	45°	45°	45°	0°	45°	45°	0°	45°	45°	45°	45°	45°	45°	45°	0°	45°
1-2	0		0			0		0	0		0		0		0		0	
3-4		0	0			0	0			0		0		0		0	0	
5-6		0		0		0		0	0			0	0			0	0	
7-8		0		0		0	0			0	0			0	0			0
9-10		0		0		0		0	0	0	0		0			0		0
11-12		0	0			0	0		0	0			0		0			0

型号 角度 端子编号	Z/4.5641.3		Z/4.5647.3		/4.5706.3		/4.5710.3		/4.5711.3		/4.5712.3		/4.5714.3		/4.5715.3		/4.5716.3	
	0°	45°	0°	45°	0°	45°	0°	45°	0°	45°	0°	45°	0°	45°	0°	45°	0°	45°
1-2	0		0			0	0		0			0		0		0	0	
3-4	0			0		0	0		0		0		0		0			0
5-6	0		0		0		0		0			0		0				0
7-8	0			0	0		0			0	0			0				0
9-10	0		0	0	0		0			0		0		0		0		0
11-12	0		0	0	0		0			0		0		0		0		0

型号 角度 端子编号	/9.5933.3		/9.5936.3		/9.5938.3		/9.5939.3		/9.5940.3		/9.5941.3		/9.5942.3		/9.5943.3		/9.5949.3	
	45°	0°	45°	45°	45°	45°	90°	0°	90°	0°	90°	0°	90°	0°	0°	90°	90°	0°
1-2	0			0	0			0	0			0		0	0		0	
3-4		0		0		0	0			0	0		0		0		0	
5-6	0			0	0			0	0			0		0	0		0	
7-8		0		0	0		0			0	0			0	0		0	
9-10	0			0	0			0	0			0		0		0	0	
11-12		0		0		0	0			0	0			0		0	0	

型号 角度 端子编号	/9.5950.3		/4.5951.3		/9.5952.3		/4.5953.3		/9.5954.3		/4.5958.3		/9.5960.3		/9.5964.3		/9.6271.3	
	0°	90°	90°	0°	0°	90°	45°	0°	45°	45°	0°	45°	45°	45°	90°	0°	45°	45°
1-2	0			0	0		0		0		0		0		0			0
3-4	0			0	0			0	0		0		0		0		0	
5-6		0	0		0		0			0		0	0	0		0		0
7-8		0	0			0		0		0			0	0		0	0	
9-10		0	0			0	0		0			0		0	0			0
11-12		0	0			0		0		0		0		0	0		0	

型号 角度 端子编号																		
1-2																		
3-4																		
5-6																		
7-8																		
9-10																		
11-12																		

型号 角度 端子编号																		
1-2																		
3-4																		
5-6																		
7-8																		
9-10																		
11-12																		

型号 角度 端子编号	Z/4.0612.3			Z/4.0613.3			Z/4.0643.3			Z/4.0648.3			Z/4.0651.3			Z/4.0652.3		
	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°
1-2	0					0	0	0		0				0		0	0	
3-4	0			0	0				0			0	0		0	0	0	
5-6			0	0	0			0	0	0					0			0
7-8			0			0	0					0	0			0		
9-10		0			0			0		0		0		0				0
11-12		0								0		0		0		0		

型号 角度 端子编号	Z/4.0653.3			Z/4.0654.3			Z/4.0655.3			Z/4.0656.3			Z/4.0657.3			Z/4.0658.3		
	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°
1-2	0					0	0		0		0			0		0	0	
3-4			0			0	0		0		0		0					0
5-6	0				0		0		0						0		0	0
7-8			0		0		0		0		0	0	0			0		
9-10	0			0				0		0	0				0		0	
11-12			0	0				0		0	0		0				0	

型号 角度 端子编号	Z/4.0659.3			Z/4.0667.3			/4.0713.3			/4.0714.3			/4.0715.3			/4.0717.3		
	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°
1-2			0			0			0	0					0	0		0
3-4	0			0					0	0			0			0		0
5-6	0			0					0	0				0		0		0
7-8		0	0		0	0		0			0			0		0		0
9-10		0			0			0			0		0			0		0
11-12								0			0				0		0	

型号 角度 端子编号	/4.0719.3			/4.0720.3			/4.0721.3			/4.0722.3			/4.0723.3			/4.0724.3		
	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°
1-2	0			0				0			0	0			0			0
3-4	0					0	0		0	0					0			0
5-6	0				0				0			0	0				0	
7-8			0		0		0			0					0		0	
9-10			0	0				0				0	0			0		
11-12			0			0		0		0					0	0		

型号 角度 端子编号	/4.0725.3			/4.0726.3			/4.0727.3			/4.0728.3			/4.0729.3			/4.0730.3		
	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	90° 45° 45°	45° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°
1-2	0		0		0		0				0	0		0		0		
3-4	0		0			0			0	0	0				0	0		
5-6	0		0	0			0		0	0				0			0	
7-8	0		0		0	0	0		0	0	0				0		0	
9-10		0		0	0			0		0	0			0				0
11-12		0		0	0		0		0		0				0			0

型号 角度 端子编号	/4.0732.3			/4.0733.3			/4.0735.3			/4.0736.3			/4.0737.3			/4.0738.3		
	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	90° 45° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°
1-2		0				0		0	0	0					0			0
3-4		0			0					0					0	0		
5-6			0	0				0				0			0		0	
7-8	0					0		0				0		0				0
9-10			0		0				0		0				0			
11-12	0			0			0			0			0					0

型号 角度 端子编号	/4.0739.3			/4.0741.3			/4.0743.3			/4.0744.3			/4.0745.3			/4.0746.3		
	135° ÷	90° ı	45° ø	45° ø	0° ñ	45° ø	45° ø	0° ñ	45° ø	45° ø	0° ñ	45° ø	45° ø	0° ñ	45° ø	45° ø	0° ñ	45° ø
1-2			ø	ø					ø	ø			ø		ø	ø		
3-4	ø					ø	ø					ø	ø		ø		ø	
5-6			ø	ø					ø	ø					ø			ø
7-8	ø					ø	ø					ø			ø			ø
9-10			ø			ø	ø		ø	ø		ø	ø		ø	ø	ø	
11-12	ø					ø				ø		ø	ø		ø			

型号 角度 端子编号	/4.0747.3			/4.0748.3			/4.0749.3			/4.0751.3			/4.0752.3			/4.0753.3		
	45° ø	0° ñ	45° ø	45° ø	0° ñ	45° ø	45° ø	0° ñ	45° ø	45° ø	0° ñ	45° ø	45° ø	0° ñ	45° ø	45° ø	0° ñ	45° ø
1-2	ø	ø	ø			ø	ø			ø		ø	ø			ø		
3-4	ø			ø				ø		ø		ø			ø		ø	ø
5-6		ø		ø			ø			ø		ø	ø			ø	ø	
7-8		ø	ø			ø			ø	ø		ø	ø		ø			ø
9-10			ø	ø		ø		ø				ø	ø			ø		
11-12									ø		ø				ø		ø	

型号 角度 端子编号	/4.0754.3			/4.0755.3			/4.0756.3			/4.0757.3			/4.0759.3			/4.0760.3		
	45° ø	0° ñ	45° ø	45° ø	0° ñ	45° ø	45° ø	0° ñ	45° ø	45° ø	0° ñ	45° ø	45° ø	0° ñ	45° ø	45° ø	0° ñ	45° ø
1-2			ø	ø		ø	ø			ø				ø				
3-4	ø					ø	ø				ø		ø			ø		ø
5-6	ø					ø			ø	ø					ø			ø
7-8			ø	ø					ø			ø	ø			ø		
9-10			ø	ø			ø		ø		ø				ø			ø
11-12	ø						ø		ø			ø		ø		ø		

型号 角度 端子编号	/4.0836.3			/4.0842.3														
	45° ø	0° ñ	45° ø	45° ø	0° ñ	45° ø												
1-2		ø		ø	ø													
3-4	ø					ø												
5-6		ø		ø														
7-8	ø					ø												
9-10			ø	ø														
11-12			ø															

型号 角度 端子编号				/4.0930.3			/4.0937.3			/4.0938.3			/4.0939.3			/4.0940.3		
				45° ø	0° ñ	45° ø	90° ı	0° ñ	90° ø	90° ı	0° ñ	90° ø	90° ı	0° ñ	90° ø	90° ı	0° ñ	90° ø
1-2				ø					ø	ø					ø	ø		
3-4						ø		ø				ø			ø			ø
5-6				ø			ø			ø					ø			ø
7-8						ø	ø					ø			ø			ø
9-10				ø				ø				ø			ø	ø		ø
11-12						ø			ø	ø		ø			ø	ø		ø

型号 角度 端子编号	/4.0946.3			/4.0947.3			/4.0948.3			/4.0949.3			/4.0950.3			/4.0951.3		
	90° ı	0° ñ	90° ø	90° ı	0° ñ	90° ø	90° ı	0° ñ	90° ø	90° ı	0° ñ	90° ø	90° ı	0° ñ	90° ø	90° ı	0° ñ	90° ø
1-2	ø		ø	ø		ø			ø	ø				ø		ø		
3-4	ø		ø	ø		ø		ø				ø		ø		ø		
5-6	ø		ø	ø		ø		ø			ø			ø		ø		
7-8	ø		ø	ø		ø		ø			ø			ø		ø		
9-10	ø		ø	ø		ø	ø		ø		ø			ø				ø
11-12	ø		ø		ø		ø		ø	ø		ø		ø				ø

型号 角度 端子编号	/9.0952.3			/9.0953.3			/9.0955.3			/9.0959.3			/9.0960.3			/9.0967.3		
	90°	0°	90°	90°	0°	90°	90°	0°	90°	90°	0°	90°	90°	0°	90°	0°	90°	180°
1-2	0		0	0			0				0	0	0			0		
3-4		0	0	0					0	0	0	0		0		0		
5-6	0		0		0		0			0		0	0		0		0	
7-8		0	0		0					0	0	0			0		0	
9-10	0		0			0	0			0	0		0					0
11-12		0	0			0				0	0	0	0		0			0

型号 角度 端子编号	/9.0968.3			/9.1917.3			/9.1920.3			/4.4106.3			/4.4107.3			/4.4108.3		
	90°	0°	90°	90°	0°	90°	90°	0°	90°	45°	0°	45°	45°	0°	45°	45°	0°	45°
1-2	0	0			0	0			0	0	0			0			0	
3-4	0		0	0			0						0					0
5-6		0			0	0	0	0				0			0	0		
7-8			0	0					0		0			0			0	
9-10	0			0		0	0		0	0			0					0
11-12	0		0									0			0	0		

型号 角度 端子编号	/4.5421.3			/9.5553.3			/9.5626.3			Z/4.5636.3			Z/4.5644.3			/4.5649.3		
	45°	0°	45°	90°	0°	90°	90°	0°	90°	45°	0°	45°	45°	0°	45°	45°	0°	45°
1-2		0			0	0			0			0		0	0	0		0
3-4			0		0	0	0	0	0	0			0				0	
5-6	0				0		0				0		0	0		0		
7-8			0		0				0		0			0		0		
9-10	0			0	0				0		0			0		0		
11-12			0	0	0		0			0				0		0		

型号 角度 端子编号	Z/4.5651.3			Z/4.5653.3			Z/4.5654.3			Z/4.5655.3			Z/4.5656.3			Z/4.5657.3		
	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
1-2	0					0	0			0	0		0	0		0	0	
3-4			0	0	0				0			0			0			0
5-6			0		0		0				0	0		0		0	0	
7-8			0	0					0	0						0		
9-10	0				0		0		0		0			0	0		0	
11-12			0	0			0		0		0		0					

型号 角度 端子编号	Z/4.5661.3			Z/4.5662.3			/4.5700.3			4.5709.3			/4.5716.3			/4.5718.3		
	45°	0°	45°	45°	0°	45°	45°	0°	45°	0°	45°	90°	90°	45°	45°	45°	0°	45°
1-2		0				0	0				0				0			0
3-4		0		0					0		0			0		0		
5-6	0		0		0		0					0			0		0	0
7-8	0		0		0				0			0		0		0	0	
9-10			0		0		0	0			0	0			0		0	0
11-12	0				0			0	0		0	0		0		0	0	

型号 角度 端子编号	/4.5721.3			/4.5722.3			/4.5723.3			/4.5725.3			/4.5726.3			/4.5727.3		
	0°	45°	90°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
1-2		0	0	0		0	0		0	0		0	0	0	0		0	0
3-4		0	0	0		0	0		0	0			0	0	0		0	0
5-6		0	0	0		0	0		0	0			0	0	0		0	0
7-8			0	0		0	0		0			0	0	0	0		0	0
9-10			0		0		0		0			0		0	0			0
11-12			0				0		0	0		0		0	0			0

型号 角度 端子编号	/4.5761.3			/4.5763.3			/4.5764.3			/4.5765.3			/4.5768.3			/4.5769.3		
	0°	45°	90°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
	♢	♢	♢	♢	♢	♢	♢	♢	♢	♢	♢	♢	♢	♢	♢	♢	♢	♢
1-2		♢	♢			♢	♢			♢				♢			♢	
3-4		♢			♢		♢			♢				♢		♢		
5-6			♢	♢			♢		♢			♢			♢			
7-8		♢	♢			♢	♢		♢			♢	♢			♢	♢	
9-10	♢			♢					♢			♢		♢		♢	♢	
11-12					♢				♢	♢						♢		

型号 角度 端子编号	/4.5770.3			/4.5774.3			/4.5776.3			/4.5777.3			/4.5784.3			4.5785.3		
	45° ᄇ	0° ñ	45° ᄇ	45° ᄇ	0° ñ	45° ᄇ	45° ᄇ	0° ñ	45° ᄇ	45° ᄇ	0° ñ	45° ᄇ	45° ᄇ	0° ñ	45° ᄇ	45° ᄇ	0° ñ	45° ᄇ
1-2	ᄇ			ᄇ				ᄇ	ᄇ	ᄇ			ᄇ					ᄇ
3-4	ᄇ					ᄇ	ᄇ	ᄇ				ᄇ	ᄇ			ᄇ		
5-6	ᄇ				ᄇ			ᄇ	ᄇ	ᄇ			ᄇ			ᄇ		
7-8			ᄇ	ᄇ			ᄇ	ᄇ		ᄇ		ᄇ	ᄇ			ᄇ		
9-10			ᄇ			ᄇ			ᄇ		ᄇ		ᄇ			ᄇ		
11-12			ᄇ		ᄇ		ᄇ			ᄇ		ᄇ			ᄇ	ᄇ		

型号 角度 端子编号	/4.5789.3			/4.5810.3			/4.5914.3			/9.5937.3			/9.5944.3			/9.5947.3		
	45° ᄇ	0° ñ	45° ᄇ	45° ᄇ	0° ñ	45° ᄇ	45° ᄇ	0° ñ	45° ᄇ	45° ᄇ		45° ᄇ	90° ᄇ	0° ñ	90° ᄇ	90° ᄇ	0° ñ	90° ᄇ
1-2		ᄇ		ᄇ			ᄇ			ᄇ		ᄇ		ᄇ			ᄇ	
3-4			ᄇ	ᄇ				ᄇ				ᄇ	ᄇ			ᄇ		
5-6	ᄇ					ᄇ			ᄇ	ᄇ	ᄇ		ᄇ					ᄇ
7-8			ᄇ			ᄇ			ᄇ	ᄇ	ᄇ	ᄇ	ᄇ				ᄇ	
9-10	ᄇ			ᄇ					ᄇ	ᄇ	ᄇ				ᄇ	ᄇ		
11-12			ᄇ			ᄇ			ᄇ		ᄇ	ᄇ			ᄇ			ᄇ

型号 角度 端子编号	/9.5961.3			/9.5967.3			/9.5968.3			Z/4.6604.3			Z/4.9511.3			/4.9583.3		
	90° ᄇ	0° ñ	90° ᄇ	90° ᄇ	0° ñ	90° ᄇ	90° ᄇ	0° ñ	90° ᄇ	45° ᄇ	0° ñ	45° ᄇ	45° ᄇ	0° ñ	45° ᄇ	0° ñ	45° ᄇ	90° ᄇ
1-2	ᄇ			ᄇ			ᄇ				ᄇ				ᄇ	ᄇ		
3-4		ᄇ			ᄇ			ᄇ			ᄇ		ᄇ					ᄇ
5-6			ᄇ			ᄇ			ᄇ		ᄇ			ᄇ	ᄇ			ᄇ
7-8	ᄇ			ᄇ					ᄇ		ᄇ		ᄇ	ᄇ		ᄇ		
9-10		ᄇ	ᄇ	ᄇ			ᄇ				ᄇ			ᄇ				ᄇ
11-12	ᄇ			ᄇ				ᄇ			ᄇ		ᄇ			ᄇ		

型号 角度 端子编号																		
1-2																		
3-4																		
5-6																		
7-8																		
9-10																		
11-12																		

型号 角度 端子编号	Z/4.4803.3			Z/4.4804.3			Z/4.4805.3			Z/4.4806.3			Z/4.4807.3		
	45° ᄇ	0° ñ	45° ᄇ	45° ᄇ	0° ñ	45° ᄇ	45° ᄇ	0° ñ	45° ᄇ	45° ᄇ	0° ñ	45° ᄇ	45° ᄇ	0° ñ	45° ᄇ
1-2	ᄇ					ᄇ	ᄇ			ᄇ	ᄇ			ᄇ	ᄇ
3-4				ᄇ		ᄇ	ᄇ			ᄇ	ᄇ			ᄇ	ᄇ
5-6	ᄇ	ᄇ				ᄇ	ᄇ			ᄇ				ᄇ	ᄇ
7-8	ᄇ	ᄇ		ᄇ			ᄇ			ᄇ		ᄇ	ᄇ		ᄇ
9-10			ᄇ	ᄇ	ᄇ			ᄇ			ᄇ				ᄇ
11-12			ᄇ	ᄇ			ᄇ	ᄇ	ᄇ				ᄇ	ᄇ	ᄇ

型号 角度 端子编号	Z/4.4808.3			Z/4.4809.3			Z/4.4810.3			Z/4.4811.3			Z/4.4822.3		
	45° ᄇ	0° ñ	45° ᄇ	45° ᄇ	0° ñ	45° ᄇ	45° ᄇ	0° ñ	45° ᄇ	45° ᄇ	0° ñ	45° ᄇ	45° ᄇ	0° ñ	45° ᄇ
1-2			ᄇ	ᄇ			ᄇ	ᄇ				ᄇ	ᄇ		ᄇ
3-4				ᄇ		ᄇ	ᄇ			ᄇ		ᄇ	ᄇ		ᄇ
5-6			ᄇ	ᄇ			ᄇ	ᄇ	ᄇ		ᄇ	ᄇ		ᄇ	ᄇ
7-8	ᄇ					ᄇ	ᄇ			ᄇ	ᄇ				ᄇ
9-10	ᄇ	ᄇ			ᄇ	ᄇ			ᄇ	ᄇ			ᄇ	ᄇ	ᄇ
11-12	ᄇ	ᄇ			ᄇ	ᄇ			ᄇ	ᄇ					ᄇ

型号 角度 端子编号	Z/4.4827.3			Z/4.4829.3			Z/4.4830.3			Z/4.4834.3			Z/4.4863.3		
	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
1-2															
3-4															
5-6															
7-8															
9-10															
11-12															

型号 角度 端子编号	Z/4.4864.3			/4.5663.3			Z/4.9804.3			Z/4.9805.3			Z/4.9809.3		
	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
1-2															
3-4															
5-6															
7-8															
9-10															
11-12															

型号 角度 端子编号	Z/4.9817.3			Z/4.9818.3			Z/4.9819.3			Z/4.9826.3			Z/4.9839.3		
	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
1-2															
3-4															
5-6															
7-8															
9-10															
11-12															

型号 角度 端子编号	Z/4.9840.3			Z/4.9841.3			Z/4.9862.3								
	45°	0°	45°	45°	0°	45°	45°	0°	45°						
1-2															
3-4															
5-6															
7-8															
9-10															
11-12															

型号 角度 端子编号	/4.0718.3				/4.0742.3				/4.0750.3				/4.0758.3				/4.0827.3			
	0°	45°	90°	135°	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	45°	0°	45°	90°
1-2																				
3-4																				
5-6																				
7-8																				
9-10																				
11-12																				

型号 角度 端子编号	/4.0840.3				/9.0923.3				/4.0942.3				/4.0943.3				/9.0944.3			
	45°	0°	45°	90°	90°	0°	90°	180°	90°	0°	90°	180°	0°	90°	180°	270°	0°	90°	180°	270°
1-2																				
3-4																				
5-6																				
7-8																				
9-10																				
11-12																				

型号 角度 端子编号	/9.0954.3				/9.0956.3				/9.0958.3				/9.0985.3				/9.0989.3			
	0°	90°	180°	270°	90°	0°	90°	180°	0°	90°	180°	270°	0°	90°	180°	270°	0°	90°	180°	270°
	ñ	ð	ð	ı	ı	ñ	ð	ð	ñ	ð	ð	ı	ñ	ð	ð	ı	ñ	ð	ð	ı
1-2		ı				ı				ı		ı		ı		ı			ı	
3-4		ı					ı			ı		ı		ı		ı			ı	
5-6			ı				ı			ı		ı		ı		ı				ı
7-8			ı					ı		ı		ı		ı		ı				ı
9-10				ı				ı	ı		ı			ı		ı	ı			
11-12				ı				ı		ı		ı		ı		ı	ı			

型号 角度 端子编号	/9.0990.3																D/49.4026.3			
	0°	90°	180°	270°													90°	0°	90°	135°
	ñ	ð	ð	ı													ı	ñ	ð	ø
1-2		ı															ı			
3-4				ı																ı
5-6			ı																ı	ı
7-8		ı															ı			
9-10				ı													ı			
11-12			ı																	

型号 角度 端子编号	/4.5441.3				/4.5442.3				/4.5484.3				/4.5703.3				/4.5724.3			
	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	90°	45°	0°	45°	45°	0°	45°	90°
	ð	ñ	ð	ð	ð	ñ	ð	ð	ð	ñ	ð	ð	ı	ð	ñ	ð	ð	ñ	ð	ð
1-2	ı		ı		ı			ı	ı			ı	ı			ı		ı		
3-4		ı	ı			ı		ı	ı			ı		ı		ı		ı		
5-6	ı		ı		ı			ı		ı			ı			ı		ı		
7-8		ı	ı			ı		ı		ı				ı		ı			ı	ı
9-10				ı			ı				ı	ı			ı				ı	
11-12											ı	ı			ı					ı

型号 角度 端子编号	/4.5772.3				/4.5780.3				/4.5782.3				/4.5796.3				/4.5798.3			
	0°	45°	90°	135°	45°	0°	45°	90°	90°	45°	0°	45°	45°	0°	45°	90°	45°	0°	45°	90°
	ñ	ð	ð	ø	ð	ñ	ð	ð	ı	ð	ñ	ð	ð	ñ	ð	ð	ð	ñ	ð	ð
1-2		ı			ı				ı	ı			ı					ı	ı	ı
3-4			ı					ı				ı	ı					ı		
5-6				ı			ı	ı			ı				ı			ı		
7-8				ı	ı				ı							ı	ı			
9-10				ı	ı					ı	ı	ı	ı	ı		ı	ı			
11-12																			ı	

型号 角度 端子编号	D/49.5800.3				/4.5803.3				/4.5805.3				/4.5806.3				/4.5808.3			
	90°	45°	45°	90°	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	45°	0°	45°	90°
	ı	ð	ð	ð	ı	ð	ñ	ð	ı	ð	ñ	ð	ı	ð	ñ	ð	ð	ñ	ð	ð
1-2	ı			ı			ı				ı			ı				ı	ı	
3-4		ı	ı		ı				ı							ı	ı	ı		
5-6		ı						ı		ı					ı		ı			ı
7-8			ı			ı						ı					ı	ı	ı	ı
9-10	ı			ı				ı	ı	ı				ı	ı				ı	ı
11-12						ı					ı	ı			ı		ı	ı	ı	ı

型号 角度 端子编号	/4.5809.3				/4.5811.3				/4.5812.3				/4.5813.3				/4.5814.3			
	45°	0°	45°	90°	45°	0°	45°	90°	0°	45°	90°	135°	0°	45°	90°	135°	45°	0°	45°	90°
	ð	ñ	ð	ð	ð	ñ	ð	ð	ñ	ð	ð	ø	ñ	ð	ð	ø	ð	ñ	ð	ð
1-2	ı				ı		ı	ı			ı	ı		ı			ı			
3-4		ı	ı	ı	ı		ı	ı	ı	ı					ı		ı			
5-6	ı		ı		ı		ı	ı		ı		ı				ı	ı			
7-8	ı	ı				ı			ı		ı			ı				ı		
9-10		ı		ı				ı		ı		ı			ı				ı	
11-12			ı	ı	ı				ı		ı	ı			ı					ı

型号 角度 端子编号	/4.5815.3				/4.5816.3				/4.5817.3				/4.5818.3				/4.5819.3			
	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°
端子编号	0	1	2	3	0	1	2	3	0	1	2	3	0	1	2	3	0	1	2	3
1-2	0				0				0	0	0		0			0			0	0
3-4			0			0				0					0	0	0	0		
5-6			0	0			0		0				0			0		0		0
7-8	0							0	0	0					0	0	0	0	0	
9-10				0			0	0	0	0	0		0			0	0	0	0	
11-12			0	0	0	0						0			0	0			0	0

型号 角度 端子编号	/4.5820.3				/4.5821.3				/4.5822.3				/4.5823.3				/4.5824.3			
	0°	45°	90°	135°	0°	45°	90°	135°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°
端子编号	1	2	3	4	1	2	3	4	0	1	2	3	0	1	2	3	0	1	2	3
1-2	0	0				0		0				0			0		0	0		
3-4	0			0		0		0	0				0	0	0		0	0		
5-6		0				0		0				0	0	0				0	0	
7-8			0	0			0	0				0	0					0	0	
9-10			0				0	0				0	0							0
11-12							0	0				0								

型号 角度 端子编号	/4.5825.3				/4.5826.3				/4.5827.3				/4.5828.3				/4.5829.3			
	45°	0°	45°	90°	90°	45°	0°	45°	0°	45°	90°	135°	45°	0°	45°	90°	45°	0°	45°	90°
端子编号	0	1	2	3	1	0	1	2	1	0	2	3	0	1	2	3	0	1	2	3
1-2		0	0	0	0					0	0	0		0					0	
3-4		0						0	0					0			0			
5-6			0				0	0		0	0	0			0	0	0			
7-8				0		0					0	0			0			0		
9-10			0	0		0					0				0			0		
11-12			0	0			0	0					0						0	

型号 角度 端子编号	/4.5830.3				/4.5831.3				/4.5832.3				/4.5833.3				/4.5834.3			
	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	90°	45°	0°	45°
端子编号	0	1	2	3	0	1	2	3	0	1	2	3	0	1	2	3	1	0	1	2
1-2			0	0				0	0							0		0		
3-4	0					0						0	0		0			0		
5-6	0		0	0			0					0	0							0
7-8	0			0	0				0						0					0
9-10			0					0			0				0		0			
11-12		0						0	0				0							0

型号 角度 端子编号	/4.5912.3				/4.5923.3				/9.5945.3				/4.5959.3				/4.5970.3			
	45°	0°	45°	90°	90°	45°	0°	45°	90°	0°	90°	180°	45°	0°	45°	90°	45°	0°	45°	90°
端子编号	0	1	2	3	1	0	1	2	1	0	2	3	0	1	2	3	0	1	2	3
1-2			0			0				0			0					0	0	
3-4	0							0				0			0		0			
5-6			0		0	0					0	0	0					0		0
7-8	0						0	0		0		0				0	0			
9-10	0				0	0				0			0						0	0
11-12				0			0	0				0		0			0			

型号 角度 端子编号	/4.5977.3				/4.6825.3				/9.6922.3											
	90°	45°	0°	45°	45°	0°	45°	90°	0°	90°	180°	270°								
端子编号	1	0	1	2	0	1	2	3	1	0	2	1								
1-2	0				0			0		0										
3-4		0	0			0		0			0									
5-6		0			0			0				0								
7-8			0			0		0	0		0	0								
9-10	0			0			0		0	0		0								
11-12							0		0	0	0									

型号 角度 端子编号																				
1-2																				
3-4																				
5-6																				
7-8																				
9-10																				
11-12																				

型号 角度 端子编号	/4.0821.3					/4.0822.3					/4.0823.3					/4.0824.3				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	ī	ō	ñ	ö	đ	ī	ō	ñ	ö	đ	ī	ō	ñ	ö	đ	ī	ō	ñ	ö	đ
1-2			ū			ū									ū				ū	ū
3-4	ū				ū					ū				ū				ū		
5-6			ū						ū	ū			ū				ū			
7-8	ū				ū		ū						ū						ū	ū
9-10			ū						ū	ū		ū						ū		ū
11-12	ū				ū				ū	ū	ū							ū	ū	ū

型号 角度 端子编号	/4.0825.3					/4.0828.3					/4.0829.3					/4.0830.3				
	0°	45°	90°	135°	180°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	ñ	ō	đ	ö	đ	ī	ō	ñ	ö	đ	ī	ō	ñ	ö	đ	ī	ō	ñ	ö	đ
1-2				ū		ū					ū	ō			ū					ū
3-4		ū					ū					ū			ū	ū				
5-6				ū				ū					ū				ū			
7-8		ū							ū					ū	ū				ū	
9-10				ū						ū					ū		ū			
11-12		ū				ū	ū												ū	

型号 角度 端子编号	/4.0832.3					/4.0835.3					/4.0837.3					/3.1510.3				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	0°	45°	90°	135°	180°	30°	0°	30°	60°	90°
	ī	ō	ñ	ö	đ	ī	ō	ñ	ö	đ	ñ	ō	đ			ō	ñ	ö	ö	đ
1-2			ū				ū	ū	ū	ū		ū			ū			ū	ū	ū
3-4				ū		ū	ū		ū	ū			ū		ū				ū	ū
5-6	ū	ū			ū	ū	ū	ū	ū	ū				ū	ū					ū
7-8		ū		ū					ū	ū			ū	ū		ū				
9-10	ū				ū		ū	ū	ū			ū		ū		ū				
11-12	ū	ū		ū	ū	ū	ū					ū	ū				ū	ū	ū	ū

型号 角度 端子编号	/4.2580.3					/4.2581.3					/4.3101.3					D/4.4021.3				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	ī	ō	ñ	ö	đ	ī	ō	ñ	ö	đ	ī	ō	ñ	ö	đ	ī	ō	ñ	ö	đ
1-2	ū			ū			ū	ū	ū	ū			ū							ū
3-4		ū			ū		ū	ū	ū	ū			ū						ū	
5-6			ū				ū	ū	ū	ū			ū					ū		
7-8	ū	ū	ū					ū					ū					ū		
9-10				ū	ū				ū			ū	ū				ū			
11-12										ū			ū	ū		ū				

型号 角度 端子编号	D/4.4029.3					D/4.4030.3					D/4.4031.3					D/4.4032.3				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	ī	ō	ñ	ö	đ	ī	ō	ñ	ö	đ	ī	ō	ñ	ö	đ	ī	ō	ñ	ö	đ
1-2					ū					ū				ū	ū				ū	ū
3-4					ū	ū									ū					ū
5-6			ū							ū			ū						ū	ū
7-8			ū			ū							ū						ū	ū
9-10	ū							ū			ū					ū				
11-12	ū							ū			ū	ū				ū	ū			

型号 角度 端子编号	D/4.4035.3					D/4.4038.3					D/4.4042.3					D/4.4053.3				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð
1-2					û					û					û					û
3-4					û		û		û					û			û		û	
5-6										û			û					û		
7-8									û			û						û		
9-10	û					û					û					û				
11-12	û					û					û					û				

型号 角度 端子编号	D/4.4035.3					/4.5707.3					/4.5720.3					/4.5775.3				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð
1-2					û	û						û		û		û				
3-4					û				û			û	û						û	
5-6							û						û	û			û			
7-8										û					û					û
9-10	û							û							û			û		
11-12	û														û					

型号 角度 端子编号	/4.5778.3					/4.5779.3					/4.5788.3					/4.5797.3				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð
1-2				û		û						û				û				û
3-4	û	û					û				û			û	û	û		û		
5-6				û	û				û					û	û	û			û	
7-8		û		û			û		û		û	û		û	û					
9-10	û				û					û	û	û		û	û		û	û		
11-12				û	û					û	û						û	û		

型号 角度 端子编号	/4.5807.3					/4.5835.3					/4.5836.3					/4.5837.3				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð
1-2	û								û			û							û	
3-4		û							û	û		û				û	û	û	û	
5-6	û	û	û			û	û					û						û	û	û
7-8			û	û	û		û		û				û					û		û
9-10				û		û				û				û			û		û	
11-12					û	û	û		û	û					û	û				

型号 角度 端子编号	/4.5838.3					/4.5839.3					/4.5840.3					/4.5841.3				
	45°	0°	45°	90°	135°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	ð	ñ	ð	ð	ð	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð
1-2			û	û	û				û	û	û	û				û	û			
3-4	û					û	û					û							û	û
5-6	û					û				û			û				û		û	
7-8				û			û	û	û					û		û	û		û	û
9-10				û	û			û						û	û	û				
11-12					û								û					û		

型号 角度 端子编号	/4.5842.3					/4.5843.3					/4.5844.3					/4.5845.3				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð
1-2	û	û				û	û	û				û			û	û		û		û
3-4	û	û					û					û				û		û		û
5-6				û	û	û		û			û				û			û		û
7-8				û	û			û	û			û				û		û		
9-10	û			û	û				û					û						û
11-12	û	û			û				û					û		û				

型号 角度 端子编号	/4.5846.3					/4.5847.3					/4.5848.3					/4.5849.3				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	Ÿ	ð	ñ	ö	ð	Ÿ	ð	ñ	ö	ð	Ÿ	ð	ñ	ö	ð	Ÿ	ð	ñ	ö	ð
1-2		ú		ú		ú	ú		ú	ú		ú	ú		ú			ú		
3-4	ú						ú						ú	ú		ú	ú		ú	ú
5-6					ú					ú				ú	ú					ú
7-8					ú					ú				ú	ú	ú	ú			
9-10	ú	ú				ú									ú				ú	ú
11-12				ú		ú	ú		ú	ú					ú			ú	ú	ú

型号 角度 端子编号	/4.5850.3					/4.5851.3					/4.5852.3					/4.5853.3				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	Ÿ	ð	ñ	ö	ð	Ÿ	ð	ñ	ö	ð	Ÿ	ð	ñ	ö	ð	Ÿ	ð	ñ	ö	ð
1-2	ú	ú	ú	ú		ú	ú					ú		ú					ú	ú
3-4	ú				ú				ú	ú		ú		ú		ú				
5-6		ú			ú					ú		ú		ú			ú			
7-8	ú		ú			ú					ú				ú					ú
9-10	ú			ú		ú				ú	ú				ú				ú	
11-12						ú				ú	ú				ú		ú		ú	

型号 角度 端子编号	/4.5854.3					/4.5855.3					/4.5856.3					/4.5857.3				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	Ÿ	ð	ñ	ö	ð	Ÿ	ð	ñ	ö	ð	Ÿ	ð	ñ	ö	ð	Ÿ	ð	ñ	ö	ð
1-2				ú	ú	ú	ú		ú		ú	ú	ú	ú				ú		
3-4		ú			ú		ú	ú	ú	ú	ú				ú			ú		
5-6	ú				ú		ú	ú	ú			ú			ú				ú	ú
7-8				ú	ú	ú	ú		ú	ú	ú		ú							ú
9-10		ú			ú		ú		ú	ú	ú			ú		ú	ú			
11-12	ú				ú	ú	ú	ú	ú							ú				

型号 角度 端子编号	D/4.5858.3					/4.5859.3					/4.5860.3					/4.5861.3				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	Ÿ	ð	ñ	ö	ð	Ÿ	ð	ñ	ö	ð	Ÿ	ð	ñ	ö	ð	Ÿ	ð	ñ	ö	ð
1-2	ú					ú			ú	ú	ú			ú	ú		ú			
3-4	ú					ú	ú		ú	ú	ú								ú	ú
5-6			ú						ú			ú							ú	ú
7-8			ú							ú					ú	ú				
9-10					ú	ú								ú						ú
11-12					ú			ú				ú		ú		ú				ú

型号 角度 端子编号	/4.5862.3					/4.5863.3					/4.5865.3					/4.5866.3				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	Ÿ	ð	ñ	ö	ð	Ÿ	ð	ñ	ö	ð	Ÿ	ð	ñ	ö	ð	Ÿ	ð	ñ	ö	ð
1-2		ú	ú	ú					ú		ú				ú	ú				ú
3-4		ú	ú	ú			ú					ú			ú		ú			
5-6		ú								ú	ú	ú			ú	ú	ú			ú
7-8				ú						ú	ú					ú				
9-10		ú				ú				ú				ú					ú	
11-12	ú					ú				ú		ú			ú					ú

型号 角度 端子编号	/4.5867.3					/4.5868.3					/4.5869.3					/4.5870.3				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	180°	135°	90°	45°	0°
	Ÿ	ð	ñ	ö	ð	Ÿ	ð	ñ	ö	ð	Ÿ	ð	ñ	ö	ð	ð	÷	Ÿ	ö	ñ
1-2	ú	ú							ú	ú				ú		ú		ú		ú
3-4	ú	ú							ú	ú		ú				ú	ú	ú		ú
5-6		ú				ú									ú	ú	ú	ú		
7-8				ú	ú					ú		ú		ú		ú	ú			
9-10				ú	ú	ú	ú					ú				ú				
11-12				ú		ú	ú													

型号 角度 端子编号	/4.5871.3					/4.5872.3					/4.5873.3					/4.5876.3				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	Ÿ	ō	ñ	ö	ð	Ÿ	ō	ñ	ö	ð	Ÿ	ō	ñ	ö	ð	Ÿ	ō	ñ	ö	ð
1-2			ú				ú	ú	ú	ú		ú				ú				
3-4			ú				ú				ú						ú			
5-6				ú	ú			ú	ú	ú				ú				ú		
7-8					ú				ú	ú					ú				ú	
9-10	ú	ú								ú		ú								ú
11-12	ú										ú					ú				

型号 角度 端子编号	/4.5925.3					/4.5931.3					/9.5946.3					/9.5956.3				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°		0°		90°	90°	45°	0°	45°	90°
	Ÿ	ō	ñ	ö	ð	Ÿ	ō	ñ	ö	ð	Ÿ		ñ		ð	Ÿ	ō	ñ	ö	ð
1-2				ú		ú								ú	ú	ú				
3-4		ú								ú				ú	ú		ú			
5-6					ú		ú				ú	ú						ú		
7-8			ú						ú		ú	ú							ú	
9-10	ú							ú				ú	ú	ú	ú					ú
11-12					ú			ú			ú	ú		ú	ú			ú		

型号 角度 端子编号	/4.5979.3					/4.5980.3					/4.6821.3					/9.6822.3				
	45°	0°	45°	90°	135°	45°	0°	45°	90°	135°	90°	45°	0°	45°	90°	0°	45°	90°	135°	180°
	ö	ñ	ö	ð	ø	ö	ñ	ö	ð	ø	Ÿ	ō	ñ	ö	ð	ñ	ö	ð	ø	ö
1-2	ú		ú	ú	ú	ú		ú	ú	ú	ú	ú		ú		ú	ú	ú	ú	ú
3-4			ú					ú				ú		ú	ú		ú	ú	ú	ú
5-6					ú					ú	ú	ú						ú	ú	ú
7-8	ú			ú	ú	ú			ú	ú				ú	ú				ú	ú
9-10			ú					ú						ú						ú
11-12						ú						ú								ú

型号 角度 端子编号	/9.6823.3					/4.6824.3					/4.6826.3					/4.6827.3				
	90°	45°	0°	45°	90°	45°	0°	45°	90°	135°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	Ÿ	ō	ñ	ö	ð	ö	ñ	ö	ð	ø	Ÿ	ō	ñ	ö	ð	Ÿ	ō	ñ	ö	ð
1-2				ú	ú	ú			ú	ú	ú				ú	ú				
3-4				ú	ú				ú	ú		ú			ú		ú			
5-6	ú			ú		ú							ú					ú		
7-8	ú			ú			ú						ú						ú	
9-10		ú		ú					ú			ú		ú						ú
11-12		ú		ú					ú		ú				ú	ú				ú

型号 角度 端子编号	/4.6828.3					/4.6829.3					/4.6831.3					/4.6832.3				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	0°	45°	90°	135°	180°
	Ÿ	ō	ñ	ö	ð	Ÿ	ō	ñ	ö	ð	Ÿ	ō	ñ	ö	ð	ñ	ö	ð	ø	ö
1-2			ú							ú		ú		ú		ú				
3-4			ú						ú	ú	ú				ú		ú			
5-6		ú		ú				ú							ú	ú		ú		
7-8		ú		ú				ú							ú				ú	
9-10	ú				ú	ú	ú				ú									ú
11-12	ú				ú	ú					ú						ú	ú	ú	ú

型号 角度 端子编号	/4.6833.3					/4.6834.3					/4.6862.3					/4.8590.3				
	90°	45°	0°	45°	90°	0°	45°	90°	135°	180°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	Ÿ	ō	ñ	ö	ð	ñ	ö	ð	ø	ö	Ÿ	ō	ñ	ö	ð	Ÿ	ō	ñ	ö	ð
1-2				ú	ú		ú	ú	ú	ú					ú	ú				
3-4	ú						ú							ú			ú			
5-6			ú		ú			ú					ú					ú		
7-8	ú								ú			ú							ú	
9-10			ú		ú					ú	ú									ú
11-12																				

型号 角度 端子编号	/4.8591.3					/4.8593.3					/4.8594.3					/4.8595.3				
	0°	45°	90°	135°	180°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	Ń	Đ	Đ	Đ	Đ	Ÿ	Đ	Ń	Đ	Đ	Ÿ	Đ	Ń	Đ	Đ	Ÿ	Đ	Ń	Đ	Đ
1-2	Đ					Đ					Đ					Đ				
3-4		Đ					Đ					Đ					Đ			
5-6			Đ					Đ					Đ					Đ		
7-8				Đ					Đ					Đ					Đ	
9-10					Đ					Đ					Đ					Đ
11-12										Đ	Đ	Đ			Đ	Đ	Đ	Đ	Đ	Đ

型号 角度 端子编号	/4.1165.3																			
	90°	45°	0°	45°	90°															
	Ÿ	Đ	Ń	Đ	Đ															
1-2	Đ				Đ															
3-4		Đ			Đ															
5-6	Đ				Đ															
7-8		Đ			Đ															
9-10				Đ	Đ															
11-12				Đ	Đ															

型号 角度 端子编号	/4.4601.3						/4.5741.3						/4.5762.3					
	90°	45°	0°	45°	90°	135°	30°	0°	30°	60°	90°	120°	90°	45°	0°	45°	90°	135°
	Ÿ	Đ	Ń	Đ	Đ	Đ	Đ	Ń	Đ	Đ	Đ	Đ	Ÿ	Đ	Ń	Đ	Đ	Đ
1-2		Đ		Đ			Đ							Đ		Đ		
3-4	Đ				Đ				Đ				Đ				Đ	
5-6			Đ						Đ	Đ								Đ
7-8						Đ			Đ	Đ	Đ		Đ					
9-10			Đ						Đ	Đ	Đ	Đ				Đ	Đ	Đ
11-12						Đ							Đ					

型号 角度 端子编号	/4.5771.3						/4.5802.3						/4.5877.3					
	90°	45°	0°	45°	90°	135°	90°	45°	0°	45°	90°	135°	90°	45°	0°	45°	90°	135°
	Ÿ	Đ	Ń	Đ	Đ	Đ	Ÿ	Đ	Ń	Đ	Đ	Đ	Ÿ	Đ	Ń	Đ	Đ	Đ
1-2	Đ				Đ					Đ	Đ	Đ	Đ	Đ				
3-4		Đ			Đ			Đ		Đ			Đ	Đ				
5-6				Đ			Đ				Đ		Đ	Đ				
7-8						Đ						Đ				Đ	Đ	Đ
9-10	Đ	Đ		Đ	Đ		Đ										Đ	Đ
11-12	Đ	Đ		Đ	Đ			Đ									Đ	

型号 角度 端子编号	/4.5878.3						/4.5879.3						/4.5880.3					
	0°	45°	90°	135°	180°	225°	90°	45°	0°	45°	90°	135°	90°	45°	0°	45°	90°	135°
	Ń	Đ	Đ	Đ	Đ	÷	Ÿ	Đ	Ń	Đ	Đ	Đ	Ÿ	Đ	Ń	Đ	Đ	Đ
1-2	Đ		Đ			Đ	Đ	Đ	Đ	Đ	Đ	Đ	Đ	Đ				
3-4		Đ		Đ				Đ	Đ		Đ	Đ	Đ	Đ				
5-6	Đ		Đ						Đ			Đ				Đ	Đ	Đ
7-8	Đ		Đ							Đ	Đ	Đ					Đ	Đ
9-10			Đ								Đ	Đ					Đ	
11-12				Đ								Đ					Đ	

型号 角度 端子编号	/4.5881.3						/4.5882.3						/4.5883.3					
	90°	45°	0°	45°	90°	135°	90°	45°	0°	45°	90°	135°	90°	45°	0°	45°	90°	135°
	Ÿ	Đ	Ń	Đ	Đ	Đ	Ÿ	Đ	Ń	Đ	Đ	Đ	Ÿ	Đ	Ń	Đ	Đ	Đ
1-2			Đ								Đ	Đ		Đ	Đ	Đ	Đ	Đ
3-4				Đ						Đ		Đ			Đ	Đ	Đ	Đ
5-6					Đ				Đ	Đ	Đ	Đ			Đ	Đ	Đ	Đ
7-8						Đ	Đ				Đ	Đ				Đ	Đ	Đ
9-10	Đ						Đ		Đ	Đ								Đ
11-12	Đ						Đ		Đ		Đ		Đ					

型号 角度 端子编号	/4.5884.3						/4.5885.3						/4.5886.3					
	135° ÷	90° Ÿ	45° Ǿ	0° ñ	45° ǿ	90° ǿ	90° Ÿ	45° ǿ	0° ñ	45° ǿ	90° ǿ	135° ø	90° Ÿ	45° ǿ	0° ñ	45° ǿ	90° ǿ	135° ø
1-2	ǿ	ǿ	ǿ				ǿ								ǿ			
3-4					ǿ	ǿ		ǿ						ǿ		ǿ	ǿ	ǿ
5-6						ǿ			ǿ				ǿ	ǿ				
7-8	ǿ	ǿ								ǿ						ǿ		
9-10	ǿ										ǿ						ǿ	
11-12	ǿ											ǿ	ǿ					ǿ

型号 角度 端子编号	4.5910.3						4.5916.3						4.5918.3					
	90° Ÿ	45° ǿ	0° ñ	45° ǿ	90° ǿ	135° ø	90° Ÿ	45° ǿ	0° ñ	45° ǿ	90° ǿ	135° ø	90° Ÿ	45° ǿ	0° ñ	45° ǿ	90° ǿ	135° ø
1-2		ǿ		ǿ			ǿ			ǿ	ǿ	ǿ	ǿ	ǿ	ǿ	ǿ	ǿ	ǿ
3-4	ǿ				ǿ		ǿ	ǿ						ǿ				
5-6						ǿ					ǿ				ǿ			
7-8		ǿ		ǿ	ǿ	ǿ				ǿ						ǿ		
9-10												ǿ					ǿ	
11-12	ǿ								ǿ									ǿ

型号 角度 端子编号	3.5928.3						4.5957.3						4.5962.3					
	30° ǿ	0° ñ	30° ǿ	60° ǿ	90° ǿ	120° ø	135° ÷	90° Ÿ	45° ǿ	0° ñ	45° ǿ	90° ǿ	45° ǿ	0° ñ	45° ǿ	90° ǿ	135° ø	180° ø
1-2	ǿ						ǿ		ǿ				ǿ					
3-4			ǿ	ǿ	ǿ	ǿ	ǿ	ǿ					ǿ					
5-6				ǿ		ǿ			ǿ						ǿ			
7-8					ǿ	ǿ	ǿ	ǿ				ǿ				ǿ		
9-10						ǿ						ǿ					ǿ	
11-12																		ǿ

型号 角度 端子编号	/4.5969.3						/4.5976.3						/3.5981.3					
	90° Ÿ	45° ǿ	0° ñ	45° ǿ	90° ǿ	135° ø	0° ñ	45° ǿ	90° ǿ	135° ø	180° ø	225° ÷	60° ǿ	30° ǿ	0° ñ	30° ǿ	60° ǿ	90° ǿ
1-2	ǿ					ǿ	ǿ	ǿ	ǿ	ǿ	ǿ	ǿ	ǿ					
3-4		ǿ				ǿ		ǿ	ǿ	ǿ	ǿ	ǿ		ǿ				
5-6	ǿ					ǿ			ǿ	ǿ	ǿ	ǿ			ǿ			
7-8		ǿ				ǿ				ǿ	ǿ	ǿ				ǿ		
9-10											ǿ	ǿ					ǿ	
11-12					ǿ							ǿ	ǿ					ǿ

型号 角度 端子编号	/4.5982.3						/4.6863.3						/3.6864.3					
	90° Ÿ	45° ǿ	0° ñ	45° ǿ	90° ǿ	135° ø	0° ñ	45° ǿ	90° ǿ	135° ø	180° ø	225° ÷	60° ǿ	30° ǿ	0° ñ	30° ǿ	60° ǿ	90° ǿ
1-2	ǿ		ǿ	ǿ	ǿ	ǿ	ǿ											ǿ
3-4	ǿ		ǿ	ǿ	ǿ	ǿ		ǿ									ǿ	
5-6					ǿ				ǿ							ǿ		
7-8						ǿ				ǿ					ǿ			
9-10	ǿ										ǿ			ǿ				
11-12				ǿ								ǿ	ǿ					

型号 角度 端子编号	4.8591.3																	
	90° Ÿ	45° ǿ	0° ñ	45° ǿ	90° ǿ	135° ø												
1-2	ǿ																	
3-4		ǿ																
5-6			ǿ															
7-8				ǿ														
9-10					ǿ													
11-12	ǿ																	

型号 角度 端子编号	D/4.4043.3							D/4.4045.3							/4.5704.3						
	135°	90°	45°	0°	45°	90°	135°	90°	45°	0°	45°	90°	135°	180°	135°	90°	45°	0°	45°	90°	135°
	÷	ŷ	ð	ñ	ð	ð	ø	ŷ	ð	ñ	ð	ð	ø	ð	÷	ŷ	ð	ñ	ð	ð	ø
1-2	ŷ													ŷ		ŷ	ŷ	ŷ	ŷ	ŷ	ŷ
3-4														ŷ			ŷ	ŷ	ŷ	ŷ	ŷ
5-6						ŷ	ŷ				ŷ							ŷ	ŷ	ŷ	ŷ
7-8	ŷ	ŷ									ŷ								ŷ	ŷ	ŷ
9-10						ŷ	ŷ	ŷ												ŷ	ŷ
11-12								ŷ	ŷ												ŷ

型号 角度 端子编号	/4.5705.3							/4.5760.3							/3.5773.3						
	135°	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	135°	0°	30°	60°	90°	120°	150°	180°
	÷	ŷ	ð	ñ	ð	ð	ø	÷	ŷ	ð	ñ	ð	ð	ø	ñ	ð	ð	ð	ø	ø	ð
1-2				ŷ				ŷ	ŷ	ŷ						ŷ				ŷ	
3-4	ŷ	ŷ	ŷ							ŷ				ŷ			ŷ				ŷ
5-6					ŷ	ŷ	ŷ					ŷ				ŷ	ŷ				
7-8	ŷ	ŷ				ŷ	ŷ		ŷ			ŷ						ŷ			
9-10	ŷ						ŷ						ŷ	ŷ					ŷ		
11-12								ŷ												ŷ	ŷ

型号 角度 端子编号	/3.5786.3							/4.5787.3							/4.5794.3						
	0°	30°	60°	90°	120°	150°	180°	135°	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	135°
	ñ	ð	ð	ð	ð	ø	ð	÷	ŷ	ð	ñ	ð	ð	ø	÷	ŷ	ð	ñ	ð	ð	ø
1-2					ŷ	ŷ	ŷ				ŷ				ŷ	ŷ	ŷ				
3-4					ŷ	ŷ	ŷ	ŷ	ŷ	ŷ		ŷ	ŷ	ŷ			ŷ				ŷ
5-6		ŷ			ŷ	ŷ	ŷ					ŷ	ŷ	ŷ					ŷ		
7-8			ŷ			ŷ	ŷ	ŷ	ŷ	ŷ								ŷ	ŷ		
9-10				ŷ			ŷ	ŷ	ŷ				ŷ	ŷ					ŷ	ŷ	
11-12					ŷ	ŷ	ŷ	ŷ						ŷ	ŷ						

型号 角度 端子编号	/4.5794.3							/4.5795.3													
	135°	90°	45°	0°	45°	90°	135°		90°	45°	0°	45°	90°								
	÷	ŷ	ð	ñ	ð	ð	ø	÷	ŷ	ð	ñ	ð	ð	ø							
1-2	ŷ	ŷ	ŷ					ŷ													
3-4			ŷ				ŷ		ŷ												
5-6					ŷ					ŷ											
7-8					ŷ	ŷ						ŷ									
9-10						ŷ	ŷ						ŷ								
11-12	ŷ													ŷ							

型号 角度 端子编号	/3.5801.3							/4.5864.3							/4.5874.3						
	0°	30°	60°	90°	120°	150°	180°	135°	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	135°
	ñ	ð	ð	ð	ø	ø	ð	÷	ŷ	ð	ñ	ð	ð	ø	÷	ŷ	ð	ñ	ð	ð	ø
1-2		ŷ						ŷ							ŷ			ŷ			
3-4			ŷ										ŷ	ŷ			ŷ				
5-6				ŷ					ŷ				ŷ			ŷ	ŷ			ŷ	
7-8					ŷ							ŷ			ŷ	ŷ					
9-10						ŷ				ŷ		ŷ		ŷ							ŷ
11-12							ŷ	ŷ	ŷ	ŷ								ŷ	ŷ	ŷ	ŷ

型号 角度 端子编号	/4.5887.3							/4.5888.3							/4.5889.3						
	135°	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	135°
	÷	ŷ	ð	ñ	ð	ð	ø	÷	ŷ	ð	ñ	ð	ð	ø	÷	ŷ	ð	ñ	ð	ð	ø
1-2			ŷ	ŷ	ŷ		ŷ				ŷ							ŷ			
3-4	ŷ	ŷ				ŷ					ŷ								ŷ	ŷ	ŷ
5-6		ŷ		ŷ	ŷ	ŷ						ŷ	ŷ	ŷ	ŷ	ŷ	ŷ				
7-8	ŷ		ŷ				ŷ	ŷ	ŷ	ŷ							ŷ	ŷ	ŷ		
9-10	ŷ			ŷ		ŷ	ŷ			ŷ		ŷ			ŷ	ŷ				ŷ	ŷ
11-12			ŷ		ŷ			ŷ	ŷ				ŷ	ŷ	ŷ						ŷ

型号 角度 端子编号	/4.5890.3							/4.5891.3							/4.5892.3						
	135° ÷	90° İ	45° Ǿ	0° ñ	45° ǿ	90° ǿ	135° ø	135° ÷	90° İ	45° Ǿ	0° ñ	45° ǿ	90° ǿ	135° ø	135° ÷	90° İ	45° Ǿ	0° ñ	45° ǿ	90° ǿ	135° ø
1-2				ǿ				ǿ	ǿ	ǿ											ǿ
3-4					ǿ	ǿ	ǿ					ǿ	ǿ	ǿ						ǿ	
5-6	ǿ	ǿ	ǿ							ǿ	ǿ	ǿ							ǿ		
7-8			ǿ		ǿ				ǿ		ǿ		ǿ				ǿ				
9-10	ǿ	ǿ				ǿ	ǿ	ǿ			ǿ			ǿ		ǿ					
11-12	ǿ						ǿ								ǿ						

型号 角度 端子编号	/4.5893.3							/4.5894.3							/4.5895.3						
	135° ÷	90° İ	45° Ǿ	0° ñ	45° ǿ	90° ǿ	135° ø	135° ÷	90° İ	45° Ǿ	0° ñ	45° ǿ	90° ǿ	135° ø	135° ÷	90° İ	45° Ǿ	0° ñ	45° ǿ	90° ǿ	135° ø
1-2			ǿ								ǿ							ǿ			
3-4	ǿ				ǿ	ǿ	ǿ	ǿ	ǿ	ǿ		ǿ			ǿ	ǿ	ǿ		ǿ	ǿ	ǿ
5-6		ǿ											ǿ	ǿ	ǿ	ǿ	ǿ				
7-8	ǿ					ǿ		ǿ	ǿ	ǿ			ǿ					ǿ	ǿ	ǿ	
9-10						ǿ		ǿ	ǿ				ǿ		ǿ	ǿ				ǿ	ǿ
11-12								ǿ							ǿ						ǿ

型号 角度 端子编号	/4.5896.3							/4.5897.3							/4.5909.3						
	0° ñ	45° ǿ	90° ǿ	135° ø	180° ÷	225° İ	270° İ	135° ÷	90° İ	45° Ǿ	0° ñ	45° ǿ	90° ǿ	135° ø	135° ÷	90° İ	45° Ǿ	0° ñ	45° ǿ	90° ǿ	135° ø
1-2					ǿ		ǿ		ǿ	ǿ	ǿ	ǿ	ǿ	ǿ							ǿ
3-4			ǿ			ǿ	ǿ			ǿ	ǿ	ǿ	ǿ	ǿ						ǿ	
5-6				ǿ	ǿ	ǿ	ǿ				ǿ	ǿ	ǿ	ǿ					ǿ		
7-8	ǿ		ǿ	ǿ		ǿ						ǿ	ǿ	ǿ				ǿ			
9-10	ǿ	ǿ		ǿ	ǿ								ǿ	ǿ			ǿ				
11-12	ǿ	ǿ	ǿ											ǿ		ǿ					

型号 角度 端子编号	/3.5911.3							/3.5917.3							/4.5924.3						
	30° ǿ	0° ñ	30° ǿ	60° ǿ	90° ǿ	120° ø	150° ø	30° ǿ	0° ñ	30° ǿ	60° ǿ	90° ǿ	120° ø	150° ø	135° ÷	90° İ	45° Ǿ	0° ñ	45° ǿ	90° ǿ	135° ø
1-2	ǿ							ǿ							ǿ						
3-4			ǿ							ǿ	ǿ	ǿ	ǿ	ǿ			ǿ	ǿ	ǿ	ǿ	ǿ
5-6				ǿ							ǿ	ǿ	ǿ	ǿ				ǿ	ǿ	ǿ	ǿ
7-8					ǿ							ǿ	ǿ	ǿ					ǿ	ǿ	ǿ
9-10						ǿ							ǿ	ǿ						ǿ	ǿ
11-12							ǿ							ǿ							ǿ

型号 角度 端子编号	/4.5926.3							/4.5929.3							/4.5930.3						
	45° ǿ	0° ñ	45° ǿ	90° ǿ	135° ø	180° ÷	225° İ	135° ÷	90° İ	45° Ǿ	0° ñ	45° ǿ	90° ǿ	135° ø	135° ÷	90° İ	45° Ǿ	0° ñ	45° ǿ	90° ǿ	135° ø
1-2	ǿ								ǿ						ǿ						
3-4							ǿ			ǿ						ǿ			ǿ	ǿ	
5-6						ǿ	ǿ				ǿ										
7-8					ǿ	ǿ	ǿ					ǿ					ǿ		ǿ		
9-10				ǿ	ǿ	ǿ	ǿ						ǿ								
11-12			ǿ	ǿ	ǿ	ǿ	ǿ							ǿ				ǿ		ǿ	

型号 角度 端子编号	/4.5932.3							/3.5963.3							/3.5997.3						
	90° İ	45° Ǿ	0° ñ	45° ǿ	90° ǿ	135° ø	180° ÷	30° ǿ	0° ñ	30° ǿ	60° ǿ	90° ǿ	120° ø	150° ø	0° ñ	30° ǿ	60° ǿ	90° ǿ	120° ø	150° ø	180° ÷
1-2	ǿ	ǿ						ǿ		ǿ	ǿ	ǿ	ǿ	ǿ		ǿ	ǿ	ǿ	ǿ	ǿ	ǿ
3-4				ǿ	ǿ	ǿ	ǿ	ǿ			ǿ	ǿ	ǿ	ǿ			ǿ	ǿ	ǿ	ǿ	ǿ
5-6					ǿ	ǿ	ǿ	ǿ				ǿ	ǿ	ǿ				ǿ	ǿ	ǿ	ǿ
7-8						ǿ	ǿ	ǿ					ǿ	ǿ					ǿ	ǿ	ǿ
9-10							ǿ	ǿ						ǿ						ǿ	ǿ
11-12	ǿ																				ǿ

型号 角度 端子编号	/4.6025.3																				
	135°	90°	45°	0°	45°	90°	135°														
	÷	ĩ	ð	ñ	ð	ð	ø														
1-2	0						0														
3-4	0						0														
5-6			0																		
7-8			0																		
9-10					0		0														
11-12					0		0														

型号 角度 端子编号	D/4.4044.3								/4.5898.3									
	45°	0°	45°	90°	135°	180°	225°	270°	135°	90°	45°	0°	45°	90°	135°	180°		
	ð	ñ	ð	ð	ø	ð	÷	ĩ	÷	ĩ	ð	ñ	ð	ð	ø	ð		
1-2				0	0				0									
3-4				0												0		
5-6		0				0							0	0				
7-8		0				0				0			0	0				
9-10								0					0	0	0			
11-12	0							0		0	0							

型号 角度 端子编号	/4.5899.3								/4.5900.3									
	0°	45°	90°	135°	180°	225°	270°	315°	0°	45°	90°	135°	180°	225°	270°	315°		
	ñ	ð	ð	ø	ð	÷	ĩ	ð	ñ	ð	ð	ø	ð	÷	ĩ	ð		
1-2	0									0		0		0		0		
3-4		0						0			0	0				0		
5-6					0								0	0	0	0		
7-8				0					0	0	0	0						
9-10			0	0	0	0			0	0			0	0				
11-12			0						0		0		0		0			

型号 角度 端子编号	/4.5901.3								/4.5902.3									
	0°	45°	90°	135°	180°	225°	270°	315°	135°	90°	45°	0°	45°	90°	135°	180°		
	ñ	ð	ð	ø	ð	÷	ĩ	ð	÷	ĩ	ð	ñ	ð	ð	ø	ð		
1-2		0	0									0						
3-4			0	0									0	0	0	0		
5-6				0	0				0	0	0							
7-8					0	0	0							0				
9-10						0		0		0					0			
11-12							0	0	0							0		

型号 角度 端子编号	/4.5903.3								/4.5904.3									
	135°	90°	45°	0°	45°	90°	135°	180°	0°	45°	90°	135°	180°	225°	270°	315°		
	÷	ĩ	ð	ñ	ð	ð	ø	ð	ñ	ð	ð	ø	ð	÷	ĩ	ð		
1-2		0									0		0		0			
3-4			0							0	0		0	0				
5-6				0	0	0				0	0	0						
7-8					0					0		0		0		0		
9-10	0	0	0				0	0			0	0				0		
11-12	0															0		

型号 角度 端子编号	/4.5905.3								/4.5906.3									
	0°	45°	90°	135°	180°	225°	270°	315°	135°	90°	45°	0°	45°	90°	135°	180°		
	ñ	ð	ð	ø	ð	÷	ĩ	ð	÷	ĩ	ð	ñ	ð	ð	ø	ð		
1-2		0			0	0		0					0	0	0	0		
3-4			0		0		0	0		0		0	0	0	0	0		
5-6				0		0	0	0			0	0	0	0	0	0		
7-8					0			0						0		0		
9-10							0	0							0	0		
11-12													0	0	0	0		

型号 角度 端子编号	/4.6230.3									/3.5907.3								
	135° ÷	90° ÷	45° ÷	0° ÷	45° ÷	90° ÷	135° ÷	180° ÷		120° ÷	90° ÷	60° ÷	30° ÷	0° ÷	30° ÷	60° ÷	90° ÷	120° ÷
1-2		0					0							0				
3-4	0									0	0	0	0		0	0	0	0
5-6						0				0	0	0	0					
7-8		0	0												0	0	0	0
9-10	0		0		0					0	0						0	0
11-12					0	0	0			0								0

型号 角度 端子编号	/3.5915.3										/3.5919.3								
	120° ÷	90° ÷	60° ÷	30° ÷	0° ÷	30° ÷	60° ÷	90° ÷	120° ÷		120° ÷	90° ÷	60° ÷	30° ÷	0° ÷	30° ÷	60° ÷	90° ÷	120° ÷
1-2	0	0	0	0							0	0	0	0					
3-4	0	0	0			0	0	0	0							0	0	0	0
5-6	0	0					0	0	0		0	0	0				0	0	0
7-8	0	0						0	0		0	0						0	0
9-10	0								0		0								0
11-12					0														

型号 角度 端子编号	/3.5934.3									/3.5908.3											
	120°	90°	60°	30°	0°	30°	60°	90°	120°	0°	1	2	3	4	5	6	7	8	9	10	11
	⦿	⦿	÷	÷	⦿	⦿	⦿	⦿	⦿	⦿	⦿	⦿	⦿	⦿	⦿	⦿	÷	÷	⦿	⦿	⦿
1-2	⦿		⦿		⦿		⦿		⦿		⦿		⦿			⦿		⦿			
3-4		⦿																		⦿	
5-6				⦿								⦿	⦿				⦿	⦿			
7-8						⦿								⦿					⦿	⦿	
9-10								⦿							⦿	⦿	⦿	⦿	⦿	⦿	⦿
11-12																					⦿

型号 角度 端子编号	Z/4.0961.4		Z/4.0962.4		Z/4.0963.4		Z/4.0969.4		Z/4.0970.4		4.0982.4		4.0987.4		4.1031.4		4.1032.4	
	0°	45°	0°	45°	45°	0°	0°	45°	0°	45°	0°	45°	0°	45°	0°	45°	0°	45°
端子编号	ñ	ð	ñ	ð	ð	ñ	ñ	ð	ñ	ð	ñ	ð	ñ	ð	ñ	ð	ñ	ð
1-2	0		0			0		0		0		0	0		0			0
3-4	0			0	0				0			0	0		0			0
5-6	0		0			0		0		0		0	0		0			0
7-8	0			0	0				0			0	0		0			0
9-10	0		0			0		0		0		0	0		0			0
11-12	0			0	0				0			0	0		0			0
13-14	0		0			0		0		0				0	0			0
15-16	0			0	0				0		0			0	0			0

9.6276.4

型号 角度 端子编号	9.1252.4		9.1253.4		9.1255.4		9.1256.4		9.1257.4		9.1259.4		9.1273.4		4.5717.4		4.6031.4	
	45°	45°	45°	45°	45°	45°	45°	45°	45°	45°	45°	45°	45°	45°	45°	90°	0°	45°
端子编号	ð	ð	ð	ð	ð	ð	ð	ð	ð	ð	ð	ð	ð	ð	ð	ð	ñ	ð
1-2		0		0		0		0	0		0			0	0			0
3-4		0		0	0			0		0		0		0	0			0
5-6		0	0		0			0	0		0	0		0	0			0
7-8		0	0			0		0		0		0		0				0
9-10		0		0		0	0		0		0			0		0		0
11-12		0		0	0		0			0	0		0			0		0
13-14		0	0		0		0		0			0		0		0		0
15-16		0	0			0	0			0		0			0			0

型号 角度 端子编号	4.6032.4		9.6033.4		9.6094.4		9.6256.4		9.6257.4		9.6258.3		9.6264.4		9.6265.4		9.6271.4	
	0°	45°	90°	0°	45°	45°	45°	45°	45°	45°	45°	45°	0°	90°	0°	90°	90°	0°
端子编号	ñ	ð	ı	ñ	ñ	ð	ð	ð	ð	ð	ð	ð	ñ	ð	ñ	ð	ı	ñ
1-2	0			0	0		0		0	—		0		0	0	—	0	
3-4	0		0		0			0	—	0		0		0	—	0		0
5-6	0			0	0			0	0	—		0	—		0	—	0	
7-8	0		0		0		0		—	0		—	0	0		—	0	0
9-10		0		0		0	0		0	—		0	—		—	0	0	
11-12		0	0			0	0		—	0		—	0	0		0	—	0
13-14		0		0		0	0		0	—		0	—	0	0	—	0	
15-16		0	0			0		0	—	0		—	0	0	0	—		0

型号 角度 端子编号	9.6275.4		9.6277.4		4.6292.4		9.9022.4		9.9023.4		9.9031.4		9.9033.4		/9.9035.4			
	90°	0°	45°	45°	0°	45°	0°	90°	0°	90°	90°	0°	0°	90°	45°	45°		
端子编号	ı	ñ	ð	ð	ñ	ð	ñ	ð	ñ	ð	ı	ñ	ñ	ð	ð	ð		
1-2		0		0	0		0		0			0	0		0			
3-4		0	0		0	0	0		0			0	0		0	0		
5-6		0		0	0		0		0			0	0		0			
7-8		0	0			0	0		0			0	0		0			
9-10		0		0	0		0			0		0	0		0			
11-12		0	0			0	0			0		0	0		0			
13-14		0		0	0			0		0	0		0		0			
15-16		0	0			0		0		0	0			0	0			

型号 角度 端子编号																		
1-2																		
3-4																		
5-6																		
7-8																		
9-10																		
11-12																		
13-14																		
15-16																		

型号 角度 端子编号	/4.0427.4			/9.0955.4			Z/4.0965.4			Z/4.0971.4			Z/4.0972.4			Z/4.0973.4		
	45° ↙	0° →	45° ↘	90° ↑	0° →	90° ↓	45° ↙	0° →	45° ↘	45° ↙	0° →	45° ↘	45° ↙	0° →	45° ↘	45° ↙	0° →	45° ↘
1-2	↙			↙			↙	↙			↙		↙	↙		↙		↙
3-4	↙					↘			↘	↙		↘			↘	↙		↘
5-6			↘	↘			↘	↘				↘			↘	↘		↘
7-8			↘						↘	↘					↘	↘		↘
9-10	↙			↘			↘	↘			↘		↘	↘		↘		↘
11-12	↙								↘	↙				↘	↘	↙		↘
13-14			↘	↘			↘	↘			↘				↘	↘		↘
15-16			↘						↘		↘		↘			↘		↘

型号 角度 端子编号	Z/4.0974.4			Z/4.0975.4			Z/4.0976.4			Z/4.0977.4			Z/4.0978.4			Z/4.0979.4		
	45° ↙	0° →	45° ↘	45° ↙	0° →	45° ↘	45° ↙	0° →	45° ↘	45° ↙	0° →	45° ↘	45° ↙	0° →	45° ↘	45° ↙	0° →	45° ↘
1-2			↘			↘		↘			↘		↘					↘
3-4	↙					↘		↘			↘				↘	↙		↘
5-6			↘			↘		↘			↘		↘					↘
7-8	↙				↘		↘		↘		↘				↘	↘		
9-10			↘			↘	↘		↘	↘		↘	↘			↘		↘
11-12	↙		↘		↘		↘		↘	↘		↘			↘		↘	↘
13-14	↙				↘			↘		↘		↘	↘			↘		↘
15-16			↘				↘			↘		↘			↘		↘	↘

型号 角度 端子编号	Z/4.0981.4			4.1030.4			4.1033.4			4.1036.4			4.1037.4			4.1038.4		
	45° ↙	0° →	45° ↘	45° ↙	0° →	45° ↘	45° ↙	0° →	45° ↘	45° ↙	0° →	45° ↘	45° ↙	0° →	45° ↘	45° ↙	0° →	45° ↘
1-2			↘		↘	↘			↘	↘					↘	↘		↘
3-4			↘	↘					↘			↘	↘		↘			↘
5-6		↘				↘			↘	↘			↘			↘		
7-8		↘		↘	↘		↘		↘			↘	↘					↘
9-10	↙			↘			↘		↘	↘		↘	↘			↘		
11-12	↙				↘		↘		↘	↘					↘			↘
13-14		↘				↘	↘		↘	↘		↘	↘		↘	↘		
15-16		↘							↘			↘			↘		↘	

型号 角度 端子编号	4.1039.4			4.1040.4			4.1041.4			4.1042.4			4.1043.4			4.1044.4		
	45° ↙	0° →	45° ↘	45° ↙	0° →	45° ↘	45° ↙	0° →	45° ↘	45° ↙	0° →	45° ↘	45° ↙	0° →	45° ↘	45° ↙	0° →	45° ↘
1-2	↙					↘		↘		↘	↘		↘		↘	↘		↘
3-4	↙					↘	↘		↘			↘	↘		↘	↘		
5-6	↙					↘			↘			↘	↘		↘	↘		
7-8	↙					↘	↘		↘			↘	↘		↘	↘		
9-10	↙					↘			↘	↘	↘		↘		↘			↘
11-12		↘				↘	↘					↘	↘		↘			↘
13-14		↘		↘				↘				↘	↘		↘			↘
15-16		↘		↘				↘		↘		↘			↘			↘

型号 角度 端子编号	4.1045.4			4.1046.4			4.1047.4			4.1048.4			4.1049.4			4.1050.4		
	45° ↙	0° →	45° ↘	45° ↙	0° →	45° ↘	45° ↙	0° →	45° ↘	45° ↙	0° →	45° ↘	45° ↙	0° →	45° ↘	45° ↙	0° →	45° ↘
1-2		↘			↘			↘				↘	↘			↘		
3-4		↘			↘			↘				↘			↘			↘
5-6		↘			↘			↘				↘	↘	↘		↘		
7-8			↘	↘		↘		↘				↘			↘			↘
9-10			↘	↘		↘	↘		↘			↘	↘			↘		
11-12			↘	↘		↘	↘		↘			↘		↘	↘			↘
13-14			↘		↘		↘		↘			↘	↘			↘		
15-16				↘			↘		↘			↘		↘	↘			↘

型号 角度 端子编号	4.1051.4			4.1052.4			4.1053.4			4.1054.4			4.1055.4			Z/4.1057.4		
	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°
1-2	0					0			0	0		0	0		0		0	
3-4			0	0			0			0		0	0		0		0	
5-6		0				0			0	0		0	0		0			0
7-8	0			0			0	0		0		0	0		0		0	
9-10			0			0			0	0		0			0			0
11-12		0		0				0		0		0	0				0	
13-14			0			0			0		0				0			0
15-16	0			0				0			0				0	0		

型号 角度 端子编号	4.1058.4			4.1059.4			4.1060.4			4.1061.4			4.1063.4			3.1065.4		
	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	30° 0° 30°	0° 0° 30°	30° 0° 30°
1-2		0		0					0	0					0	0		
3-4		0				0	0					0	0					0
5-6	0		0	0				0		0			0			0		
7-8	0		0			0	0					0	0					0
9-10			0	0				0					0					0
11-12	0					0	0			0			0					0
13-14		0				0	0					0	0			0		
15-16		0				0			0	0			0					0

型号 角度 端子编号	4.1066.4			4.1067.4			4.1070.4			4.1071.4			4.1075.4			4.1076.4		
	45° 0° 45°	0° 0° 45°	45° 0° 45°	90° 0° 45°	45° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°
1-2		0		0			0					0			0	0		
3-4			0		0	0			0			0			0	0		
5-6	0					0	0					0			0			0
7-8			0		0	0			0			0	0		0		0	
9-10	0				0	0						0			0			0
11-12			0		0	0						0			0	0		
13-14	0				0	0	0					0			0			0
15-16			0		0	0			0			0			0	0		

型号 角度 端子编号	4.1077.4			4.1078.4			9.1079.4			4.1080.4			4.1082.4			4.1083.4		
	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	90° 0° 90°	0° 0° 90°	90° 0° 90°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°
1-2	0	0			0	0	0			0				0				0
3-4		0	0			0		0		0			0					0
5-6			0	0		0			0	0				0			0	
7-8			0			0			0		0	0	0				0	
9-10			0			0	0				0				0	0		
11-12	0			0	0		0				0				0	0		
13-14	0			0	0				0		0				0	0		0
15-16	0			0	0				0		0	0						

型号 角度 端子编号	4.1084.4			4.1085.4			4.1134.4			4.1135.4			4.1138.4			4.1146.4		
	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°
1-2	0			0			0	0			0			0	0	0		0
3-4		0			0		0	0	0				0	0	0	0		0
5-6			0			0	0	0	0			0			0			0
7-8		0		0	0				0				0					0
9-10			0			0					0				0	0		
11-12	0					0		0		0					0	0		
13-14	0			0	0		0				0				0	0		
15-16			0	0	0			0	0	0		0			0	0		

型号 角度 端子编号	4.1147.4			4.1148.4			4.1149.4			4.1151.4			4.1156.4			4.1157.4		
	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0
1-2		0	0		0	0		0	0		0	0		0	0	0		
3-4		0	0		0	0		0	0		0	0		0	0			0
5-6			0			0			0		0	0			0			0
7-8			0			0			0		0	0			0			0
9-10		0			0			0			0	0		0		0		
11-12		0			0			0			0	0		0				0
13-14			0		0			0			0	0		0		0		
15-16		0	0		0			0			0	0			0			0

型号 角度 端子编号	4.1158.4			4.1194.4			9.1251.4			9.1266.4			9.1272.4			4.1694.4		
	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	90° 0	0° 1	90° 0	90° 0	0° 1	90° 0	90° 0	0° 1	90° 0	0° 1	45° 0	90° 0
1-2		0	0			0	0				0			0			0	0
3-4		0	0	0					0	0		0		0		0		
5-6			0		0		0				0			0			0	
7-8			0		0				0	0		0		0			0	
9-10		0	0	0			0				0			0				0
11-12		0				0			0	0		0		0		0		
13-14		0		0		0	0				0			0			0	
15-16		0							0	0		0		0			0	

型号 角度 端子编号	4.4440.4			4.5436.4			4.5708.4			4.5734.4			4.5751.4			4.5783.4		
	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0
1-2	0	0						0	0				0				0	
3-4			0				0	0		0					0			0
5-6		0	0						0		0	0	0			0		
7-8	0						0					0			0			
9-10		0							0			0			0		0	
11-12		0					0						0					0
13-14	0		0				0		0	0			0			0		
15-16	0		0								0			0				

型号 角度 端子编号	4.5947.4			Z/4.5971.4			Z/4.5972.4			Z/4.5973.4			Z/4.5974.4			4.5975.4		
	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0
1-2		0		0			0					0		0			0	
3-4	0			0			0		0	0		0		0		0		0
5-6			0	0			0	0			0	0	0			0		
7-8		0			0	0			0	0	0				0	0		0
9-10	0					0	0				0	0			0	0		0
11-12			0		0			0	0	0					0	0		0
13-14		0			0		0				0	0	0			0		0
15-16	0					0		0	0	0	0				0	0		0

型号 角度 端子编号	4.6008.4			4.6019.4			4.6023.4			4.6026.4			4.6029.4			4.6030.4		
	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0
1-2		0	0		0	0			0		0			0			0	0
3-4	0				0	0			0		0		0			0	0	
5-6		0	0			0			0			0			0			0
7-8	0					0	0		0		0		0		0	0		
9-10	0	0			0		0		0			0	0		0			0
11-12			0		0		0		0			0			0	0		
13-14	0	0				0	0		0			0			0		0	
15-16			0			0			0	0		0		0				

型号 角度 端子编号	4.6037.4			4.6039.4			4.6040.4			4.6041.4			4.6042.4			4.6043.4		
	45° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号	90° 0° 端子编号	45° 0° 端子编号	0° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号	90° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号	90° 0° 端子编号	45° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号
1-2	0				0			0			0		0				0	
3-4	0				0				0		0		0				0	
5-6	0			0				0			0		0				0	
7-8	0			0					0		0		0				0	
9-10	0			0				0			0			0			0	
11-12			0			0			0			0		0				0
13-14			0			0		0				0			0	0		0
15-16			0			0			0			0			0	0		0

4.6039.4

型号 角度 端子编号	4.6044.4			4.6045.4			4.6046.4			4.6047.4			4.6048.4			4.6049.4		
	45° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号
1-2		0		0			0			0	0				0	0		
3-4		0		0			0			0	0				0	0		
5-6	0			0				0		0	0				0			0
7-8	0					0		0		0	0		0					0
9-10	0					0		0	0	0	0		0			0		
11-12			0			0		0		0	0		0			0		
13-14			0			0	0				0		0		0	0		
15-16			0			0		0		0			0		0	0		

型号 角度 端子编号	4.6050.4			4.6051.4			4.6053.4			4.6054.4			4.6055.4			4.6056.4		
	45° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号
1-2		0	0	0	0		0			0		0		0	0	0		
3-4	0	0				0		0		0		0		0	0	0		
5-6	0			0				0		0		0		0	0	0		
7-8	0				0	0		0		0		0		0	0		0	0
9-10		0		0	0				0	0		0			0			0
11-12	0					0			0	0		0			0		0	
13-14		0		0					0	0					0		0	
15-16	0				0	0						0			0			0

型号 角度 端子编号	4.6057.4			4.6058.4			4.6059.4			4.6060.4			4.6061.4			4.6062.4		
	45° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号
1-2	0	0		0			0	0		0			0	0			0	
3-4	0	0		0			0	0	0	0				0			0	
5-6	0	0		0			0	0				0			0		0	
7-8	0	0		0				0	0			0	0				0	
9-10			0			0	0	0				0	0	0		0		
11-12	0		0			0		0	0			0		0	0	0		
13-14			0			0	0	0				0			0			0
15-16			0			0		0	0			0	0					0

型号 角度 端子编号	4.6063.4			4.6064.4			4.6066.4			4.6067.4			4.6068.4			4.6069.4		
	45° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号
1-2	0	0			0				0			0			0		0	0
3-4	0			0					0			0		0			0	0
5-6	0					0			0			0			0		0	
7-8	0					0			0		0			0			0	0
9-10		0		0		0			0			0		0			0	0
11-12			0	0					0	0				0	0		0	
13-14		0	0		0	0	0		0	0				0				0
15-16		0	0	0			0		0					0				

型号 角度 端子编号	4.6070.4			4.6071.4			4.6072.4			4.6073.4			4.6074.4			4.6075.4		
	45°	0°	45°	0°	45°	90°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
	ᄁ	ᄂ	ᄃ	ᄄ	ᄅ	ᄆ	ᄇ	ᄈ	ᄉ	ᄊ	ᄋ	ᄌ	ᄍ	ᄎ	ᄏ	ᄐ	ᄑ	ᄒ
1-2	ᄁ		ᄁ		ᄁ	ᄁ	ᄁ		ᄁ		ᄁ	ᄁ			ᄁ		ᄁ	
3-4		ᄁ			ᄁ	ᄁ	ᄁ		ᄁ	ᄁ	ᄁ			ᄁ		ᄁ		ᄁ
5-6		ᄁ			ᄁ	ᄁ		ᄁ				ᄁ			ᄁ	ᄁ		
7-8	ᄁ		ᄁ		ᄁ	ᄁ		ᄁ			ᄁ		ᄁ		ᄁ			ᄁ
9-10	ᄁ		ᄁ			ᄁ		ᄁ		ᄁ	ᄁ		ᄁ			ᄁ		
11-12	ᄁ		ᄁ			ᄁ		ᄁ			ᄁ	ᄁ	ᄁ		ᄁ			ᄁ
13-14			ᄁ			ᄁ		ᄁ				ᄁ	ᄁ			ᄁ		
15-16	ᄁ					ᄁ		ᄁ					ᄁ					ᄁ

型号 角度 端子编号	4.6076.4			4.6077.4			4.6078.4			4.6079.4			4.6080.4			4.6081.4		
	45° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号
1-2		0		0	0		0		0	0				0	0	0		0
3-4	0			0	0		0		0	0			0			0		0
5-6			0		0			0	0	0					0	0		
7-8		0			0			0	0				0			0		
9-10	0		0		0		0			0		0		0			0	
11-12		0			0		0			0		0		0	0		0	
13-14	0				0	0		0		0		0		0				0
15-16			0		0	0	0		0	0			0					0

型号 角度 端子编号	4.6082.4			4.6083.4			4.6084.4			4.6085.4			4.6086.4			4.6087.4		
	45° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号
1-2			0			0			0		0				0	0		
3-4	0					0			0				0					0
5-6		0				0			0	0					0	0		
7-8						0			0			0			0		0	
9-10		0		0			0		0	0					0	0		
11-12				0		0	0		0			0		0		0		
13-14			0	0			0		0	0				0		0		
15-16	0			0			0		0			0	0		0			0

型号 角度 端子编号	4.6128.4			9.6266.4			9.6267.4			9.6268.4			9.6270.4			9.6273.4		
	45° 0° 端子编号	0° 0° 端子编号	45° 0° 端子编号	90° 0° 端子编号	90° 0° 端子编号	90° 0° 端子编号	90° 0° 端子编号	90° 0° 端子编号	90° 0° 端子编号	90° 0° 端子编号	90° 0° 端子编号	90° 0° 端子编号	90° 0° 端子编号	90° 0° 端子编号	90° 0° 端子编号	90° 0° 端子编号	90° 0° 端子编号	90° 0° 端子编号
1-2						0	0				0	0	0		0		0	
3-4		0				0		0			0	0	0		0		0	
5-6				0			0				0	0		0			0	
7-8		0		0				0			0	0		0			0	
9-10			0			0		0		0	0			0		0		0
11-12	0					0		0				0		0		0		0
13-14			0	0			0					0		0		0		0
15-16	0			0				0			0			0		0		0

=4.1059.4

型号 角度 端子编号	9.6274.4			9.6283.4			4.6305.4			9.6310.4			4.9581.4			4.9582.4		
	90° 0° 端子编号	0° 0° 端子编号	90° 0° 端子编号	90° 0° 端子编号	90° 0° 端子编号	90° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	90° 0° 端子编号	90° 0° 端子编号	90° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号	45° 0° 端子编号
1-2			0	0			0			0			0			0		
3-4		0		0					0			0		0				0
5-6			0		0			0		0			0		0	0		
7-8		0	0		0		0			0		0	0	0		0		0
9-10			0		0				0	0		0			0	0		
11-12		0	0			0		0			0				0			0
13-14			0		0				0	0			0	0				0
15-16		0	0		0			0		0			0	0				0

型号 角度 端子编号	/4.1038.4			/4.1138.4			/4.1198.4			/4.4440.4								
	45° 0° 45°	0° 0° 0°	45° 0° 0°	45° 0° 0°	0° 0° 0°	45° 0° 0°	45° 0° 0°	0° 0° 0°	45° 0° 0°	45° 0° 0°	0° 0° 0°	45° 0° 0°						
1-2	0°				0°	0°		0°	0°	0°	0°							
3-4			0°		0°	0°		0°	0°			0°						
5-6	0°				0°				0°		0°	0°						
7-8			0°		0°				0°	0°								
9-10	0°					0°		0°			0°							
11-12			0°			0°		0°			0°							
13-14	0°					0°		0°		0°		0°						
15-16		0°				0°		0°		0°		0°						

型号 角度 端子编号																		
1-2																		
3-4																		
5-6																		
7-8																		
9-10																		
11-12																		
13-14																		
15-16																		

型号 角度 端子编号	Z/4.4812.4			Z/4.4813.4			Z/4.4814.4			Z/4.4816.4			Z/4.4823.4		
	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°
1-2	0°	0°				0°	0°					0°			0°
3-4			0°	0°		0°	0°			0°	0°		0°		
5-6	0°	0°		0°	0°			0°	0°			0°	0°	0°	
7-8			0°	0°	0°		0°	0°			0°	0°		0°	0°
9-10	0°	0°				0°			0°	0°			0°	0°	
11-12			0°	0°		0°		0°	0°	0°	0°			0°	0°
13-14		0°	0°	0°				0°	0°		0°			0°	0°
15-16	0°			0°	0°			0°	0°		0°				

型号 角度 端子编号	Z/4.4833.4			Z/4.9505.4			Z/4.9802.4			Z/4.9812.4			Z/4.9813.4		
	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°
1-2			0°	0°		0°		0°	0°			0°	0°		0°
3-4			0°	0°				0°	0°			0°	0°		0°
5-6	0°	0°		0°					0°	0°	0°		0°	0°	
7-8	0°	0°			0°	0°	0°			0°			0°	0°	
9-10			0°			0°	0°	0°				0°		0°	0°
11-12	0°				0°	0°	0°	0°			0°	0°		0°	0°
13-14			0°			0°		0°	0°	0°			0°	0°	
15-16	0°				0°	0°			0°	0°	0°		0°	0°	

型号 角度 端子编号	Z/4.9830.4			Z/4.9834.4			Z/4.9843.4			Z/4.9844.4			Z/4.9845.4		
	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°	45° 0° 45°	0° 0° 45°	45° 0° 45°
1-2			0°	0°		0°		0°	0°	0°					0°
3-4			0°	0°		0°		0°	0°	0°			0°		0°
5-6	0°	0°		0°	0°		0°	0°				0°	0°		
7-8		0°	0°			0°	0°						0°		
9-10			0°			0°	0°			0°	0°		0°		0°
11-12			0°			0°	0°			0°	0°		0°		0°
13-14	0°					0°	0°		0°	0°		0°		0°	0°
15-16		0°	0°		0°	0°		0°	0°		0°	0°		0°	0°

型号 角度 端子编号	Z/4.9847.4				Z/4.9849.4				Z/4.9850.4				Z/4.9858.4							
	45°	0°	45°		45°	0°	45°		45°	0°	45°		45°	0°	45°		45°	0°	45°	
1-2																				
3-4																				
5-6																				
7-8																				
9-10																				
11-12																				
13-14																				
15-16																				

型号 角度 端子编号	9.0988.4				4.1073.4				4.1074.4				4.1081.4				4.1129.4			
	0°	90°	180°	270°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	90°	45°	0°	45°
1-2																				
3-4																				
5-6																				
7-8																				
9-10																				
11-12																				
13-14																				
15-16																				

型号 角度 端子编号	4.1130.4				4.1131.4				4.1132.4				4.1136.4				4.1137.4			
	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	90°	45°	0°	45°	0°	45°	90°	135°
1-2																				
3-4																				
5-6																				
7-8																				
9-10																				
11-12																				
13-14																				
15-16																				

型号 角度 端子编号	4.1145.4				4.1153.4				4.1154.4				4.1155.4				4.1250.4			
	90°	45°	0°	45°	45°	0°	45°	90°	45°	0°	45°	90°	90°	45°	0°	45°	45°	0°	45°	90°
1-2																				
3-4																				
5-6																				
7-8																				
9-10																				
11-12																				
13-14																				
15-16																				

型号 角度 端子编号	D/49.4027.4				4.4111.4				4.5483.4				4.5563.4				4.6020.4			
	90°	45°	45°	90°	90°	45°	0°	45°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°
1-2																				
3-4																				
5-6																				
7-8																				
9-10																				
11-12																				
13-14																				
15-16																				

型号 角度 端子编号	4.6021.4				4.6022.4				9.6024.4				9.6027.4				9.6028.4			
	45°	0°	45°	90°	90°	45°	0°	45°	180°	90°	0°	90°	90°	0°	90°	180°	90°	0°	90°	180°
	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀
1-2		⌀					⌀			⌀	⌀	⌀		⌀			⌀			
3-4				⌀	⌀					⌀	⌀	⌀	⌀				⌀			
5-6		⌀					⌀	⌀		⌀						⌀		⌀		
7-8				⌀	⌀	⌀			⌀		⌀	⌀			⌀			⌀		
9-10	⌀					⌀					⌀			⌀					⌀	
11-12			⌀					⌀	⌀	⌀			⌀						⌀	
13-14	⌀						⌀	⌀				⌀				⌀				⌀
15-16			⌀		⌀	⌀						⌀			⌀					⌀

型号 角度 端子编号	4.6034.4				4.6035.4				4.6100.4				4.6102.4				4.6103.4			
	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°
	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀
1-2	⌀			⌀			⌀					⌀	⌀						⌀	
3-4	⌀						⌀			⌀	⌀	⌀		⌀					⌀	
5-6	⌀				⌀						⌀	⌀			⌀		⌀			
7-8	⌀				⌀					⌀	⌀			⌀			⌀			
9-10			⌀	⌀			⌀				⌀	⌀				⌀				⌀
11-12			⌀	⌀			⌀			⌀	⌀				⌀					⌀
13-14				⌀	⌀						⌀	⌀	⌀		⌀		⌀			
15-16					⌀		⌀			⌀	⌀						⌀			

型号 角度 端子编号	4.6104.4				4.6105.4				4.6106.4				4.6109.4				4.6112.4			
	0°	90°	180°	270°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	90°	45°	0°	45°
	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀
1-2	⌀	⌀	⌀		⌀	⌀				⌀				⌀	⌀	⌀	⌀	⌀		
3-4	⌀		⌀	⌀		⌀	⌀				⌀			⌀	⌀	⌀		⌀		
5-6	⌀	⌀		⌀	⌀				⌀					⌀	⌀	⌀			⌀	
7-8		⌀	⌀	⌀			⌀		⌀				⌀		⌀	⌀		⌀		
9-10				⌀				⌀				⌀	⌀		⌀	⌀				⌀
11-12		⌀				⌀						⌀	⌀		⌀					⌀
13-14			⌀				⌀		⌀				⌀	⌀	⌀		⌀		⌀	⌀
15-16	⌀							⌀	⌀				⌀	⌀		⌀				

型号 角度 端子编号	4.6113.4				4.6117.4				4.6118.4				4.6120.4				4.6122.4			
	45°	0°	45°	90°	45°	0°	45°	90°	90°	45°	0°	45°	45°	0°	45°	90°	90°	45°	0°	45°
	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀
1-2		⌀			⌀						⌀		⌀				⌀			
3-4		⌀	⌀	⌀			⌀	⌀	⌀				⌀				⌀			
5-6				⌀	⌀						⌀	⌀			⌀			⌀		
7-8		⌀	⌀	⌀			⌀	⌀	⌀	⌀					⌀			⌀		
9-10		⌀		⌀	⌀				⌀					⌀	⌀				⌀	
11-12	⌀						⌀	⌀				⌀			⌀				⌀	
13-14	⌀						⌀				⌀	⌀			⌀					⌀
15-16		⌀	⌀	⌀				⌀	⌀	⌀					⌀					⌀

型号 角度 端子编号	4.6126.4				4.6131.4				4.6133.4				4.6134.4				4.6135.4			
	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	0°	45°	90°	135°	45°	0°	45°	90°
	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀
1-2	⌀					⌀	⌀	⌀			⌀	⌀	⌀	⌀			⌀			
3-4	⌀					⌀	⌀	⌀	⌀	⌀	⌀	⌀		⌀			⌀	⌀	⌀	
5-6			⌀			⌀	⌀	⌀		⌀	⌀	⌀			⌀				⌀	
7-8			⌀				⌀	⌀				⌀				⌀	⌀	⌀		
9-10			⌀	⌀			⌀			⌀	⌀	⌀		⌀	⌀	⌀		⌀	⌀	
11-12				⌀			⌀			⌀	⌀	⌀	⌀		⌀	⌀	⌀	⌀	⌀	
13-14				⌀				⌀				⌀	⌀	⌀		⌀	⌀	⌀		
15-16	⌀							⌀			⌀	⌀								⌀

型号 角度 端子编号	4.6136.4				4.6137.4				4.6138.4				4.6139.4				4.6140.4			
	90°	45°	0°	45°	90°	45°	0°	45°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°
端子编号	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4
1-2	0		0				0				0		0	0			0			0
3-4	0			0				0	0		0	0	0	0					0	0
5-6	0		0				0					0		0	0		0			0
7-8	0			0				0	0						0				0	0
9-10	0		0		0	0					0		0	0			0			0
11-12	0			0					0		0	0	0	0			0			0
13-14	0		0			0						0			0	0			0	0
15-16	0			0	0	0			0						0	0			0	0

型号 角度 端子编号	4.6141.4				4.6142.4				4.6143.4				4.6144.4				4.6145.4			
	0°	45°	90°	135°	45°	0°	45°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	45°	0°	45°
端子编号	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4
1-2			0	0			0			0	0				0			0		
3-4			0	0			0		0	0						0		0		
5-6			0	0	0				0			0	0	0						0
7-8		0	0	0	0						0				0					0
9-10		0	0	0				0	0				0				0			
11-12			0	0				0		0	0	0	0				0			
13-14			0	0	0				0				0							0
15-16				0	0		0	0					0							0

型号 角度 端子编号	4.6146.4				4.6147.4				4.6148.4				4.6149.4				4.6150.4			
	45°	0°	45°	90°	45°	0°	45°	90°	90°	45°	0°	45°	45°	0°	45°	90°	45°	0°	45°	90°
端子编号	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4
1-2	0				0			0			0			0			0	0		
3-4	0						0			0		0			0				0	
5-6								0	0				0				0	0		
7-8			0				0					0		0	0	0			0	
9-10			0	0	0			0	0					0			0			0
11-12			0	0			0			0	0	0			0					0
13-14				0		0	0		0	0				0				0	0	
15-16					0					0			0							0

型号 角度 端子编号	4.6151.4				4.6152.4				4.6153.4				4.6154.4				4.6155.4			
	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	90°	45°	0°	45°	45°	0°	45°	90°
端子编号	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4
1-2	0				0				0						0	0	0	0		0
3-4			0		0				0						0	0	0		0	0
5-6	0				0							0		0					0	
7-8			0		0							0		0			0	0	0	
9-10				0	0					0	0		0				0		0	0
11-12				0	0					0	0		0							0
13-14	0		0				0		0	0				0		0			0	0
15-16				0				0			0	0	0	0						

型号 角度 端子编号	4.6156.4				4.6157.4				4.6158.4				4.6159.4				4.6192.4			
	0°	45°	90°	135°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	0°	45°	90°	135°
端子编号	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4
1-2		0				0				0	0	0	0	0	0			0	0	
3-4		0					0	0		0	0	0	0	0			0			
5-6			0		0					0	0	0			0					0
7-8			0		0		0				0	0			0	0		0	0	
9-10				0		0					0				0		0			
11-12				0			0	0	0		0				0					0
13-14				0	0							0	0		0				0	0
15-16					0		0			0		0			0		0	0		

型号 角度 端子编号	4.6253.4				4.6254.4				9.6272.4				9.6285.4				3.6287.4			
	0°	45°	90°	135°	0°	45°	90°	135°	0°	90°	180°	270°	180°	90°	0°	90°	0°	30°	60°	90°
	ñ	ð	ð	ø	ñ	ð	ð	ø	ñ	ð	ð	ı	ð	ı	ñ	ð	ñ	ð	ð	ð
1-2		ı				ı			ı				ı				ı			
3-4			ı				ı				ı		ı				ı			
5-6				ı				ı		ı				ı				ı		
7-8		ı	ı	ı	ı							ı		ı				ı		
9-10		ı	ı	ı	ı				ı						ı				ı	
11-12		ı				ı					ı				ı				ı	
13-14			ı				ı			ı						ı				ı
15-16				ı				ı			ı					ı				ı

型号 角度 端子编号	9.6920.4				9.6922.4				9.6932.4				9.6933.4				9.6934.4			
	0°	90°	180°	270°	0°	90°	180°	270°	0°	90°	180°	270°	90°	0°	90°	180°	0°	90°	180°	270°
	ñ	ð	ð	ı	ñ	ð	ð	ı	ñ	ð	ð	ı	ı	ñ	ð	ð	ñ	ð	ð	ı
1-2				ı				ı		ı					ı	ı	ı	ı	ı	
3-4		ı				ı						ı	ı				ı	ı	ı	ı
5-6			ı			ı	ı				ı		ı		ı		ı	ı		ı
7-8	ı						ı	ı	ı							ı		ı	ı	ı
9-10	ı							ı	ı				ı	ı		ı				ı
11-12		ı				ı					ı				ı			ı		
13-14			ı			ı	ı			ı				ı	ı	ı			ı	
15-16				ı			ı	ı				ı	ı					ı		

型号 角度 端子编号	9.6936.4								Z/4.9538.4											
	0°	90°	180°	270°					45°	0°	45°	90°								
	ñ	ð	ð	ı					ð	ñ	ð	ð								
1-2	ı		ı	ı								ı								
3-4	ı	ı	ı								ı									
5-6		ı	ı	ı					ı											
7-8	ı	ı		ı								ı								
9-10		ı									ı									
11-12				ı					ı											
13-14	ı								ı											
15-16												ı								

型号 角度 端子编号	/9.1274.4NI																			
	0°	90°	180°	270°																
	ñ	ð	ð	ı																
1-2				ı																
3-4			ı																	
5-6		ı																		
7-8	ı																			
9-10				ı																
11-12			ı																	
13-14		ı																		
15-16	ı																			

型号 角度 端子编号	4.1072.4					4.1139.4					4.1140.4					4.1141.4				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	ı	ð	ñ	ð	ð	ı	ð	ñ	ð	ð	ı	ð	ñ	ð	ð	ı	ð	ñ	ð	ð
1-2	ı					ı					ı							ı		
3-4		ı					ı					ı					ı		ı	
5-6				ı				ı					ı		ı	ı				ı
7-8					ı				ı					ı			ı	ı	ı	ı
9-10					ı				ı					ı				ı		
11-12					ı				ı					ı			ı		ı	
13-14					ı					ı				ı				ı		
15-16	ı	ı		ı										ı	ı					ı

型号 角度 端子编号	4.1142.4					4.1143.4					4.1152.4									
	90° Ÿ	45° ð	0° ñ	45° ö	90° ø	90° Ÿ	45° ð	0° ñ	45° ö	90° ø	90° Ÿ	45° ð	0° ñ	45° ö	90° ø					
1-2				ø	ø		ø							ø	ø					
3-4				ø	ø				ø					ø	ø					
5-6	ø	ø				ø	ø				ø	ø								
7-8	ø	ø						ø	ø		ø	ø								
9-10			ø							ø			ø							
11-12	ø	ø		ø	ø			ø			ø	ø		ø	ø					
13-14	ø			ø	ø	ø					ø		ø		ø					
15-16			ø							ø			ø							

型号 角度 端子编号	D/4.4021.4					D/4.4025.4					D/4.4039.4					D/4.4040.4				
	90° Ÿ	45° ð	0° ñ	45° ö	90° ø	90° Ÿ	45° ð	0° ñ	45° ö	90° ø	90° Ÿ	45° ð	0° ñ	45° ö	90° ø	90° Ÿ	45° ð	0° ñ	45° ö	90° ø
1-2					ø					ø				ø	ø					ø
3-4				ø					ø	ø				ø	ø		ø		ø	
5-6			ø						ø				ø					ø		
7-8			ø					ø					ø					ø		
9-10		ø						ø			ø						ø		ø	
11-12	ø					ø	ø				ø	ø				ø				
13-14	ø					ø					ø							ø		
15-16	ø					ø									ø			ø		

型号 角度 端子编号	D/4.4046.4					D/4.4055.4					D/4.4057.4					D/4.4058.4				
	90° Ÿ	45° ð	0° ñ	45° ö	90° ø	90° Ÿ	45° ð	0° ñ	45° ö	90° ø	90° Ÿ	45° ð	0° ñ	45° ö	90° ø	90° Ÿ	45° ð	0° ñ	45° ö	90° ø
1-2					ø					ø	ø				ø					ø
3-4					ø				ø					ø					ø	
5-6			ø					ø				ø						ø		
7-8			ø					ø					ø					ø		
9-10	ø						ø						ø				ø			
11-12	ø					ø						ø				ø				
13-14	ø									ø				ø			ø			
15-16	ø										ø								ø	

型号 角度 端子编号	D/4.4060.4					D/4.4061.4					D/4.4062.4					4.6091.4				
	90° Ÿ	45° ð	0° ñ	45° ö	90° ø	90° Ÿ	45° ð	0° ñ	45° ö	90° ø	90° Ÿ	45° ð	0° ñ	45° ö	90° ø	45° ð	0° ñ	45° ö	90° ø	135° ø
1-2					ø					ø				ø			ø			
3-4				ø					ø					ø	ø		ø			
5-6			ø					ø						ø	ø		ø			
7-8			ø					ø					ø				ø			
9-10		ø					ø						ø					ø	ø	ø
11-12	ø					ø					ø	ø					ø			
13-14			ø			ø					ø	ø							ø	
15-16			ø								ø									ø

型号 角度 端子编号	4.6093.4					D/4.6107.4					4.6115.4					4.6116.4				
	90° Ÿ	45° ð	0° ñ	45° ö	90° ø	90° Ÿ	45° ð	0° ñ	45° ö	90° ø	90° Ÿ	45° ð	0° ñ	45° ö	90° ø	90° Ÿ	45° ð	0° ñ	45° ö	90° ø
1-2	ø					ø					ø						ø			
3-4		ø				ø						ø							ø	
5-6				ø				ø					ø					ø		
7-8					ø			ø						ø		ø				
9-10					ø					ø				ø			ø	ø		
11-12					ø					ø				ø		ø				
13-14					ø					ø				ø					ø	ø
15-16			ø							ø	ø									

型号 角度 端子编号	4.6123.4					4.6160.4					4.6161.4					4.6162.4				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	Ÿ	Ǿ	ñ	Ǿ	Ǿ	Ÿ	Ǿ	ñ	Ǿ	Ǿ	Ÿ	Ǿ	ñ	Ǿ	Ǿ	Ÿ	Ǿ	ñ	Ǿ	Ǿ
1-2		Ǿ							Ǿ	Ǿ	Ǿ	Ǿ	Ǿ				Ǿ	Ǿ	Ǿ	
3-4		Ǿ					Ǿ			Ǿ	Ǿ	Ǿ	Ǿ				Ǿ			
5-6		Ǿ				Ǿ				Ǿ	Ǿ	Ǿ	Ǿ			Ǿ				Ǿ
7-8			Ǿ	Ǿ		Ǿ				Ǿ	Ǿ						Ǿ	Ǿ	Ǿ	
9-10			Ǿ	Ǿ						Ǿ		Ǿ						Ǿ		
11-12			Ǿ	Ǿ			Ǿ			Ǿ				Ǿ					Ǿ	
13-14				Ǿ		Ǿ									Ǿ			Ǿ		
15-16						Ǿ									Ǿ	Ǿ				Ǿ

型号 角度 端子编号	4.6163.4					4.6164.4					4.6165.4					4.6172.4				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	Ÿ	Ǿ	ñ	Ǿ	Ǿ	Ÿ	Ǿ	ñ	Ǿ	Ǿ	Ÿ	Ǿ	ñ	Ǿ	Ǿ	Ÿ	Ǿ	ñ	Ǿ	Ǿ
1-2			Ǿ						Ǿ		Ǿ				Ǿ			Ǿ		
3-4		Ǿ		Ǿ			Ǿ				Ǿ				Ǿ			Ǿ		
5-6	Ǿ				Ǿ			Ǿ	Ǿ				Ǿ		Ǿ	Ǿ				
7-8		Ǿ	Ǿ				Ǿ	Ǿ					Ǿ		Ǿ					Ǿ
9-10			Ǿ	Ǿ						Ǿ	Ǿ				Ǿ	Ǿ				Ǿ
11-12		Ǿ				Ǿ				Ǿ	Ǿ				Ǿ	Ǿ				Ǿ
13-14				Ǿ			Ǿ	Ǿ	Ǿ	Ǿ			Ǿ		Ǿ	Ǿ	Ǿ		Ǿ	Ǿ
15-16	Ǿ				Ǿ	Ǿ	Ǿ	Ǿ	Ǿ				Ǿ		Ǿ	Ǿ	Ǿ		Ǿ	Ǿ

型号 角度 端子编号	4.6173.4					4.6174.4					4.6175.4					4.6176.4				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	Ÿ	Ǿ	ñ	Ǿ	Ǿ	Ÿ	Ǿ	ñ	Ǿ	Ǿ	Ÿ	Ǿ	ñ	Ǿ	Ǿ	Ÿ	Ǿ	ñ	Ǿ	Ǿ
1-2		Ǿ			Ǿ	Ǿ								Ǿ				Ǿ		
3-4	Ǿ			Ǿ						Ǿ	Ǿ							Ǿ		
5-6	Ǿ				Ǿ		Ǿ								Ǿ		Ǿ	Ǿ	Ǿ	
7-8		Ǿ		Ǿ					Ǿ			Ǿ					Ǿ	Ǿ	Ǿ	
9-10				Ǿ	Ǿ	Ǿ	Ǿ							Ǿ	Ǿ			Ǿ		
11-12	Ǿ	Ǿ		Ǿ	Ǿ	Ǿ	Ǿ		Ǿ		Ǿ							Ǿ		
13-14				Ǿ				Ǿ	Ǿ	Ǿ					Ǿ			Ǿ		
15-16	Ǿ	Ǿ		Ǿ	Ǿ	Ǿ	Ǿ		Ǿ	Ǿ		Ǿ						Ǿ		

型号 角度 端子编号	4.6177.4					4.6178.4					4.6179.4					4.6180.4				
	0°	45°	90°	135°	180°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	ñ	Ǿ	Ǿ	Ǿ	Ǿ	Ÿ	Ǿ	ñ	Ǿ	Ǿ	Ÿ	Ǿ	ñ	Ǿ	Ǿ	Ÿ	Ǿ	ñ	Ǿ	Ǿ
1-2		Ǿ					Ǿ		Ǿ		Ǿ	Ǿ		Ǿ	Ǿ	Ǿ				
3-4			Ǿ				Ǿ		Ǿ		Ǿ	Ǿ		Ǿ	Ǿ					Ǿ
5-6				Ǿ			Ǿ		Ǿ			Ǿ			Ǿ				Ǿ	
7-8					Ǿ		Ǿ		Ǿ			Ǿ			Ǿ		Ǿ			
9-10	Ǿ	Ǿ		Ǿ	Ǿ		Ǿ		Ǿ					Ǿ	Ǿ			Ǿ		Ǿ
11-12	Ǿ	Ǿ	Ǿ	Ǿ	Ǿ		Ǿ		Ǿ					Ǿ	Ǿ	Ǿ				
13-14	Ǿ	Ǿ	Ǿ	Ǿ	Ǿ			Ǿ			Ǿ	Ǿ								Ǿ
15-16	Ǿ		Ǿ	Ǿ	Ǿ	Ǿ				Ǿ	Ǿ	Ǿ								Ǿ

型号 角度 端子编号	4.6181.4					4.6182.4					4.6183.4					4.6184.4				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	Ÿ	Ǿ	ñ	Ǿ	Ǿ	Ÿ	Ǿ	ñ	Ǿ	Ǿ	Ÿ	Ǿ	ñ	Ǿ	Ǿ	Ÿ	Ǿ	ñ	Ǿ	Ǿ
1-2	Ǿ	Ǿ				Ǿ						Ǿ	Ǿ	Ǿ	Ǿ	Ǿ	Ǿ			Ǿ
3-4				Ǿ	Ǿ				Ǿ		Ǿ			Ǿ	Ǿ				Ǿ	
5-6	Ǿ	Ǿ					Ǿ		Ǿ						Ǿ	Ǿ			Ǿ	Ǿ
7-8				Ǿ	Ǿ			Ǿ			Ǿ	Ǿ			Ǿ		Ǿ			
9-10	Ǿ	Ǿ				Ǿ	Ǿ								Ǿ	Ǿ	Ǿ			
11-12				Ǿ	Ǿ	Ǿ	Ǿ		Ǿ		Ǿ	Ǿ	Ǿ		Ǿ	Ǿ				
13-14	Ǿ	Ǿ						Ǿ	Ǿ	Ǿ	Ǿ	Ǿ	Ǿ	Ǿ					Ǿ	Ǿ
15-16		Ǿ			Ǿ	Ǿ	Ǿ		Ǿ	Ǿ					Ǿ				Ǿ	Ǿ

型号 角度 端子编号	4.6185.4					4.6186.4					4.6187.4					4.6188.4				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	0°	45°	90°	135°	180°
	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð	ñ	ð	ð	ø	ð
1-2	Ÿ	ð		ð	ð				ð	ð		ð		ð	ð		ð			
3-4	ð	ð		ð	ð				ð	ð	ð			ð	ð			ð		
5-6	ð	ð		ð	ð	ð	ð				ð				ð				ð	
7-8	ð	ð		ð	ð	ð	ð					ð			ð					ð
9-10	ð					ð				ð	ð	ð			ð		ð			
11-12		ð				ð				ð					ð			ð		
13-14				ð				ð				ð		ð	ð				ð	
15-16					ð			ð			ð			ð	ð					ð

型号 角度 端子编号	4.6189.4					4.6190.4					4.6191.4					4.6193.4				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð
1-2	Ÿ				ð		ð	ð	ð	ð	ð	ð						ð		
3-4	ð	ð					ð	ð	ð	ð		ð	ð							ð
5-6				ð	ð			ð	ð	ð			ð					ð		
7-8				ð	ð			ð	ð	ð				ð						ð
9-10	ð	ð							ð	ð	ð			ð			ð			
11-12	ð				ð				ð	ð									ð	
13-14		ð		ð					ð	ð		ð					ð			
15-16		ð		ð						ð	ð								ð	

型号 角度 端子编号	4.6194.4					3.6195.4					4.6855.4					4.7122.4				
	90°	45°	0°	45°	90°	60°	30°	0°	30°	60°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	Ÿ	ð	ñ	ð	ð	ð	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð
1-2	Ÿ					ð						ð				ð	ð			ð
3-4		ð					ð								ð		ð			ð
5-6				ð				ð			ð							ð		ð
7-8					ð					ð				ð		ð				ð
9-10					ð					ð							ð			ð
11-12	ð	ð		ð	ð					ð					ð			ð		ð
13-14	ð	ð		ð	ð					ð	ð								ð	
15-16	ð	ð		ð	ð					ð									ð	

型号 角度 端子编号	4.7125.4					4.7128.4					4.7129.4					4.7173.4				
	45°	0°	45°	90°	135°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	ð	ñ	ð	ð	ø	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð
1-2	ð					ð					ð	ð		ð		ð	ð			
3-4			ð	ð	ð		ð					ð		ð		ð				
5-6	ð								ð						ð		ð			
7-8	ð					ð	ð		ð		ð			ð			ð			
9-10										ð		ð		ð					ð	
11-12			ð							ð					ð				ð	
13-14				ð						ð			ð							ð
15-16			ð	ð						ð										ð

型号 角度 端子编号	4.7174.4					4.7175.4					4.7177.4									
	135°	90°	45°	0°	45°	90°	45°	0°	45°	90°	0°	45°	90°	135°	180°					
	÷	Ÿ	ð	ñ	ð	ð	ð	ñ	ð	ð	ñ	ð	ð	ø	ð					
1-2				ð					ð			ð								
3-4		ð				ð							ð							
5-6			ð							ð				ð						
7-8	ð						ð								ð					
9-10					ð				ð		ð	ð		ð	ð					
11-12		ð	ð			ð					ð	ð	ð		ð					
13-14	ð								ð		ð	ð	ð	ð	ð					
15-16				ð	ð		ð				ð		ð	ð	ð					

型号 角度 编号	4.6090.4						4.6125.4						3.6132.4						4.6166.4					
	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	0°	30°	60°	90°	120°	150°	45°	0°	45°	90°	135°	180°
	ī	ō	ñ	ö	ð	ø	÷	ī	ō	ñ	ö	ð	ñ	ö	ð	ø	ø	ø	ö	ñ	ö	ð	ø	ò
1-2	ū								ū				ū								ū	ū	ū	ū
3-4	ū										ū			ū								ū	ū	ū
5-6		ū					ū								ū							ū	ū	
7-8		ū						ū	ū							ū						ū		
9-10						ū				ū	ū						ū		ū					
11-12				ū								ū						ū	ū					
13-14				ū	ū			ū					ū						ū					
15-16					ū	ū								ū	ū	ū	ū	ū						

型号 角度 编号	4.6167.4						4.6168.4						4.6169.4						4.6170.4					
	90°	45°	0°	45°	90°	135°	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	0°	45°	90°	135°	180°	225°
	ī	ō	ñ	ö	ð	ø	ī	ō	ñ	ö	ð	ø	÷	ī	ō	ñ	ö	ð	ñ	ö	ð	ø	ò	÷
1-2		ū		ū						ū	ū	ū		ū	ū					ū	ū	ū	ū	ū
3-4		ū			ū		ū	ū									ū	ū		ū	ū	ū	ū	ū
5-6		ū				ū					ū	ū					ū				ū	ū	ū	ū
7-8							ū						ū	ū							ū	ū	ū	ū
9-10	ū											ū	ū								ū			
11-12	ū											ū	ū									ū		
13-14	ū						ū									ū							ū	
15-16	ū								ū															ū

型号 角度 编号	4.6171.4						3.6289.4						4.6344.4						4.7124.4					
	90°	45°	0°	45°	90°	135°	30°	0°	30°	60°	90°	120°	0°	45°	90°	135°	180°	225°	45°	0°	45°	90°	135°	180°
	ī	ō	ñ	ö	ð	ø	ö	ñ	ö	ð	ð	ø	ñ	ö	ð	ø	ò	÷	ö	ñ	ö	ð	ø	ò
1-2	ū			ū			ū						ū							ū	ū	ū	ū	ū
3-4	ū	ū						ū	ū	ū	ū	ū		ū					ū					
5-6	ū	ū			ū				ū	ū	ū	ū			ū				ū					
7-8	ū			ū		ū				ū	ū	ū				ū					ū	ū	ū	ū
9-10	ū			ū							ū	ū					ū					ū	ū	ū
11-12	ū	ū										ū						ū					ū	ū
13-14	ū	ū			ū		ū						ū	ū	ū									ū
15-16	ū			ū		ū						ū				ū	ū	ū						

型号 角度 端子编号	4.1193.4						4.1195.4						4.1196.4								
	135°	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	135°
	÷	Ÿ	ø	ñ	ö	ð	ø	÷	Ÿ	ø	ñ	ö	ð	ø	÷	Ÿ	ø	ñ	ö	ð	ø
1-2				û				û				û							û	û	û
3-4					û	û	û			û									û	û	û
5-6	û	û	û						û				û		û	û	û				
7-8			û		û			û							û	û	û				
9-10	û	û				û	û			û				û				û			
11-12	û						û		û						û	û	û		û	û	û
13-14	û	û	û		û	û	û								û	û				û	û
15-16												û	û	û	û						û

型号 角度 端子编号	4.1197.4						3.1520.4						4.5474.4								
	135°	90°	45°	0°	45°	90°	135°	30°	0°	30°	60°	90°	120°	150°	0°	45°	90°	135°	180°	225°	270°
	÷	ī	ō	ñ	ö	ð	ø	ō	ñ	ö	ö	ð	ø	ø	ñ	ö	ð	ø	ò	÷	ī
1-2					ū	ū	ū			ū	ū	ū	ū	ū		ū			ū		ū
3-4					ū	ū	ū				ū	ū	ū	ū			ū		ū	ū	ū
5-6	ū	ū	ū									ū	ū	ū				ū		ū	ū
7-8	ū	ū	ū										ū	ū					ū	ū	ū
9-10				ū										ū							
11-12				ū				ū													
13-14		ū	ū		ū	ū		ū													
15-16			ū		ū				ū	ū	ū	ū	ū	ū							

型号 角度 端子编号	4.5983.4							3.5989.4							4.6095.4						
	0°	45°	90°	135°	180°	225°	270°	30°	0°	30°	60°	90°	120°	150°	0°	45°	90°	135°	180°	225°	270°
1-2	0									0	0	0	0	0	0						
3-4		0						0								0	0	0	0	0	0
5-6		0	0					0									0	0	0	0	0
7-8		0	0	0						0	0	0	0	0				0	0	0	0
9-10		0	0	0	0						0	0	0	0					0	0	0
11-12		0	0	0	0	0						0	0	0						0	0
13-14		0	0	0	0	0	0						0	0							0
15-16														0							0

型号 角度 端子编号	4.6096.4							4.AK07-4							4.6119.4=4.AK08-4						
	45°	90°	135°	180°	225°	270°	315°	135°	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	135°
1-2														0	0						
3-4				0									0			0					
5-6					0	0						0					0				
7-8	0	0	0	0	0						0							0			
9-10						0				0									0		
11-12	0	0	0	0					0											0	
13-14		0						0													0
15-16			0					0													0

型号 角度 端子编号	4.6196.4							4.6197.4							4.6198.4						
	135°	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	135°
1-2	0								0				0				0	0			
3-4	0									0		0			0			0			
5-6	0							0		0					0	0					
7-8			0									0		0		0	0				
9-10					0		0	0	0									0	0		
11-12					0		0						0	0				0			0
13-14						0	0		0	0									0	0	
15-16						0	0					0	0					0	0		

型号 角度 端子编号	4.6200.4							4.6201.4							4.6202.4						
	135°	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	135°
1-2	0										0							0	0	0	
3-4		0										0	0	0						0	0
5-6			0										0	0							0
7-8				0				0	0									0			
9-10					0			0	0	0					0	0	0				
11-12						0		0	0				0	0	0	0					
13-14						0		0	0				0	0	0	0					
15-16								0					0					0			

型号 角度 端子编号	4.6203.4							4.6204.4							4.6205.4						
	135°	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	135°
1-2				0							0							0			
3-4			0		0				0									0			
5-6	0	0	0					0										0	0	0	
7-8		0	0		0	0							0					0	0	0	
9-10	0	0	0									0						0	0	0	
11-12	0	0				0	0				0				0	0	0				
13-14	0	0	0								0				0	0	0				
15-16	0						0				0				0	0	0				

型号 角度 端子编号	4.6206.4							4.6207.4							4.6208.4						
	135° ÷	90° ı	45° đ	0° ñ	45° ö	90° đ	135° ø	135° ÷	90° ı	45° đ	0° ñ	45° ö	90° đ	135° ø	135° ÷	90° ı	45° đ	0° ñ	45° ö	90° đ	135° ø
1-2	0	0							0				0		0						0
3-4		0	0	0	0	0	0			0		0				0	0				0
5-6		0	0	0				0												0	0
7-8	0	0		0	0	0	0							0						0	0
9-10				0	0	0	0	0	0											0	0
11-12	0	0	0	0		0	0							0						0	0
13-14						0	0			0								0	0	0	0
15-16	0	0	0	0	0	0					0	0						0	0	0	0

型号 角度 端子编号	4.6209.4							4.6210.4							4.6211.4						
	135° ÷	90° ı	45° đ	0° ñ	45° ö	90° đ	135° ø	135° ÷	90° ı	45° đ	0° ñ	45° ö	90° đ	135° ø	135° ÷	90° ı	45° đ	0° ñ	45° ö	90° đ	135° ø
1-2	0	0	0		0	0	0		0	0							0				
3-4	0	0	0		0	0	0					0	0		0	0	0				
5-6	0								0	0					0	0	0				
7-8		0										0	0		0						0
9-10			0						0	0					0	0				0	0
11-12					0							0	0			0	0		0	0	
13-14						0			0	0						0		0	0		
15-16							0			0			0								

型号 角度 端子编号	4.6213.4							3.6221.4							4.6232.4						
	135° ÷	90° ı	45° đ	0° ñ	45° ö	90° đ	135° ø	135° ÷	90° ı	45° đ	0° ñ	45° ö	90° đ	135° ø	90° ı	45° đ	0° ñ	45° ö	90° đ	135° ø	180° ò
1-2						0	0	0							0						
3-4						0			0							0					
5-6							0			0							0				
7-8		0									0							0			
9-10			0									0							0		
11-12				0									0							0	
13-14					0									0							0
15-16							0	0													0

型号 角度 端子编号	3.6233.4							4.6235.4							4.6252.4						
	30° đ	0° ñ	30° đ	60° ö	90° đ	120° ø	150° ø	135° ÷	90° ı	45° đ	0° ñ	45° ö	90° đ	135° ø	90° ı	45° đ	0° ñ	45° ö	90° đ	135° ø	180° ò
1-2		0						0							0						
3-4			0						0						0						
5-6				0						0						0					
7-8					0						0						0				
9-10						0						0						0			
11-12							0						0						0		
13-14	0													0						0	
15-16																					0

型号 角度 端子编号	4.6263.4							9.6941.4							4.5994.4						
	135° ÷	90° ı	45° đ	0° ñ	45° ö	90° đ	135° ø	135° ÷	90° ı	45° đ	0° ñ	45° ö	90° đ	135° ø	135° ÷	90° ı	45° đ	0° ñ	45° ö	90° đ	135° ø
1-2	0									0					0	0	0	0	0	0	0
3-4		0							0						0						
5-6			0					0							0						
7-8				0				0	0	0											
9-10					0									0		0	0	0	0	0	0
11-12						0						0					0	0	0	0	0
13-14							0					0	0					0	0	0	0
15-16					0	0	0					0	0								0

型号 角度 编号	3.5992.4								4.6038.4								4.6052.4							
	30°	0°	30°	60°	90°	120°	150°	180°	90°	45°	0°	45°	90°	135°	180°	225°	0°	45°	90°	135°	180°	225°	270°	315°
	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3
1-2		0	0	0	0	0	0	0		0											0	0	0	0
3-4	0															0					0	0	0	0
5-6			0	0	0	0	0	0					0					0				0	0	0
7-8				0	0	0	0	0				0							0				0	0
9-10					0	0	0	0		0	0									0				0
11-12						0	0	0	0	0						0				0				0
13-14							0	0						0	0						0	0	0	0
15-16								0				0	0											

型号 角度 编号	4.6111.4								4.6212.4								4.6214.4							
	135°	90°	45°	0°	45°	90°	135°	180°	0°	45°	90°	135°	180°	225°	270°	315°	0°	45°	90°	135°	180°	225°	270°	315°
	÷	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3
1-2					0				0								0							
3-4						0				0											0			
5-6							0				0												0	0
7-8								0				0					0	0	0	0	0	0		0
9-10			0										0				0						0	0
11-12		0												0				0	0	0	0			
13-14	0														0				0					
15-16																0				0				

型号 角度 编号	4.6215.4								4.6222.4								4.6224.4							
	135°	90°	45°	0°	45°	90°	135°	180°	135°	90°	45°	0°	45°	90°	135°	180°	0°	45°	90°	135°	180°	225°	270°	315°
	÷	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3
1-2		0	0	0	0	0	0	0	0									0						
3-4		0	0	0	0	0	0	0		0									0					
5-6	0	0	0	0		0	0	0			0									0				
7-8	0	0		0		0		0				0									0			
9-10		0		0	0	0	0	0					0									0		
11-12		0		0	0	0		0						0									0	
13-14		0		0		0		0							0									0
15-16		0		0		0		0								0								0

型号 角度 编号	4.6227.4								4.6244.4								4.6245.4							
	0°	45°	90°	135°	180°	225°	270°	315°	135°	90°	45°	0°	45°	90°	135°	180°	0°	45°	90°	135°	180°	225°	270°	315°
	ñ	õ	ð	ø	ò	÷	ÿ	ö	÷	ÿ	ö	ñ	õ	ð	ø	ò	ñ	õ	ð	ø	ò	÷	ÿ	ö
1-2				ú					ú	ú	ú		ú	ú	ú	ú		ú	ú	ú	ú	ú	ú	ú
3-4		ú							ú	ú	ú			ú	ú	ú			ú	ú	ú	ú	ú	ú
5-6		ú	ú						ú	ú	ú				ú	ú				ú	ú	ú	ú	ú
7-8			ú	ú					ú	ú	ú					ú					ú	ú	ú	ú
9-10						ú			ú	ú	ú											ú	ú	ú
11-12								ú		ú	ú												ú	ú
13-14							ú	ú			ú													ú
15-16						ú	ú																	

型号 角度 编号	4.6251.4								4.6262.4								4.6286.4							
	135°	90°	45°	0°	45°	90°	135°	180°	0°	45°	90°	135°	180°	225°	270°	315°	45°	0°	45°	90°	135°	180°	225°	270°
	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3
1-2					0							0					0							
3-4					0	0				0							0							
5-6							0			0	0								0	0	0	0	0	0
7-8								0			0	0								0	0	0	0	0
9-10					0	0	0	0					0							0	0	0	0	0
11-12				0																	0	0	0	0
13-14			0												0	0						0	0	0
15-16		0	0										0	0										0

型号 角度 编号	3.6297.4								4.6304.4								3.6888.4							
	120°	90°	60°	30°	0°	30°	60°	90°	0°	45°	90°	135°	180°	225°	270°	315°	30°	0°	30°	60°	90°	120°	150°	180°
	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷
1-2	0								0	0	0	0	0	0	0	0	0							
3-4		0								0	0	0	0	0	0	0		0						
5-6			0	0	0	0	0	0			0	0	0	0	0	0			0	0	0	0	0	0
7-8				0	0	0	0	0				0	0	0	0	0				0	0	0	0	0
9-10					0	0	0	0					0	0	0	0					0	0	0	0
11-12						0	0	0						0	0	0						0	0	0
13-14							0	0							0	0							0	0
15-16								0								0								0

型号 角度 端子编号	3.6216.4									3.6217.4								
	120°	90°	60°	30°	0°	30°	60°	90°	120°	120°	90°	60°	30°	0°	30°	60°	90°	120°
	÷	⅓	½	⅔	⅕	⅔	⅔	⅔	⅔	÷	⅓	½	⅔	⅕	⅔	⅔	⅔	⅔
1-2					⅔					⅔								
3-4	⅔	⅔	⅔	⅔		⅔	⅔	⅔	⅔			⅔						
5-6						⅔	⅔	⅔	⅔				⅔					
7-8	⅔	⅔	⅔	⅔										⅔				
9-10	⅔	⅔	⅔				⅔	⅔	⅔						⅔			
11-12	⅔	⅔						⅔	⅔							⅔		
13-14	⅔								⅔								⅔	
15-16					⅔													⅔

型号 角度 端子编号	3.6218.4									3.6219.4								
	120°	90°	60°	30°	0°	30°	60°	90°	120°	120°	90°	60°	30°	0°	30°	60°	90°	120°
	÷	⅃	⊘	⊘	⊐	⊘	⊘	⊘	⊘	÷	⅃	⊘	⊘	⊐	⊘	⊘	⊘	⊘
1-2					⊐									⊐				
3-4	⊐	⊐								⊐	⊐	⊐	⊐		⊐	⊐	⊐	⊐
5-6			⊐	⊐		⊐	⊐	⊐	⊐						⊐	⊐	⊐	⊐
7-8	⊐	⊐		⊐		⊐	⊐	⊐	⊐	⊐	⊐	⊐						
9-10	⊐	⊐					⊐	⊐	⊐	⊐	⊐	⊐	⊐			⊐	⊐	⊐
11-12	⊐							⊐	⊐	⊐	⊐	⊐					⊐	⊐
13-14	⊐								⊐	⊐								⊐
15-16					⊐					⊐								⊐

型号 角度 端子编号	3.6220.4									3.6290.4								
	120°	90°	60°	30°	0°	30°	60°	90°	120°	120°	90°	60°	30°	0°	30°	60°	90°	120°
	÷	⅃	⊘	⊘	⊐	⊘	⊘	⊘	⊘	÷	⅃	⊘	⊘	⊐	⊘	⊘	⊘	⊘
1-2					⊐					⊐								
3-4	⊐	⊐	⊐	⊐		⊐	⊐	⊐	⊐		⊐							
5-6						⊐	⊐	⊐	⊐			⊐						
7-8	⊐	⊐	⊐	⊐									⊐					
9-10	⊐	⊐	⊐				⊐	⊐	⊐						⊐			
11-12	⊐	⊐						⊐	⊐							⊐		
13-14	⊐								⊐								⊐	
15-16	⊐								⊐									⊐

型号 角度 端子编号	3.6299.4									3.6338.4								
	0°	30°	60°	90°	120°	150°	180°	210°	240°	0°	30°	60°	90°	120°	150°	180°	210°	240°
	ñ	ð	ð	ð	ø	ø	ð	÷	÷	ñ	ð	ð	ð	ø	ø	ð	÷	÷
1-2		0	0	0	0	0	0	0	0		0							
3-4			0	0	0	0	0	0	0			0	0	0	0	0	0	0
5-6				0	0	0	0	0	0				0	0	0	0	0	0
7-8					0	0	0	0	0					0	0	0	0	0
9-10						0	0	0	0						0	0	0	0
11-12							0	0	0							0	0	0
13-14								0	0								0	0
15-16									0									0

型号 角度 端子编号	3.6399.4										3.6229.4									
	0°	30°	60°	90°	120°	150°	180°	210°	240°	150°	120°	90°	60°	30°	0°	30°	60°	90°	120°	150°
端子编号	ñ	ð	ð	ð	ø	ø	ð	÷	÷	÷	÷	ÿ	ð	ð	ñ	ð	ð	ð	ø	ø
1-2	0														0	0	0	0	0	0
3-4			0	0	0	0	0	0	0	0	0	0	0	0						
5-6				0	0	0	0	0	0	0	0	0	0				0	0	0	0
7-8					0	0	0	0	0	0	0	0						0	0	0
9-10						0	0	0	0	0	0								0	0
11-12							0	0	0	0	0									0
13-14								0	0						0					
15-16									0											

型号 角度 端子编号	3.6236.4											3.6237.4										
	150°	120°	90°	60°	30°	0°	30°	60°	90°	120°	150°	150°	120°	90°	60°	30°	0°	30°	60°	90°	120°	150°
端子编号	÷	÷	ÿ	ð	ð	ñ	ð	ð	ð	ø	ø	÷	÷	ÿ	ð	ð	ñ	ð	ð	ð	ø	ø
1-2						0											0					
3-4	0	0	0	0	0		0	0	0	0	0							0	0	0	0	0
5-6							0	0	0	0	0	0	0	0	0	0		0	0	0	0	0
7-8	0	0	0	0	0							0	0	0	0				0	0	0	0
9-10				0				0				0	0	0						0	0	0
11-12			0						0			0	0								0	0
13-14		0								0		0										0
15-16	0										0	0										0

型号 角度 端子编号	3.6238.4											3.6239.4										
	150°	120°	90°	60°	30°	0°	30°	60°	90°	120°	150°	150°	120°	90°	60°	30°	0°	30°	60°	90°	120°	150°
端子编号	÷	÷	ÿ	ð	ð	ñ	ð	ð	ð	ø	ø	÷	÷	ÿ	ð	ð	ñ	ð	ð	ð	ø	ø
1-2						0											0					
3-4	0	0	0	0	0													0	0	0	0	0
5-6							0	0	0	0	0		0	0	0	0						
7-8	0	0	0	0											0				0			
9-10								0	0	0	0			0						0		
11-12	0	0	0						0	0	0		0								0	
13-14	0	0								0	0	0										0
15-16	0										0					0						

型号 角度 端子编号	3.6240.4											3.6241.4										
	150°	120°	90°	60°	30°	0°	30°	60°	90°	120°	150°	150°	120°	90°	60°	30°	0°	30°	60°	90°	120°	150°
端子编号	÷	÷	ÿ	ð	ð	ñ	ð	ð	ð	ø	ø	÷	÷	ÿ	ð	ð	ñ	ð	ð	ð	ø	ø
1-2						0						0	0	0	0	0						
3-4	0	0	0	0	0		0	0	0	0	0						0	0	0	0	0	0
5-6								0	0	0	0	0	0	0	0				0	0	0	0
7-8	0	0	0						0	0	0	0	0	0						0	0	0
9-10	0	0								0	0	0	0								0	0
11-12	0										0	0										0
13-14	0	0	0	0													0					
15-16												0	0	0	0	0						

型号 角度 端子编号	3.6242.4											3.6243.4										
	150°	120°	90°	60°	30°	0°	30°	60°	90°	120°	150°	150°	120°	90°	60°	30°	0°	30°	60°	90°	120°	150°
端子编号	÷	÷	ÿ	ð	ð	ñ	ð	ð	ð	ø	ø	÷	÷	ÿ	ð	ð	ñ	ð	ð	ð	ø	ø
1-2						0											0					
3-4	0	0	0	0	0		0	0	0	0	0	0	0	0	0							
5-6							0	0	0	0	0								0	0	0	0
7-8	0	0	0	0	0												0					
9-10	0	0	0	0				0	0	0	0	0	0	0	0				0	0	0	0
11-12	0	0	0						0	0	0	0	0	0						0	0	0
13-14	0	0								0	0	0	0								0	0
15-16	0										0	0										0

型号 角度 端子编号	3.6337.4																				
	150° ÷	120° ÷	90° ÷	60° ÷	30° ÷	0° ÷	30° ÷	60° ÷	90° ÷	120° ÷	150° ÷										
1-2						0															
3-4							0	0	0	0	0										
5-6	0	0	0	0	0																
7-8	0	0	0	0	0		0	0	0	0	0										
9-10	0	0	0	0				0	0	0	0										
11-12	0	0	0						0	0	0										
13-14	0	0								0	0										
15-16	0										0										

型号 角度 编号	3.6246.4												3.6247.4									
	0° ÷	30° ÷	60° ÷	90° ÷	120° ÷	150° ÷	180° ÷	210° ÷	240° ÷	270° ÷	300° ÷	330° ÷	0° ÷	30° ÷	60° ÷	90° ÷	120° ÷	150° ÷	180° ÷	210° ÷	240° ÷	270° ÷
1-2			0							0				0								0
3-4				0			0		0		0									0		0
5-6					0	0	0	0													0	0
7-8		0	0	0	0		0	0	0	0					0			0			0	
9-10						0					0					0			0		0	0
11-12	0																			0		0
13-14	0																0		0		0	0
15-16	0																0	0		0		0

型号 角度 编号	3.6248.4												3.6249.4									
	0° ÷	30° ÷	60° ÷	90° ÷	120° ÷	150° ÷	180° ÷	210° ÷	240° ÷	270° ÷	300° ÷	330° ÷	0° ÷	30° ÷	60° ÷	90° ÷	120° ÷	150° ÷	180° ÷	210° ÷	240° ÷	270° ÷
1-2		0		0		0									0		0		0		0	0
3-4								0		0		0		0	0			0			0	0
5-6			0	0				0				0					0					
7-8							0				0			0	0							
9-10					0		0		0		0								0	0	0	0
11-12						0		0		0		0	0	0	0	0	0	0	0	0	0	0
13-14									0		0					0	0	0	0	0	0	0
15-16										0		0	0									

型号 角度 编号	3.6250.4																					
	0° ÷	30° ÷	60° ÷	90° ÷	120° ÷	150° ÷	180° ÷	210° ÷	240° ÷	270° ÷	300° ÷	330° ÷										
1-2	0	0	0	0	0	0																
3-4							0	0	0	0	0	0										
5-6	0	0	0	0	0				0	0	0	0										
7-8	0	0	0	0					0	0	0	0										
9-10	0	0	0							0	0	0										
11-12	0	0									0	0										
13-14	0											0										
15-16	0											0										

型号 角度 端子编号	9.0957.5		4.1299.5		9.1581.5		9.2208.5		Z/4.6281.5		Z/4.6282.5		4.6349.5		4.6351.5		4.6352.5	
	45° 0	45° 0	45° 0	0° 0	45° 0	45° 0	90° 0	0° 0	0° 0	45° 0	0° 0	45° 0	0° 0	45° 0	0° 0	45° 0	0° 0	45° 0
1-2		0		0	0		0		0		0		0		0		0	
3-4		0	0			0	0			0		0			0		0	
5-6		0	0		0		0		0		0		0		0		0	
7-8		0	0		0		0			0	0			0		0		0
9-10		0	0		0		0		0			0		0		0		0
11-12		0	0		0		0			0		0		0		0		0
13-14		0	0		0		0		0			0		0		0		0
15-16	0		0		0		0			0		0		0		0		0
17-18		0	0			0	0		0			0		0		0		0
19-20	0		0			0	0			0		0		0		0		0

型号 角度 端子编号	4.6353.5		9.6515.5		4.6545.5		9.6576.5		9.6577.5		9.6578.5		9.6579.5		9.6590.5		9.6599.5	
	0° 0	45° 0	90° 0	0° 0	0° 0	45° 0	45° 0	45° 0	45° 0	45° 0	90° 0	0° 0	90° 0	0° 0	45° 0	45° 0	45° 0	45° 0
1-2	0			0	0		0		0			0	0		0			0
3-4		0		0		0		0		0		0		0	0		0	
5-6		0		0	0		0		0			0	0		0		0	
7-8	0			0		0		0		0		0		0		0		0
9-10	0			0	0		0		0		0		0		0		0	
11-12	0			0	0			0		0			0		0			0
13-14	0			0	0		0		0			0		0		0		0
15-16	0			0	0			0		0		0		0		0		0
17-18	0		0		0		0		0		0		0		0			0
19-20		0	0			0		0		0		0		0		0		0

型号 角度 端子编号	9.6580.5		9.6582.5		9.9028.5		9.9032.5		9.9034.5									
	90° 0	0° 0	90° 0	0° 0	90° 0	0° 0	0° 0	90° 0	45° 0	45° 0								
1-2		0		0		0	0		0									
3-4		0	0			0	0			0								
5-6		0		0		0	0		0									
7-8		0	0			0	0			0								
9-10		0		0		0	0		0									
11-12		0	0			0	0			0								
13-14		0		0		0	0			0								
15-16		0	0			0		0		0								
17-18		0		0		0	0			0								
19-20		0	0			0				0								

型号 角度 端子编号																		
1-2																		
3-4																		
5-6																		
7-8																		
9-10																		
11-12																		
13-14																		
15-16																		
17-18																		
19-20																		

型号 角度 端子编号	4.1078.5			Z/4.1291.5			Z/4.1292.5			Z/4.1293.5			Z/4.1294.5			Z/4.1295.5		
	45° 0	0° 0	45° 0	45° 0	0° 0	45° 0	45° 0	0° 0	45° 0	45° 0	0° 0	45° 0	45° 0	0° 0	45° 0	45° 0	0° 0	45° 0
1-2		0			0			0	0			0	0					0
3-4			0	0		0						0	0					0
5-6	0		0		0		0					0			0		0	
7-8			0		0		0		0			0			0			0
9-10			0			0		0			0			0				0
11-12			0			0		0			0			0			0	
13-14	0	0				0	0	0		0		0		0		0		0
15-16	0	0				0			0	0		0		0			0	
17-19	0	0			0				0	0		0			0		0	
19-20				0			0			0				0				

型号 角度 端子编号	Z/4.1296.5			/4.1297.5			Z/4.1298.5			Z/4.1300.5			4.1346.5			4.1348.5		
	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0
1-2			0		0			0			0		0			0		
3-4			0		0			0			0					0		
5-6			0	0		0		0			0				0	0		
7-8			0	0		0		0			0				0	0		
9-10		0				0			0			0				0		
11-12			0	0					0						0	0		
13-14			0			0		0				0			0	0		
15-16		0		0					0		0				0	0		
17-19		0			0		0			0				0	0			
19-20					0				0				0					0

型号 角度 端子编号	4.1349.5			4.1350.5			4.1351.5			4.1354.5			4.1357.5			4.1358.5		
	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0
1-2			0		0		0				0		0			0		
3-4	0					0	0								0			0
5-6			0	0			0					0		0		0		
7-8	0			0		0	0			0			0			0		0
9-10			0	0		0		0			0			0		0		
11-12	0				0			0		0				0				0
13-14			0	0				0				0			0			0
15-16	0					0			0	0					0	0		
17-19	0			0		0			0	0					0	0		
19-20			0					0		0		0			0			0

型号 角度 端子编号	4.1359.5			4.1360.5			4.1361.5			4.1362.5			4.1363.5			4.1364.5		
	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0
1-2			0		0	0	0		0		0		0		0		0	0
3-4	0			0					0	0		0	0		0	0		
5-6	0			0		0		0			0		0		0	0		
7-8	0			0		0		0			0		0		0	0		0
9-10	0				0			0			0			0			0	
11-12	0				0			0				0		0			0	
13-14	0			0	0		0	0				0		0		0	0	
15-16	0					0	0		0			0		0				0
17-19	0				0		0			0			0					0
19-20	0			0				0		0			0			0		

型号 角度 端子编号	4.1365.5			4.1366.5			4.1367.5			4.1368.5			4.1369.5			4.1370.5		
	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0
1-2			0	0				0			0	0				0		
3-4			0	0				0			0			0				0
5-6			0			0		0			0	0			0	0		
7-8	0			0		0		0			0			0		0		0
9-10	0			0				0			0		0			0		
11-12		0		0				0			0			0				0
13-14	0		0	0		0		0				0			0			0
15-16	0			0	0			0			0			0				0
17-19	0		0			0		0			0			0			0	0
19-20		0				0		0					0			0	0	

型号 角度 端子编号	4.1373.5			4.1374.5			4.1377.5			4.1379.5			4.1380.5			4.1382.5		
	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0
1-2	0			0		0		0		0	0		0				0	
3-4			0	0			0			0			0				0	
5-6	0			0				0			0	0		0		0		0
7-8			0	0		0		0		0	0			0		0		
9-10	0				0			0			0		0			0		
11-12			0		0			0		0	0		0			0		
13-14	0				0					0		0		0				0
15-16			0		0		0			0	0			0	0			0
17-19		0			0			0			0				0			0
19-20		0			0			0		0	0							0

型号 角度 端子编号	4.1383.5			4.1384.5			4.1387.5			4.1388.5			4.1389.5			4.1465.5		
	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0
1-2	0		0		0		0				0	0			0			
3-4			0		0		0				0	0	0		0			
5-6	0			0				0			0			0				0
7-8		0		0				0	0			0			0			0
9-10			0	0			0		0					0	0			
11-12	0			0			0	0	0				0	0		0		
13-14		0				0	0			0		0			0			0
15-16			0			0	0			0		0	0	0				0
17-19	0					0			0			0			0			0
19-20						0			0			0	0	0				0

型号 角度 端子编号	9.1533.5			9.1538.5			9.1580.5			9.1586.5			9.1587.5			9.1588.5		
	90° 1	0° 1	90° 0	90° 1	0° 1	90° 0	90° 1	0° 1	90° 0	90° 1	0° 1	90° 0	90° 1	0° 1	90° 0	90° 1	0° 1	90° 0
1-2	0			0	0		0			0		0		0		0		
3-4		0		0	0			0		0		0		0				0
5-6			0	0	0				0	0		0		0		0		
7-8			0	0	0				0	0		0		0				0
9-10			0	0	0		0			0		0		0		0		
11-12			0	0					0	0		0		0				0
13-14			0	0					0		0		0			0		
15-16			0	0					0		0		0					0
17-19			0	0	0				0		0		0			0		
19-20			0	0			0			0		0		0		0		0

型号 角度 端子编号	4.1690.5			4.1691.5			4.4008.5			9.4103.5			4.4108.5			4.5097.5		
	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	90° 1	0° 1	90° 0	45° 0	0° 1	45° 0	0° 1	45° 0	90° 0
1-2	0					0	0				0			0			0	
3-4			0	0					0			0			0			0
5-6			0			0		0		0			0				0	
7-8		0		0			0				0			0				0
9-10		0				0			0			0			0		0	
11-12	0	0		0				0		0			0					0
13-14			0			0	0				0			0			0	
15-16	0	0		0					0			0			0			0
17-19			0			0	0			0			0				0	
19-20		0		0			0						0					0

型号 角度 端子编号	/4.5947.5			7/4.5974.5			7/4.6291.5			4.6347.5			4.6348.5			4.6350.5		
	90° 1	0° 1	90° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0
1-2		0			0		0				0	0			0		0	0
3-4	0				0				0		0	0			0	0	0	
5-6			0		0		0			0		0	0					0
7-8		0			0				0	0		0			0			0
9-10	0					0	0			0	0		0					0
11-12			0	0					0	0	0				0	0		
13-14		0				0	0			0					0			0
15-16	0			0					0	0			0			0		
17-19			0			0	0					0					0	0
19-20	0			0					0			0	0			0		

型号 角度 端子编号	4.6354.5			4.6361.5			4.6362.5			4.6363.5			4.6364.5			4.6365.5		
	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0	45° 0	0° 1	45° 0
1-2			0	0			0			0		0			0			0
3-4			0			0		0		0		0			0	0		
5-6			0			0			0	0		0			0	0		0
7-8		0				0	0			0		0			0			0
9-10		0				0		0		0		0			0			0
11-12		0				0			0	0		0			0			0
13-14	0					0	0			0		0			0	0		0
15-16	0					0		0		0		0			0		0	
17-19	0					0			0		0		0			0		0
19-20		0				0				0		0		0	0	0		0

型号 角度 端子编号	4.6366.5			4.6367.5			4.6368.5			4.6369.5			4.6370.5			4.6371.5		
	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
	0	1	0	0	1	0	0	1	0	0	1	0	0	1	0	0	1	0
1-2			0			0	0					0		0		0		0
3-4	0				0				0	0			0			0	0	
5-6			0	0		0	0					0		0			0	0
7-8			0	0					0	0			0			0	0	
9-10			0	0		0	0					0		0			0	0
11-12			0		0				0	0		0				0	0	
13-14			0		0	0			0	0				0			0	0
15-16	0			0	0				0			0			0		0	
17-19		0				0			0	0				0	0		0	0
19-20	0		0	0					0					0	0		0	

型号 角度 端子编号	4.6373.5			4.6374.5			4.6375.5			4.6376.5			4.6377.5			4.6378.5		
	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
	0	1	0	0	1	0	0	1	0	0	1	0	0	1	0	0	1	0
1-2	0					0	0		0	0				0		0		
3-4	0					0	0		0	0		0			0	0	0	0
5-6			0			0	0		0	0		0		0		0	0	0
7-8			0			0	0		0	0		0		0		0	0	
9-10	0					0	0		0	0		0		0		0	0	0
11-12	0					0	0		0			0			0			0
13-14			0			0		0				0	0					0
15-16			0			0		0				0	0			0	0	
17-19	0		0	0	0			0				0	0			0		0
19-20	0		0	0			0					0	0					

型号 角度 端子编号	4.6379.5			4.6381.5			4.6382.5			4.6383.5			4.6384.5			9.6586.5		
	90°	45°	0°	45°	0°	45°	90°	45°	0°	90°	45°	0°	45°	0°	45°	90°	0°	90°
	1	0	1	0	1	0	1	0	1	1	0	1	0	1	0	1	0	1
1-2		0		0				0	0			0	0				0	
3-4			0	0				0	0			0	0			0		
5-6		0		0				0	0		0		0					0
7-8			0			0		0	0			0	0		0		0	
9-10		0				0		0	0		0		0		0	0		
11-12			0			0		0	0		0		0		0			0
13-14		0			0			0	0			0			0		0	
15-16			0		0			0	0			0			0	0		
17-19		0			0			0	0		0				0			0
19-20			0		0				0			0						

型号 角度 端子编号	9.6587.5			9.6598.5			4.8610.5			4.8611.5			4.8612.5			/4.8613.5		
	90°	0°	90°	90°	0°	90°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
	1	1	0	1	1	0	0	1	0	0	1	0	0	1	0	0	1	0
1-2	0				0				0		0			0		0		
3-4	0				0		0				0			0		0		
5-6	0				0				0		0			0				0
7-8		0			0		0		0		0		0		0			0
9-10		0			0				0		0		0		0	0		0
11-12		0			0				0		0		0		0	0		0
13-14			0		0		0				0			0		0		
15-16			0		0		0				0		0					0
17-19			0		0		0				0				0	0		
19-20	0				0		0			0	0				0			0

型号 角度 端子编号																		
	90°	0°	90°	90°	0°	90°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
	1	1	0	1	1	0	0	1	0	0	1	0	0	1	0	0	1	0
1-2																		
3-4																		
5-6																		
7-8																		
9-10																		
11-12																		
13-14																		
15-16																		
17-19																		
19-20																		

型号 角度 端子编号	Z/4.4815.5				Z/4.4824.5				Z/4.4825.5				Z/4.4826.5				Z/4.4831.5			
	45°	0°	45°		45°	0°	45°		45°	0°	45°		45°	0°	45°		45°	0°	45°	
	0	1	2	3	0	1	2	3	0	1	2	3	0	1	2	3	0	1	2	3
1-2	0				0				0				0				0			
3-4				0	0			0				0	0			0				
5-6	0	0			0					0					0		0			
7-8	0	0				0	0	0		0			0					0	0	0
9-10	0	0			0	0					0	0					0		0	0
11-12			0	0			0	0			0	0	0	0				0	0	0
13-14			0	0			0	0				0	0			0	0			
15-16			0	0								0	0						0	0
17-18			0	0		0	0					0	0					0	0	
19-20		0	0				0	0				0	0							

型号 角度 端子编号	Z/4.4837.5				Z/4.9801.5				Z/4.9803.5				Z/4.9807.5				Z/4.9810.5			
	45°	0°	45°		45°	0°	45°		45°	0°	45°		45°	0°	45°		45°	0°	45°	
	0	1	2	3	0	1	2	3	0	1	2	3	0	1	2	3	0	1	2	3
1-2				0	0	0						0	0							0
3-4				0	0	0			0							0			0	0
5-6		0	0				0	0			0	0		0	0				0	0
7-8				0		0	0				0	0	0	0					0	0
9-10				0	0						0	0	0	0					0	0
11-12		0	0		0	0					0	0	0	0					0	0
13-14				0				0	0	0					0	0			0	0
15-16		0	0				0	0	0	0					0	0		0	0	
17-18		0	0		0	0			0	0					0	0				
19-20						0	0			0	0				0	0				

型号 角度 端子编号	Z/4.9823.5				Z/4.9824.5				Z/4.9828.5				Z/4.9832.5				Z/4.9851.5			
	45°	0°	45°		45°	0°	45°		45°	0°	45°		45°	0°	45°		45°	0°	45°	
	0	1	2	3	0	1	2	3	0	1	2	3	0	1	2	3	0	1	2	3
1-2	0						0	0	0						0	0			0	0
3-4				0			0	0				0			0	0			0	0
5-6	0	0			0	0			0	0			0	0			0	0		
7-8	0	0				0	0		0	0	0			0				0	0	
9-10	0	0						0			0	0				0				0
11-12			0	0			0	0			0	0				0				0
13-14			0	0		0					0	0				0				0
15-16			0	0		0	0				0	0				0				0
17-18	0				0	0					0	0			0	0		0		
19-20		0	0				0	0		0	0			0	0			0	0	

型号 角度 端子编号	Z/4.9854.5				Z/4.9859.5				Z/4.9861.5				Z/4.9870.5				4.1162.5			
	45°	0°	45°		45°	0°	45°		45°	0°	45°		45°	0°	45°		90°	45°	0°	45°
	0	1	2	3	0	1	2	3	0	1	2	3	0	1	2	3	1	0	1	0
1-2			0	0			0	0			0	0			0		0			
3-4			0	0			0	0			0	0			0			0		
5-6	0	0			0	0			0	0					0	0				
7-8		0	0		0	0			0	0			0	0						0
9-10				0		0	0				0	0				0				0
11-12				0		0	0				0	0				0				0
13-14	0							0				0			0	0				0
15-16		0	0				0	0	0				0	0						0
17-18			0	0							0	0			0	0				0
19-20		0	0		0						0	0			0	0				0

型号 角度 端子编号	4.1163.5				4.1352.5				4.1464.5				9.1534.5				9.1539.5			
	90°	45°	0°	45°	45°	0°	45°	90°	45°	0°	45°	90°	90°	0°	90°	180°	270°	180°	90°	0°
	1	0	1	0	0	1	0	0	0	1	0	0	1	0	0	0	0	0	1	0
1-2	0				0			0				0		0					0	0
3-4		0					0		0			0		0			0		0	0
5-6			0		0			0		0				0	0					0
7-8				0			0			0				0	0				0	
9-10				0	0			0			0		0							0
11-12				0			0				0			0					0	
13-14				0	0						0		0				0			
15-16				0	0				0			0			0	0	0		0	0
17-18				0	0				0					0	0					
19-20				0							0	0			0	0				

型号 角度 端子编号	4.4102.5				4.5109.5				4.6121.5				3.6255.5=3.6288.5				4.6440.5			
	90° ī	45° ō	0° ñ	45° ō	90° ī	45° ō	0° ñ	45° ō	90° ī	45° ō	0° ñ	45° ō	30° ō	0° ñ	30° ō	60° ō	90° ī	45° ō	45° ō	90° ō
1-2			ū		ū				ū				ū				ū	ū		ū
3-4	ū					ū						ū			ū		ū	ū		ū
5-6			ū				ū			ū	ū		ū				ū			ū
7-8	ū							ū		ū					ū		ū			ū
9-10		ū						ū		ū			ū						ū	
11-12				ū		ū					ū				ū				ū	
13-14		ū	ū				ū		ū							ū		ū	ū	
15-16	ū				ū							ū				ū		ū	ū	
17-18				ū	ū	ū				ū						ū		ū	ū	
19-20							ū	ū										ū	ū	

型号 角度 端子编号	4.6443.5				4.6445.5				4.6449.5				4.6451.5				4.6452.5			
	45° ō	0° ñ	45° ō	90° ō	45° ō	0° ñ	45° ō	90° ō	45° ō	0° ñ	45° ō	90° ō	45° ō	0° ñ	45° ō	90° ō	0° ñ	45° ō	90° ō	135° ø
1-2		ū			ū					ū		ū	ū					ū		
3-4		ū					ū	ū				ū	ū		ū			ū		
5-6			ū		ū				ū	ū	ū					ū		ū		
7-8			ū				ū	ū	ū					ū	ū	ū			ū	
9-10				ū	ū				ū			ū	ū	ū	ū	ū			ū	
11-12				ū			ū	ū			ū	ū	ū	ū	ū	ū			ū	
13-14		ū			ū					ū	ū	ū	ū							ū
15-16			ū				ū	ū		ū	ū	ū			ū					ū
17-18				ū	ū					ū		ū				ū				ū
19-20							ū	ū			ū	ū	ū		ū	ū				ū

型号 角度 端子编号	4.6453.5				4.6454.5				4.6455.5				4.6457.5				4.6458.5			
	45° ō	0° ñ	45° ō	90° ō	45° ō	0° ñ	45° ō	90° ō	0° ñ	45° ō	90° ō	135° ø	45° ō	0° ñ	45° ō	90° ō	45° ō	0° ñ	45° ō	90° ō
1-2		ū			ū		ū				ū		ū	ū			ū			ū
3-4			ū		ū		ū				ū		ū	ū					ū	ū
5-6	ū			ū	ū		ū			ū					ū				ū	
7-8	ū		ū	ū				ū			ū				ū		ū			ū
9-10				ū				ū			ū		ū			ū	ū			
11-12			ū					ū		ū			ū			ū			ū	ū
13-14				ū			ū	ū		ū	ū			ū		ū	ū		ū	ū
15-16				ū			ū	ū		ū	ū	ū		ū		ū	ū		ū	ū
17-18			ū				ū	ū		ū	ū	ū			ū		ū		ū	ū
19-20			ū				ū	ū							ū					

型号 角度 端子编号	4.6459.5				4.6460.5				4.6461.5				4.6462.5				4.6463.5			
	0° ñ	45° ō	90° ō	135° ø	0° ñ	45° ō	90° ō	135° ø	0° ñ	45° ō	90° ō	135° ø	45° ō	0° ñ	45° ō	90° ō	45° ō	0° ñ	45° ō	90° ō
1-2		ū		ū		ū				ū			ū				ū		ū	ū
3-4			ū	ū		ū					ū				ū	ū	ū		ū	ū
5-6		ū		ū		ū				ū			ū							ū
7-8			ū	ū			ū				ū				ū	ū		ū	ū	ū
9-10		ū		ū			ū			ū			ū				ū	ū		
11-12			ū	ū			ū				ū				ū	ū	ū		ū	ū
13-14		ū		ū				ū			ū		ū				ū		ū	ū
15-16			ū	ū				ū				ū				ū				ū
17-18		ū		ū				ū				ū					ū	ū	ū	ū
19-20			ū	ū		ū	ū	ū				ū			ū	ū	ū			

型号 角度 端子编号	4.6464.5				4.6465.5				9.6917.5											
	45° ō	0° ñ	45° ō	90° ō	45° ō	0° ñ	45° ō	90° ō	90° ī	0° ñ	90° ō	180° ō								
1-2	ū				ū				ū											
3-4			ū				ū			ū										
5-6				ū				ū			ū									
7-8		ū	ū	ū		ū	ū	ū	ū											
9-10	ū					ū				ū										
11-12	ū					ū					ū									
13-14	ū	ū				ū	ū	ū	ū											
15-16			ū					ū		ū										
17-18			ū								ū									
19-20																				

型号 角度 端子编号																			
1-2																			
3-4																			
5-6																			
7-8																			
9-10																			
11-12																			
13-14																			
15-16																			
17-18																			
19-20																			

型号 角度 端子编号	4.0831.5					4.1068.5					4.1069.5					4.1355.5				
	90° ī	45° ō	0° ñ	45° ō	90° đ	90° ī	45° ō	0° ñ	45° ō	90° đ	90° ī	45° ō	0° ñ	45° ō	90° đ	90° ī	45° ō	0° ñ	45° ō	90° đ
1-2	ū				ū	ū					ū					ū				
3-4		ū			ū		ū					ū					ū			
5-6	ū				ū				ū					ū				ū		
7-8		ū			ū					ū					ū				ū	
9-10				ū						ū					ū					ū
11-12				ū						ū					ū	ū				
13-14			ū		ū					ū					ū		ū			
15-16				ū	ū					ū					ū			ū		
17-18			ū		ū					ū	ū	ū		ū					ū	
19-20				ū	ū	ū	ū		ū											ū

型号 角度 端子编号	4.1460.5					4.1461.5					4.1462.5					4.1463.5				
	90° ī	45° ō	0° ñ	45° ō	90° đ	90° ī	45° ō	0° ñ	45° ō	90° đ	90° ī	45° ō	0° ñ	45° ō	90° đ	90° ī	45° ō	0° ñ	45° ō	90° đ
1-2	ū					ū						ū	ū	ū	ū	ū				
3-4	ū									ū				ū	ū		ū			
5-6		ū					ū								ū				ū	
7-8		ū							ū		ū				ū					ū
9-10			ū					ū					ū							ū
11-12			ū					ū						ū						ū
13-14				ū					ū			ū								ū
15-16				ū			ū					ū								ū
17-18					ū					ū			ū							ū
19-20					ū	ū						ū								

型号 角度 端子编号	D/4.4024.5					D/4.4064.5					4.6079.5					4.6088.5				
	90° ī	45° ō	0° ñ	45° ō	90° đ	90° ī	45° ō	0° ñ	45° ō	90° đ	90° ī	45° ō	0° ñ	45° ō	90° đ	90° ī	45° ō	0° ñ	45° ō	90° đ
1-2					ū					ū	ū					ū				ū
3-4				ū			ū		ū						ū					ū
5-6			ū					ū				ū							ū	
7-8			ū					ū					ū						ū	
9-10		ū					ū		ū				ū					ū		
11-12	ū					ū							ū			ū				
13-14	ū							ū						ū		ū				
15-16	ū							ū				ū					ū			
17-18	ū									ū					ū		ū			
19-20	ū					ū					ū							ū		

型号 角度 端子编号	4.6114.5					4.6117.5					4.6400.5					4.6442.5				
	90° ī	45° ō	0° ñ	45° ō	90° đ	90° ī	45° ō	0° ñ	45° ō	90° đ	45° ō	0° ñ	45° ō	90° đ	135° ø	45° ō	0° ñ	45° ō	90° đ	135° ø
1-2	ū					ū					ū						ū			
3-4		ū					ū						ū				ū			
5-6				ū					ū					ū			ū			
7-8					ū					ū					ū		ū			
9-10					ū					ū	ū							ū	ū	ū
11-12					ū					ū			ū					ū		
13-14					ū					ū				ū					ū	
15-16	ū									ū					ū					ū
17-18					ū					ū	ū		ū	ū	ū			ū	ū	
19-20										ū										

型号 角度 端子编号	4.6444.5					4.6446.5					4.6447.5					4.6466.5				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	ᳵ	ᳶ	᳷	᳸	᳹	ᳵ	ᳶ	᳷	᳸	᳹	ᳵ	ᳶ	᳷	᳸	᳹	ᳵ	ᳶ	᳷	᳸	᳹
1-2				᳸	᳸	᳸					᳸									
3-4			᳸				᳸					᳸					᳸			
5-6			᳸	᳸	᳸		᳸		᳸					᳸			᳸			
7-8			᳸	᳸	᳸		᳸		᳸						᳸		᳸			
9-10		᳸	᳸	᳸	᳸				᳸	᳸				᳸	᳸	᳸		᳸		
11-12		᳸	᳸	᳸	᳸				᳸	᳸				᳸	᳸			᳸		᳸
13-14			᳸						᳸					᳸	᳸				᳸	
15-16				᳸					᳸					᳸					᳸	
17-18					᳸					᳸	᳸	᳸								᳸
19-20	᳸									᳸										᳸

型号 角度 端子编号	4.6467.5					4.6468.5					4.6469.5					4.6470.5				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	ī	ō	ñ	ö	ð	ī	ō	ñ	ö	ð	ī	ō	ñ	ö	ð	ī	ō	ñ	ö	ð
1-2			ö				ö		ö		ö	ö	ö			ö	ö		ö	ö
3-4			ö			ö	ö		ö		ö	ö	ö			ö	ö		ö	
5-6			ö			ö	ö		ö		ö					ö				
7-8			ö							ö	ö								ö	ö
9-10	ö	ö		ö	ö					ö		ö							ö	ö
11-12	ö	ö			ö					ö			ö	ö		ö				
13-14	ö	ö		ö		ö			ö	ö				ö			ö			
15-16	ö			ö	ö	ö			ö	ö			ö			ö				
17-18			ö			ö			ö	ö				ö		ö				
19-20	ö	ö		ö	ö	ö			ö	ö				ö						ö

型号 角度 端子编号	4.6471.5					4.6472.5					4.6473.5					4.6474.5				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	ī	ō	ñ	ö	ð	ī	ō	ñ	ö	ð	ī	ō	ñ	ö	ð	ī	ō	ñ	ö	ð
1-2	ö	ö			ö		ö				ö	ö	ö			ö	ö			ö
3-4				ö		ö	ö		ö			ö		ö					ö	
5-6					ö	ö						ö	ö			ö			ö	ö
7-8	ö					ö	ö				ö		ö	ö			ö			
9-10				ö		ö	ö				ö	ö	ö	ö	ö	ö	ö			
11-12		ö							ö		ö	ö	ö	ö		ö	ö			
13-14					ö					ö					ö				ö	ö
15-16				ö		ö	ö								ö				ö	ö
17-18	ö						ö		ö		ö	ö	ö	ö				ö		
19-20		ö									ö	ö	ö	ö	ö	ö	ö		ö	ö

型号 角度 端子编号	4.6475.5					4.6476.5					4.6477.5					4.6478.5				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	ī	ō	ñ	ö	ð	ī	ō	ñ	ö	ð	ī	ō	ñ	ö	ð	ī	ō	ñ	ö	ð
1-2	ö	ö	ö	ö					ö	ö	ö	ö	ö	ö	ö				ö	ö
3-4	ö	ö	ö	ö					ö	ö	ö	ö	ö	ö	ö					ö
5-6	ö				ö				ö	ö		ö	ö	ö	ö			ö	ö	ö
7-8	ö				ö					ö		ö	ö	ö	ö	ö				
9-10		ö			ö				ö	ö			ö	ö	ö	ö	ö			
11-12		ö			ö					ö			ö	ö	ö	ö				
13-14	ö		ö				ö								ö	ö				
15-16	ö		ö				ö	ö						ö	ö			ö		
17-18	ö			ö			ö								ö			ö		
19-20	ö			ö						ö					ö			ö		

型号 角度 端子编号	4.6537.5					4.6661.5					4.6662.5					4.6663.5				
	45°	0°	45°	90°	135°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	0°	45°	90°	135°	180°
	ö	ñ	ö	ö	ø	ī	ō	ñ	ö	ð	ī	ō	ñ	ö	ð	ñ	ö	ð	ø	ö
1-2				ö				ö						ö	ö	ö				
3-4					ö	ö	ö		ö					ö	ö		ö			
5-6			ö			ö	ö					ö		ö	ö		ö	ö	ö	ö
7-8	ö									ö				ö	ö			ö		
9-10	ö						ö				ö	ö		ö	ö			ö	ö	ö
11-12	ö					ö					ö			ö				ö		
13-14								ö	ö		ö			ö				ö		ö
15-16			ö			ö					ö			ö						ö
17-18					ö	ö								ö						ö
19-20			ö						ö			ö		ö						

型号 角度 端子编号	4.6664.5					4.6665.5					4.6666.5					4.6738.5				
	90° Y	45° O	0° N	45° O	90° O	90° Y	45° O	0° N	45° O	90° O	90° Y	45° O	0° N	45° O	90° O	90° Y	45° O	0° N	45° O	90° O
1-2		0		0	0		0		0	0	0	0								0
3-4	0			0	0	0			0	0		0								0
5-6	0			0	0	0								0						0
7-8				0	0				0	0					0				0	
9-10				0	0				0	0	0	0		0					0	
11-12	0					0									0			0		
13-14	0						0								0			0		
15-16	0					0									0		0			
17-18	0					0									0		0			
19-20										0						0				

型号 角度 端子编号	4.6745.5					9.7221.5					4.9537.5									
	90° Y	45° O	0° N	45° O	90° O	180° O	90° Y	0° N	90° O	180° O	45° O	0° N	45° O	90° O	135° O					
1-2		0							0					0						
3-4					0				0						0					
5-6	0							0					0							
7-8				0				0			0									
9-10	0						0				0									
11-12					0		0				0									
13-14	0								0											
15-16		0						0					0							
17-18				0			0								0					
19-20													0							

型号 角度 端子编号	4.0831.5					4.1164.5									
	90° Y	45° O	0° N	45° O	90° O	135° O	90° Y	45° O	0° N	45° O	90° O				
1-2	0					0	0								
3-4		0				0	0								
5-6	0					0		0							
7-8		0				0			0						
9-10					0					0					
11-12					0						0				
13-14				0		0					0				
15-16					0	0					0				
17-18				0		0					0				
19-20					0	0	0	0	0	0		0			

型号 角度 端子编号	4.6124.5					/4.6345.5									
	90° Y	45° O	0° N	45° O	90° O	135° O	0° N	45° O	90° O	135° O	180° O	225° O			
1-2	0	0					0	0							
3-4			0			0		0							
5-6				0	0				0						
7-8			0	0						0					
9-10	0				0						0				
11-12		0				0						0			
13-14					0	0	0	0	0	0					
15-16		0		0							0	0			
17-18		0		0			0	0	0	0		0	0		
19-20											0	0			

型号 角度 端子编号	4.6482.5					4.6484.5					4.6486.5				
	90° Y	45° O	0° N	45° O	90° O	90° Y	45° O	0° N	45° O	90° O	90° Y	45° O	0° N	45° O	135° O
1-2	0					0	0							0	0
3-4		0				0	0							0	
5-6			0			0	0								0
7-8				0		0			0		0				
9-10	0					0				0	0	0			
11-12		0				0					0		0		
13-14			0			0			0	0	0	0		0	
15-16				0		0				0	0		0	0	
17-18					0			0	0		0	0			
19-20					0			0						0	0

型号 角度 端子编号	4.6487.5						4.6488.5						4.6489.5					
	90° ÿ	45° ø	0° ñ	45° ø	90° ð	135° ø	45° ø	0° ñ	45° ø	90° ð	135° ø	180° ø	90° ÿ	45° ø	0° ñ	45° ø	90° ð	135° ø
1-2			0		0	0				0				0	0	0	0	0
3-4	0	0								0	0	0			0	0	0	0
5-6					0	0				0	0					0	0	0
7-8			0		0	0			0			0					0	0
9-10				0	0	0	0											0
11-12					0	0	0						0					
13-14	0	0		0	0	0	0						0	0				
15-16		0		0	0	0			0	0	0	0	0	0	0			
17-18				0	0	0			0	0	0	0	0	0	0	0		
19-20				0			0						0	0	0	0	0	

型号 角度 端子编号	4.6490.5						4.6538.5						3.6551.5					
	90° ÿ	45° ø	0° ñ	45° ø	90° ð	135° ø	0° ñ	45° ø	90° ð	135° ø	180° ø	225° ÷	30° ø	0° ñ	30° ø	60° ø	90° ð	120° ø
1-2						0		0					0					
3-4					0				0						0	0	0	0
5-6				0						0						0		
7-8			0								0					0	0	
9-10					0						0						0	0
11-12					0						0				0			0
13-14				0								0						0
15-16			0									0						0
17-18	0											0			0	0	0	0
19-20												0			0	0	0	0

型号 角度 端子编号																		
1-2																		
3-4																		
5-6																		
7-8																		
9-10																		
11-12																		
13-14																		
15-16																		
17-18																		
19-20																		

型号 角度 端子编号	D/4.4054.5																				
	90° ÿ	45° ø	45° ø	0° ñ	45° ø	45° ø	90° ð														
1-2					0	0															
3-4		0	0																		
5-6							0														
7-8	0																				
9-10							0														
11-12	0																				
13-14				0																	
15-16				0																	
17-18							0	0													
19-20	0	0																			

型号 角度 端子编号	4.6514.5							4.6516.5							4.6517.5						
	135° ÷	90° ÿ	45° ø	0° ñ	45° ø	90° ð	135° ø	135° ÷	90° ÿ	45° ø	0° ñ	45° ø	90° ð	135° ø	135° ÷	90° ÿ	45° ø	0° ñ	45° ø	90° ð	135° ø
1-2	0	0			0	0	0	0	0	0								0			
3-4						0	0	0	0	0								0			
5-6							0					0	0	0	0	0	0	0		0	0
7-8	0	0										0	0	0	0	0	0				
9-10	0							0	0				0	0					0	0	0
11-12				0				0	0				0	0	0					0	0
13-14				0				0					0			0	0			0	
15-16				0				0					0			0	0			0	0
17-18				0				0					0						0		
19-20				0				0					0			0				0	

型号 角度 端子编号	4.6518.5							4.6519.5							4.6520.5						
	0° ñ	45° ø	90° ð	135° ø	180° ø	225° ð	270° ø	135° ÷	90° ÿ	45° ö	0° ñ	45° ø	90° ð	135° ø	135° ÷	90° ÿ	45° ø	0° ñ	45° ø	90° ð	135° ø
1-2	0												0	0				0			
3-4		0																0			
5-6			0						0	0									0	0	0
7-8				0								0	0		0	0	0				
9-10					0			0	0						0	0	0		0		
11-12						0		0							0	0	0			0	0
13-14							0					0			0						0
15-16	0	0	0	0						0								0	0	0	
17-18	0													0	0	0	0				
19-20		0	0	0									0								

型号 角度 端子编号	4.6521.5							4.6522.5							4.6523.5						
	135° ÷	90° ÿ	45° ö	0° ñ	45° ø	90° ð	135° ø	135° ÷	90° ÿ	45° ö	0° ñ	45° ø	90° ð	135° ø	135° ÷	90° ÿ	45° ö	0° ñ	45° ø	90° ð	135° ø
1-2					0						0							0			
3-4	0	0	0									0	0	0					0	0	0
5-6	0							0	0	0				0				0	0	0	0
7-8	0	0	0			0	0	0	0	0				0	0	0	0	0			
9-10						0	0	0	0	0				0	0	0	0	0			
11-12						0								0			0	0	0		
13-14						0		0	0						0	0	0		0	0	0
15-16	0	0	0					0							0	0			0	0	
17-18	0							0	0	0					0					0	0
19-20	0	0			0			0	0	0				0	0	0					0

型号 角度 端子编号	135° ÷	90° ÿ	45° ö	0° ñ	45° ø	90° ð	135° ø	135° ÷	90° ÿ	45° ö	0° ñ	45° ø	90° ð	135° ø	9.6532.5						
	÷	ÿ	ö	ñ	ø	ð	ø	÷	ÿ	ö	ñ	ø	ð	ø	90° ÿ			0° ñ			90° ð
1-2																				0	0
3-4															0	0	0	0	0	0	
5-6																					
7-8																				0	0
9-10															0	0	0		0	0	0
11-12																	0	0	0		
13-14																	0	0	0		
15-16															0	0					
17-18															0	0					
19-20															0	0	0	0	0	0	0

型号 角度 端子编号	4.6535.5							4.6539.5							4.6677.5						
	0° ñ	45° ø	90° ð	135° ø	180° ø	225° ÷	270° ÿ	0° ñ	45° ø	90° ð	135° ø	180° ø	225° ÷	270° ÿ	135° ÷	90° ÿ	45° ø	0° ñ	45° ø	90° ð	135° ø
1-2		0							0						0		0				
3-4			0								0							0			0
5-6				0					0						0		0				
7-8					0				0									0			0
9-10						0				0					0		0				
11-12						0			0									0			0
13-14							0					0					0		0		
15-16							0						0		0						0
17-18							0						0	0			0	0	0		
19-20							0					0	0	0	0						0

型号 角度 端子编号	4.6925.5																				
	135° ÷	90° ÿ	45° ö	0° ñ	45° ø	90° ð	135° ø														
1-2					0																
3-4							0														
5-6						0															
7-8					0																
9-10						0															
11-12						0															
13-14				0																	
15-16			0																		
17-18	0																				
19-20	0	0	0																		

型号 角度 编号	3.1535.5								3.5985.5								3.5995.5							
	30° 0	0° 1	30° 0	60° 0	90° 0	120° 0	150° 0	180° 0	30° 0	0° 1	30° 0	60° 0	90° 0	120° 0	150° 0	180° 0	30° 0	0° 1	30° 0	60° 0	90° 0	120° 0	150° 0	180° 0
1-2			0	0	0	0	0	0	0								0	0	0	0	0	0	0	0
3-4				0	0	0	0	0		0	0	0	0	0	0	0	0							
5-6					0	0	0	0		0	0	0	0	0	0	0	0							
7-8						0	0	0			0	0	0	0	0	0			0	0	0	0	0	0
9-10							0	0				0	0	0	0	0				0	0	0	0	0
11-12								0					0	0	0	0				0	0	0	0	0
13-14	0													0	0	0						0	0	0
15-16	0														0	0							0	0
17-18		0	0	0	0	0	0	0								0								0
19-20																								

型号 角度 编号	9.6001.5								4.6234.5								4.6526.5							
	0° 1	30° 0	60° 0	90° 0	120° 0	150° 0	180° 0	210° 0	0° 1	45° 0	90° 0	135° 0	180° 0	225° 0	270° 0	315° 0	135° 0	90° 0	45° 0	0° 1	45° 0	90° 0	135° 0	180° 0
1-2		0	0	0	0	0	0	0				0					0					0		0
3-4			0	0	0	0	0	0		0							0					0		0
5-6				0	0	0	0	0		0	0						0					0		0
7-8					0	0	0	0			0	0						0			0	0		0
9-10						0	0	0						0				0			0	0		0
11-12							0	0								0		0			0	0		0
13-14								0							0	0			0		0		0	0
15-16	0													0	0				0		0		0	0
17-18		0	0	0	0	0	0	0					0						0		0		0	0
19-20													0						0		0		0	0

型号 角度 编号	4.6527.5								4.6528.5								4.6529.5							
	135° 0	90° 0	45° 0	0° 1	45° 0	90° 0	135° 0	180° 0	135° 0	90° 0	45° 0	0° 1	45° 0	90° 0	135° 0	180° 0	0° 1	45° 0	90° 0	135° 0	180° 0	225° 0	270° 0	315° 0
1-2				0								0						0		0	0		0	
3-4						0	0	0					0					0	0	0	0			
5-6	0	0	0											0				0	0	0		0		
7-8			0			0									0				0					
9-10	0	0					0	0								0				0			0	0
11-12	0						0				0								0		0	0	0	0
13-14					0	0	0	0		0									0			0	0	0
15-16						0	0	0	0									0		0				
17-18	0	0	0									0								0				
19-20																								

型号 角度 编号	4.6530.5								4.6533.5								4.6536.5							
	135° 0	90° 0	45° 0	0° 1	45° 0	90° 0	135° 0	180° 0	180° 0	135° 0	90° 0	45° 0	0° 1	45° 0	90° 0	135° 0	180° 0	135° 0	90° 0	45° 0	0° 1	45° 0	90° 0	135° 0
1-2	0												0					0						
3-4		0												0					0					
5-6			0												0					0				
7-8				0												0					0			
9-10					0				0												0			
11-12						0				0												0		
13-14							0				0											0		
15-16								0				0											0	
17-18													0											0
19-20								0						0										0

型号 角度 编号	4.6574.5																							
	135° 0	90° 0	45° 0	0° 1	45° 0	90° 0	135° 0	180° 0																
1-2				0																				
3-4					0																			
5-6						0																		
7-8						0																		
9-10							0																	
11-12								0																
13-14			0																					
15-16		0																						
17-18	0																							
19-20	0																							

型号 角度 端子编号	3.1536.5									3.1537.5								
	120° ÷	90° ÿ	60° ø	30° ø	0° ñ	30° ø	60° ø	90° ø	120° ø	120° ÷	90° ÿ	60° ø	30° ø	0° ñ	30° ø	60° ø	90° ø	120° ø
1-2					ø					ø								
3-4	ø	ø	ø	ø		ø	ø	ø	ø		ø							
5-6						ø	ø	ø	ø			ø						
7-8	ø	ø	ø	ø				ø	ø			ø						
9-10	ø	ø	ø				ø	ø	ø				ø					
11-12	ø	ø						ø	ø				ø					
13-14	ø								ø							ø		
15-16					ø												ø	
17-18					ø													ø
19-20										ø								

型号 角度 端子编号	3.5999.5									3.6231.5								
	120° ÷	90° ÿ	60° ø	30° ø	0° ñ	30° ø	60° ø	90° ø	120° ø	120° ÷	90° ÿ	60° ø	30° ø	0° ñ	30° ø	60° ø	90° ø	120° ø
1-2		ø	ø	ø	ø	ø	ø	ø	ø	ø								
3-4			ø	ø	ø	ø	ø	ø	ø		ø							
5-6				ø	ø	ø	ø	ø	ø			ø						
7-8					ø	ø	ø	ø	ø			ø						
9-10						ø	ø	ø	ø				ø					
11-12							ø	ø	ø				ø					
13-14								ø	ø						ø			
15-16									ø								ø	
17-18	ø																	ø
19-20		ø	ø	ø	ø	ø	ø	ø	ø									

型号 角度 端子编号	3.5990.5										3.5991.5									
	30°	0°	30°	60°	90°	120°	150°	180°	210°	240°	30°	0°	30°	60°	90°	120°	150°	180°	210°	240°
	⊜	⊜	⊜	⊜	⊜	⊜	⊜	⊜	÷	÷	⊜	⊜	⊜	⊜	⊜	⊜	⊜	⊜	÷	÷
1-2	⊜												⊜	⊜	⊜	⊜	⊜	⊜	⊜	⊜
3-4	⊜												⊜	⊜	⊜	⊜	⊜	⊜	⊜	⊜
5-6			⊜	⊜	⊜	⊜	⊜	⊜	⊜	⊜					⊜	⊜	⊜	⊜	⊜	⊜
7-8				⊜	⊜	⊜	⊜	⊜	⊜	⊜						⊜	⊜	⊜	⊜	⊜
9-10					⊜	⊜	⊜	⊜	⊜	⊜							⊜	⊜	⊜	⊜
11-12						⊜	⊜	⊜	⊜	⊜								⊜	⊜	⊜
13-14							⊜	⊜	⊜	⊜									⊜	⊜
15-16								⊜	⊜	⊜										⊜
17-18									⊜	⊜	⊜	⊜								
19-20										⊜	⊜	⊜								

型号 角度 端子编号	3.5996.5										3.5998.5									
	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°
	ñ	ø	ø	ø	ø	ø	ø	÷	÷	ÿ	ñ	ø	ø	ø	ø	ø	ø	÷	÷	ÿ
1-2										ø	ø	ø	ø	ø	ø	ø	ø	ø	ø	ø
3-4		ø	ø	ø	ø	ø	ø	ø	ø			ø	ø	ø	ø	ø	ø	ø	ø	ø
5-6			ø	ø	ø	ø	ø	ø	ø				ø	ø	ø	ø	ø	ø	ø	ø
7-8				ø	ø	ø	ø	ø	ø					ø	ø	ø	ø	ø	ø	ø
9-10					ø	ø	ø	ø	ø						ø	ø	ø	ø	ø	ø
11-12						ø	ø	ø	ø							ø	ø	ø	ø	ø
13-14							ø	ø	ø								ø	ø	ø	ø
15-16								ø	ø									ø	ø	ø
17-18									ø										ø	ø
19-20									ø											ø

型号 角度 端子编号	3.6296.5										3.6524.5									
	30°	0°	30°	60°	90°	120°	150°	180°	210°	240°	150°	120°	90°	60°	30°	0°	30°	60°	90°	120°
	⊜	⊢	⊜	⊜	⊜	⊜	⊜	⊜	÷	÷	÷	÷	⊢	⊜	⊜	⊢	⊜	⊜	⊜	⊜
1-2	⊜										⊜	⊜	⊜	⊜	⊜	⊜	⊜	⊜	⊜	
3-4		⊜									⊜									
5-6			⊜	⊜	⊜	⊜	⊜	⊜	⊜	⊜		⊜								
7-8				⊜	⊜	⊜	⊜	⊜	⊜	⊜			⊜							
9-10					⊜	⊜	⊜	⊜	⊜	⊜				⊜						
11-12						⊜	⊜	⊜	⊜	⊜					⊜					
13-14							⊜	⊜	⊜	⊜						⊜				
15-16								⊜	⊜	⊜							⊜			
17-18									⊜	⊜								⊜		
19-20										⊜									⊜	

型号 角度 端子编号	3.6546.5										3.6547.5									
	0° ñ	30° ø	60° ø	90° ø	120° ø	150° ø	180° ø	210° ÷	240° ÷	270° ÿ	120° ÷	90° ÿ	60° ø	30° ø	0° ñ	30° ø	60° ø	90° ø	120° ø	150° ø
1-2					ø	ø		ø	ø	ø					ø	ø				
3-4		ø			ø	ø		ø	ø	ø						ø	ø			
5-6		ø	ø		ø	ø	ø	ø	ø	ø						ø	ø			
7-8		ø	ø		ø	ø		ø	ø	ø									ø	
9-10		ø	ø		ø	ø		ø	ø	ø									ø	ø
11-12		ø	ø					ø	ø	ø					ø					
13-14			ø		ø	ø		ø	ø	ø				ø						
15-16				ø									ø	ø						
17-18	ø											ø								
19-20				ø			ø				ø	ø								

型号 角度 端子编号	3.6548.5										3.6549.5									
	180° ø	150° ÷	120° ÷	90° ÿ	60° ø	30° ø	0° ñ	30° ø	60° ø	90° ø	0° ñ	30° ø	60° ø	90° ø	120° ø	150° ø	180° ø	210° ÷	240° ÷	270° ÿ
1-2								ø			ø									
3-4								ø				ø								
5-6								ø	ø				ø							
7-8							ø							ø						
9-10		ø	ø	ø	ø	ø								ø						
11-12					ø											ø				
13-14				ø													ø			
15-16			ø	ø														ø		
17-18		ø																	ø	
19-20	ø																			ø

型号 角度 端子编号	3.6550.5										3.6552.5									
	120° ÷	90° ÿ	60° ø	30° ø	0° ñ	30° ø	60° ø	90° ø	120° ø	150° ø	0° ñ	30° ø	60° ø	90° ø	120° ø	150° ø	180° ø	210° ÷	240° ÷	270° ÿ
1-2		ø									ø	ø								
3-4			ø									ø	ø							
5-6				ø									ø	ø						
7-8					ø									ø	ø					
9-10						ø									ø	ø				
11-12							ø								ø	ø	ø			
13-14								ø									ø	ø		
15-16									ø									ø	ø	
17-18										ø									ø	ø
19-20		ø	ø	ø	ø	ø	ø	ø	ø	ø										

型号 角度 端子编号	3.6570.5										3.6874.5									
	90° ÿ	60° ø	30° ø	0° ñ	30° ø	60° ø	90° ø	120° ø	150° ø	180° ø	30° ø	0° ñ	30° ø	60° ø	90° ø	120° ø	150° ø	180° ø	210° ÷	240° ÷
1-2	ø										ø									
3-4		ø											ø	ø	ø	ø	ø	ø	ø	ø
5-6			ø											ø	ø	ø	ø	ø	ø	ø
7-8				ø											ø	ø	ø	ø	ø	ø
9-10					ø											ø	ø	ø	ø	ø
11-12						ø											ø	ø	ø	ø
13-14							ø											ø	ø	ø
15-16								ø											ø	ø
17-18									ø											ø
19-20										ø										

型号 角度 端子编号	3.6298.5										3.6556.5									
	0° ñ	30° ø	60° ø	90° ø	120° ø	150° ø	180° ø	210° ÷	240° ÷	270° ÿ	150° ø	120° ÷	90° ÿ	60° ø	30° ø	0° ñ	30° ø	60° ø	90° ø	120° ø
1-2		ø	ø	ø	ø	ø	ø	ø	ø	ø					ø					
3-4			ø	ø	ø	ø	ø	ø	ø	ø				ø						
5-6				ø	ø	ø	ø	ø	ø	ø			ø							
7-8					ø	ø	ø	ø	ø	ø										
9-10						ø	ø	ø	ø	ø	ø									
11-12							ø	ø	ø	ø							ø			
13-14								ø	ø	ø								ø		
15-16									ø	ø									ø	
17-18										ø										ø
19-20										ø										ø

型号 角度 端子编号	3.6557.5											3.6558.5										
	150°	120°	90°	60°	30°	0°	30°	60°	90°	120°	150°	150°	120°	90°	60°	30°	0°	30°	60°	90°	120°	150°
端子编号	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷
1-2		0																0	0	0	0	0
3-4			0									0	0	0	0	0						
5-6				0								0	0	0	0	0				0	0	0
7-8					0							0	0	0	0					0	0	0
9-10						0						0	0								0	0
11-12							0					0										0
13-14								0								0						
15-16									0			0	0	0	0	0						
17-18										0						0						
19-20											0	0	0	0	0	0		0	0	0	0	

型号 角度 端子编号	3.6559.5											3.6560.5										
	150°	120°	90°	60°	30°	0°	30°	60°	90°	120°	150°	150°	120°	90°	60°	30°	0°	30°	60°	90°	120°	150°
端子编号	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷
1-2	0	0	0	0	0								0	0	0	0	0	0	0	0	0	0
3-4							0	0	0	0	0			0	0	0	0	0	0	0	0	0
5-6	0	0	0	0				0	0	0	0				0	0	0	0	0	0	0	0
7-8	0	0	0						0	0	0				0	0	0	0	0	0	0	0
9-10	0	0								0	0				0	0	0	0	0	0	0	0
11-12	0										0					0	0	0	0	0	0	0
13-14						0											0	0	0	0	0	0
15-16	0	0	0	0	0	0													0	0	0	0
17-18						0														0	0	0
19-20	0	0	0	0	0		0	0	0	0	0											0

型号 角度 端子编号	3.6561.5																					
	150°	120°	90°	60°	30°	0°	30°	60°	90°	120°	150°											
端子编号	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷											
1-2	0	0	0	0	0																	
3-4							0	0	0	0	0											
5-6	0	0	0	0				0	0	0	0											
7-8	0	0	0						0	0	0											
9-10	0	0								0	0											
11-12	0										0											
13-14						0																
15-16	0	0	0	0	0																	
17-18							0	0	0	0	0											
19-20						0																

型号 角度 编 号	3.6567.5												3.6568.5												
	150° ÷	120° ÷	90° ∟	60° ∩	30° ∩	0° ∩	30° ∩	60° ∩	90° ∩	120° ∩	150° ∩	180° ∩	150° ÷	120° ÷	90° ∟	60° ∩	30° ∩	0° ∩	30° ∩	60° ∩	90° ∩	120° ∩	150° ∩	180° ∩	
1-2						0													0						
3-4						0											0		0						
5-6							0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0
7-8	0	0	0	0	0												0	0	0	0	0	0	0	0	0
9-10	0	0	0	0				0	0	0	0	0	0	0	0	0									
11-12	0	0	0	0					0	0	0	0	0	0	0	0			0	0	0	0	0	0	0
13-14	0	0								0	0	0	0	0	0	0					0	0	0	0	0
15-16	0										0	0	0	0	0							0	0	0	0
17-18												0	0										0	0	0
19-20																									0

型号 角度 编 号	3.6569.5												3.6575.5											
	180°	150°	120°	90°	60°	30°	0°	30°	60°	90°	120°	150°	150°	120°	90°	60°	30°	0°	30°	60°	90°	120°	150°	180°
	0	÷	÷	∕	0	0	0	0	0	0	0	0	÷	÷	∕	0	0	0	0	0	0	0	0	0
1-2							0											0						
3-4								0	0	0	0	0					0	0	0	0	0	0	0	0
5-6						0							0	0	0	0	0			0	0	0	0	0
7-8	0	0	0	0	0								0	0	0	0	0		0	0	0	0	0	0
9-10	0	0	0	0				0	0	0	0	0	0	0	0	0	0			0	0	0	0	0
11-12	0	0	0						0	0	0	0	0	0	0	0				0	0	0	0	0
13-14	0	0								0	0	0	0	0	0						0	0	0	0
15-16	0										0	0	0	0								0	0	0
17-18												0	0											0
19-20	0	0	0	0	0	0		0	0	0	0	0					0							

型号 角度 端子编号	9.0629.6		9.1901.6		9.1910.6		9.1911.6		9.1912.6		9.1923.6		9.1922.6		4.6278.6		Z/4.6282.6
	45°	0°	0°	90°	45°	0°	90°	0°	90°	0°	90°	0°	90°	0°	0°	45°	0° → 45°
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1-2	0			0	0		0			0	0			0	0		0
3-4		0		0	0			0			0	0			0	0	0
5-6	0			0	0		0			0	0			0		0	0
7-8		0		0	0			0			0	0			0		0
9-10	0			0	0		0				0	0			0		0
11-12		0		0	0			0			0	0			0		0
13-14	0			0		0	0			0	0			0	0		0
15-16		0	0			0		0			0	0			0		0
17-18	0		0			0	0			0	0			0		0	0
19-20		0		0		0		0			0		0	0			0
21-22	0		0			0	0		0		0			0			0
23-24		0		0		0		0	0					0		0	0

型号 角度 端子编号	Z/4.6602.6		4.6671.6		(Z)/4.6672.6		4.6678.6		9.6895.6		9.9025.6		9.9026.6					
	0° 	45°	0°	45°	0° 	45°	45°	0°	90°	0°	45°	45°	0°	90°				
	ñ	ö	ñ	ö	ñ	ö	ö	ñ	ï	ñ	ö	ö	ñ	ö				
1-2		ü		ü	ü			ü		ü	ü			ü				
3-4		ü		ü		ü	ü		ü		ü			ü				
5-6		ü		ü	ü		ü			ü	ü			ü				
7-8		ü		ü		ü	ü		ü		ü			ü				
9-10		ü		ü	ü		ü			ü		ü		ü				
11-12		ü		ü		ü	ü		ü			ü						
13-14		ü		ü	ü		ü			ü		ü	ü					
15-16		ü		ü		ü	ü		ü			ü	ü					
17-18		ü		ü	ü		ü			ü		ü	ü					
19-20		ü		ü		ü	ü		ü			ü	ü					
21-22		ü		ü	ü		ü			ü		ü	ü					
23-24		ü		ü		ü	ü		ü			ü						

型号 角度 端子编号																	
1-2																	
3-4																	
5-6																	
7-8																	
9-10																	
11-12																	
13-14																	
15-16																	
17-18																	
19-20																	
21-22																	
23-24																	

型号 角度 端子编号	/4.1600.6			Z/4.1611.6			Z/4.1612.6			Z/4.1613.6			Z/4.1616.6			Z/4.1617.6		
	45°	0°	45°	45° → 0°	0°	45°	45° → 0°	0°	45°	45° → 0°	0°	45°	45° → 0°	0°	45°	45° → 0°	0°	45°
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1-2			0	0		0		0		0		0		0		0		0
3-4	0		0	0		0	0		0	0		0		0		0	0	0
5-6	0			0	0				0	0	0			0		0		0
7-8	0				0	0			0	0	0			0	0	0		0
9-10	0					0			0		0	0			0	0		
11-12			0			0	0				0	0			0		0	0
13-14	0		0			0	0				0			0		0		0
15-16			0		0		0				0			0	0	0		0
17-19	0				0		0					0		0		0		
19-20			0		0		0					0		0			0	0
21-22	0			0			0			0			0				0	0
23-24				0			0			0			0			0	0	

型号 角度 端子编号	4.1618.6			4.1676.6			4.1678.6			4.1680.6			4.1681.6			4.1682.6		
	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
	0	1	0	0	1	0	0	1	0	0	1	0	0	1	0	0	1	0
1-2		0		0				0				0		0			0	
3-4		0				0		0		0			0		0	0		0
5-6			0	0				0		0				0				0
7-8			0			0				0			0					0
9-10		0		0					0	0					0			0
11-12		0				0	0			0			0			0		
13-14			0	0					0	0				0		0		
15-16			0			0	0			0				0		0		
17-19		0		0					0	0			0		0	0		
19-20		0				0	0			0					0	0		
21-22			0		0		0			0				0	0	0		
23-24			0		0			0	0	0			0	0		0		

型号 角度 端子编号	4.1683.6			4.1684.6			4.1685.6			4.1686.6			4.1687.6			4.1688.6		
	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
	0	1	0	0	1	0	0	1	0	0	1	0	0	1	0	0	1	0
1-2	0		0		0		0						0			0		
3-4	0		0	0		0			0			0	0			0		
5-6	0	0			0				0			0	0				0	
7-8	0	0			0				0			0	0				0	
9-10		0	0		0				0	0			0	0				0
11-12		0	0			0	0	0				0		0				0
13-14		0				0			0			0		0	0	0		
15-16		0			0		0	0				0		0	0	0		
17-19			0	0					0			0			0		0	
19-20			0			0			0			0			0		0	
21-22	0				0		0			0					0			0
23-24	0			0			0	0		0					0			0

型号 角度 端子编号	4.1689.6			4.1691.6			4.1692.6			4.1693.6			4.1695.6			4.1696.6		
	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
	0	1	0	0	1	0	0	1	0	0	1	0	0	1	0	0	1	0
1-2	0					0	0	0				0	0					0
3-4			0	0				0		0				0				0
5-6	0				0		0	0				0	0			0		
7-8			0	0				0			0				0	0		
9-10	0					0	0	0				0			0			0
11-12			0	0				0			0		0					0
13-14	0					0			0			0	0					0
15-16			0	0			0		0	0					0	0		
17-19	0					0			0			0	0			0		
19-20			0	0			0		0	0					0	0		
21-22	0				0		0			0			0			0		0
23-24			0	0			0		0	0						0		0

型号 角度 端子编号	4.1698.6			4.1787.6			9.1903.6			9.1905.6			9.1906.6			9.1907.6		
	45°	0°	45°	45°	0°	45°	90°	0°	90°	90°	0°	90°	90°	0°	90°	90°	0°	90°
	0	1	0	0	1	0	1	1	0	1	1	0	1	1	0	1	1	0
1-2			0			0	0			0				0			0	
3-4			0	0					0		0			0			0	
5-6		0				0	0		0			0		0			0	
7-8	0	0		0			0		0	0				0			0	
9-10	0		0			0	0				0	0		0			0	
11-12		0	0	0					0	0				0			0	
13-14	0	0				0	0				0	0		0		0		0
15-16	0			0					0	0				0		0		0
17-19			0			0	0				0	0		0		0		0
19-20		0	0	0			0			0				0		0		0
21-22	0	0				0			0		0	0		0		0		0
23-24	0			0		0				0			0		0	0		0

型号 角度 端子编号	9.1908.6			9.1909.6			4.2002.6			4.2005.6								
	90°	0°	90°	90°	0°	90°	45°	0°	45°	45°	0°	45°						
	Ÿ	ñ	ö	Ÿ	ñ	ö	ö	ñ	ö	ö	ñ	ö						
1-2	ö		ö	ö				ö		ö								
3-4	ö		ö	ö				ö				ö						
5-6	ö		ö	ö					ö	ö								
7-8	ö		ö	ö			ö					ö						
9-10	ö		ö	ö					ö	ö								
11-12	ö		ö	ö			ö					ö						
13-14	ö		ö		ö	ö			ö	ö								
15-16	ö		ö		ö	ö	ö					ö						
17-19	ö		ö		ö	ö			ö	ö								
19-20		ö			ö	ö	ö					ö						
21-22		ö			ö				ö		ö							
23-24		ö				ö	ö				ö							

型号 角度 端子编号				Z/4.4101.6			/4.4112.6			4.5405.6			4.5551.6			4.5574.6		
				45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	0°	45°	90°
				ö	ñ	ö	ö	ñ	ö	ö	ñ	ö	ö	ñ	ö	ñ	ö	ö
1-2					ö				ö			ö	ö			ö		
3-4							ö		ö			ö		ö			ö	
5-6					ö				ö	ö					ö			ö
7-8							ö			ö			ö			ö		
9-10						ö			ö			ö		ö			ö	
11-12				ö			ö					ö			ö			ö
13-14						ö			ö		ö		ö			ö		
15-16				ö			ö				ö			ö			ö	
17-19						ö			ö			ö			ö			ö
19-20				ö			ö					ö	ö			ö		
21-22						ö		ö			ö			ö			ö	
23-24				ö							ö				ö			ö

型号 角度 端子编号	4.6260.6			4.6604.6			Z/4.6611.6			Z/4.6612.6			Z/4.6613.6			Z/4.6614.6		
	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
	ö	ñ	ö	ö	ñ	ö	ö	ñ	ö	ö	ñ	ö	ö	ñ	ö	ö	ñ	ö
1-2			ö		ö		ö			ö					ö		ö	
3-4	ö	ö	ö				ö					ö			ö	ö		
5-6	ö				ö		ö			ö					ö			ö
7-8	ö							ö				ö			ö		ö	
9-10			ö		ö			ö		ö			ö		ö	ö		ö
11-12			ö					ö				ö	ö		ö		ö	
13-14			ö		ö				ö	ö			ö		ö	ö		ö
15-16			ö						ö			ö					ö	
17-19			ö		ö				ö	ö			ö			ö		ö
19-20			ö				ö					ö	ö				ö	
21-22			ö		ö				ö	ö			ö			ö		
23-24			ö					ö				ö	ö					ö

型号 角度 端子编号	Z/4.6615.6			4.6681.6			4.6682.6			4.6683.6			4.6684.6			4.6685.6		
	45°	0°	45°	0°	45°	90°	0°	45°	90°	45°	0°	45°	45°	0°	45°	45°	0°	45°
	ö	ñ	ö	ñ	ö	ö	ñ	ö	ö	ö	ñ	ö	ö	ñ	ö	ö	ñ	ö
1-2	ö	ö		ö			ö			ö					ö			
3-4			ö	ö			ö			ö			ö			ö		
5-6	ö	ö		ö			ö			ö			ö			ö		
7-8			ö		ö				ö	ö			ö			ö		
9-10	ö	ö			ö				ö	ö			ö			ö		
11-12			ö		ö				ö	ö			ö					ö
13-14	ö	ö				ö		ö		ö			ö					ö
15-16			ö			ö		ö		ö			ö					ö
17-19	ö	ö				ö		ö		ö			ö					ö
19-20			ö			ö		ö		ö			ö					ö
21-22	ö	ö				ö		ö		ö			ö					ö
23-24			ö			ö		ö				ö	ö					ö

型号 角度 端子编号	4.6686.6			4.6687.6			4.6688.6			4.6690.6			4.6691.6			4.6692.6		
	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	0°	45°	90°	45°	0°	45°
	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀
1-2	⌀			⌀			⌀		⌀	⌀			⌀	⌀				⌀
3-4	⌀			⌀				⌀		⌀	⌀				⌀	⌀		
5-6	⌀					⌀	⌀		⌀	⌀	⌀		⌀	⌀				⌀
7-8			⌀			⌀		⌀		⌀					⌀	⌀		
9-10			⌀		⌀		⌀		⌀	⌀			⌀	⌀				⌀
11-12		⌀	⌀		⌀			⌀		⌀					⌀		⌀	
13-14		⌀	⌀	⌀		⌀		⌀		⌀	⌀		⌀	⌀			⌀	
15-16		⌀	⌀	⌀		⌀	⌀	⌀				⌀			⌀		⌀	
17-19			⌀	⌀		⌀			⌀	⌀	⌀			⌀	⌀		⌀	⌀
19-20	⌀		⌀	⌀		⌀	⌀	⌀		⌀	⌀		⌀			⌀	⌀	
21-22	⌀	⌀		⌀		⌀			⌀		⌀	⌀		⌀	⌀	⌀	⌀	
23-24	⌀	⌀		⌀		⌀	⌀	⌀		⌀		⌀	⌀			⌀	⌀	

型号 角度 端子编号	4.6694.6			4.6695.6			4.6696.6			4.6697.6			4.6698.6			4.6699.6		
	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀
1-2	⌀			⌀			⌀			⌀				⌀		⌀		
3-4		⌀				⌀	⌀					⌀	⌀		⌀	⌀		
5-6	⌀			⌀		⌀	⌀			⌀					⌀	⌀		
7-8		⌀		⌀		⌀	⌀					⌀	⌀			⌀		
9-10	⌀					⌀	⌀			⌀				⌀				⌀
11-12		⌀		⌀			⌀					⌀		⌀		⌀		
13-14	⌀					⌀	⌀			⌀			⌀		⌀			⌀
15-16		⌀		⌀			⌀					⌀	⌀		⌀	⌀		
17-19	⌀	⌀		⌀		⌀	⌀				⌀	⌀	⌀		⌀			⌀
19-20	⌀	⌀				⌀	⌀		⌀		⌀	⌀		⌀		⌀		
21-22			⌀			⌀	⌀				⌀	⌀		⌀				⌀
23-24			⌀			⌀					⌀	⌀		⌀		⌀		⌀

型号 角度 端子编号	4.6700.6			4.6701.6			4.6702.6			4.6703.6			4.6704.6			4.6705.6		
	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀
1-2	⌀		⌀		⌀		⌀			⌀	⌀			⌀			⌀	
3-4	⌀					⌀	⌀					⌀		⌀		⌀		
5-6	⌀				⌀		⌀			⌀				⌀				⌀
7-8	⌀			⌀			⌀			⌀				⌀			⌀	
9-10	⌀				⌀		⌀			⌀	⌀			⌀		⌀		⌀
11-12			⌀			⌀		⌀	⌀			⌀			⌀		⌀	
13-14			⌀		⌀			⌀	⌀	⌀	⌀			⌀	⌀	⌀		⌀
15-16			⌀	⌀					⌀	⌀	⌀				⌀		⌀	
17-19			⌀		⌀				⌀			⌀		⌀		⌀		⌀
19-20	⌀					⌀			⌀	⌀				⌀		⌀		
21-22			⌀		⌀				⌀		⌀			⌀		⌀		
23-24				⌀					⌀			⌀						⌀

型号 角度 端子编号	4.6706.6			4.6707.6			4.6708.6			4.6709.6			4.6710.6					
	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	90°	45°	0°			
	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀	⌀			
1-2		⌀	⌀	⌀				⌀	⌀		⌀			⌀	⌀			
3-4		⌀	⌀	⌀				⌀	⌀			⌀	⌀		⌀			
5-6		⌀	⌀	⌀				⌀	⌀	⌀				⌀	⌀			
7-8	⌀			⌀				⌀	⌀			⌀	⌀					
9-10	⌀			⌀				⌀	⌀	⌀				⌀	⌀			
11-12		⌀			⌀			⌀	⌀			⌀	⌀					
13-14		⌀			⌀			⌀	⌀	⌀				⌀	⌀			
15-16			⌀		⌀			⌀	⌀		⌀		⌀	⌀				
17-19			⌀			⌀		⌀		⌀			⌀	⌀				
19-20	⌀		⌀			⌀			⌀	⌀		⌀			⌀			
21-22	⌀	⌀				⌀			⌀	⌀		⌀	⌀	⌀				
23-24	⌀					⌀			⌀	⌀		⌀			⌀			

型号 角度 端子编号	4.6718.6			4.6719.6														
	90°	45°	0°	45°	0°	45°												
	Ÿ	ǒ	ñ	ǒ	ñ	ǒ												
1-2		ǒ				ǒ												
3-4			ǒ	ǒ														
5-6		ǒ				ǒ												
7-8			ǒ	ǒ														
9-10		ǒ		ǒ														
11-12			ǒ		ǒ	ǒ												
13-14		ǒ		ǒ														
15-16			ǒ		ǒ	ǒ												
17-19		ǒ		ǒ	ǒ													
19-20			ǒ			ǒ												
21-22		ǒ		ǒ	ǒ													
23-24			ǒ			ǒ												

型号 角度 端子编号	4.6723.6			4.6724.6			4.6739.6			4.6743.6			9.6756.6			9.6899.6		
	0°	45°	90°	45°	0°	45°	45°	0°	45°	45°	0°	45°	90°	0°	90°	90°	0°	90°
	ñ	ǒ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ	Ÿ	ñ	ǒ	Ÿ	ñ	ǒ
1-2		ǒ	ǒ	ǒ		ǒ	ǒ					ǒ	ǒ — ǒ			— ǒ		
3-4		ǒ	ǒ	ǒ		ǒ			ǒ			ǒ		ǒ — ǒ	ǒ			
5-6		ǒ	ǒ	ǒ		ǒ		ǒ				ǒ	ǒ — ǒ					ǒ
7-8		ǒ	ǒ	ǒ		ǒ		ǒ				ǒ		ǒ — ǒ	— ǒ			
9-10		ǒ				ǒ	ǒ		ǒ			ǒ	ǒ — ǒ		ǒ			
11-12			ǒ	ǒ				ǒ				ǒ		ǒ — ǒ	ǒ			ǒ
13-14		ǒ				ǒ		ǒ				ǒ	ǒ — ǒ		— ǒ			
15-16			ǒ			ǒ	ǒ					ǒ		ǒ — ǒ	ǒ			
17-19		ǒ		ǒ		ǒ			ǒ			ǒ	ǒ — ǒ					ǒ
19-20			ǒ	ǒ				ǒ				ǒ		ǒ — ǒ	— ǒ			
21-22		ǒ				ǒ		ǒ		ǒ			ǒ — ǒ		ǒ			
23-24			ǒ			ǒ				ǒ				ǒ — ǒ				ǒ

型号 角度 端子编号	9.6866.6			4.6867.6			3.6873.6			9.6896.6			4.7009.6			4.7801.6		
	90°	0°	90°	45°	0°	45°	0°	30°	60°	90°	0°	90°	45°	0°	45°	45°	0°	45°
	Ÿ	ñ	ǒ	ǒ	ñ	ǒ	ñ	ǒ	ǒ	Ÿ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ
1-2	ǒ			ǒ				ǒ	ǒ		ǒ		ǒ		ǒ	ǒ		
3-4		ǒ				ǒ		ǒ	ǒ	ǒ			ǒ		ǒ		ǒ	
5-6			ǒ	ǒ					ǒ			ǒ	ǒ		ǒ			ǒ
7-8	ǒ					ǒ			ǒ		ǒ		ǒ		ǒ	ǒ		
9-10		ǒ		ǒ				ǒ	ǒ	ǒ			ǒ				ǒ	
11-12			ǒ			ǒ		ǒ	ǒ			ǒ			ǒ			ǒ
13-14	ǒ			ǒ					ǒ		ǒ		ǒ			ǒ		
15-16		ǒ				ǒ			ǒ	ǒ					ǒ		ǒ	
17-19			ǒ	ǒ				ǒ	ǒ			ǒ			ǒ			ǒ
19-20	ǒ					ǒ		ǒ	ǒ		ǒ				ǒ	ǒ		
21-22		ǒ				ǒ			ǒ	ǒ					ǒ		ǒ	
23-24			ǒ						ǒ			ǒ						ǒ

型号 角度 端子编号																		
1-2																		
3-4																		
5-6																		
7-8																		
9-10																		
11-12																		
13-14																		
15-16																		
17-19																		
19-20																		
21-22																		
23-24																		

型号 角度 端子编号	Z/4.9505.6				Z/4.9808.6				Z/4.9816.6				Z/4.9822.6				Z/4.9825.6			
	45° → 0° ← 45°				45° → 0° ← 45°				45° → 0° ← 45°				45° → 0° ← 45°				45° → 0° ← 45°			
	0	1	2	3	0	1	2	3	0	1	2	3	0	1	2	3	0	1	2	3
1-2																				
3-4																				
5-6																				
7-8																				
9-10																				
11-12																				
13-14																				
15-16																				
17-18																				
19-20																				
21-22																				
23-24																				

型号 角度 端子编号	Z/4.9829.6				Z/4.9833.6				Z/4.9852.6				Z/4.9871.6							
	45° → 0° ← 45°				45° → 0° ← 45°				45° → 0° ← 45°				45° → 0° ← 45°							
	0	1	2	3	0	1	2	3	0	1	2	3	0	1	2	3				
1-2																				
3-4																				
5-6																				
7-8																				
9-10																				
11-12																				
13-14																				
15-16																				
17-18																				
19-20																				
21-22																				
23-24																				

型号 角度 端子编号	9.0650.6																			
	180° 90° 0° 90°																			
	0	1	2	3																
1-2																				
3-4																				
5-6																				
7-8																				
9-10																				
11-12																				
13-14																				
15-16																				
17-18																				
19-20																				
21-22																				
23-24																				

型号 角度 端子编号	4.1677.6				4.1812.6				9.1913.6				9.1921.6				4.1927.6			
	45° 0° 45° 90°				45° 0° 45° 90°				0° 90° 180° 270°				90° 0° 90° 180°				45° 0° 45° 90°			
	0	1	2	3	0	1	2	3	0	1	2	3	0	1	2	3	0	1	2	3
1-2																				
3-4																				
5-6																				
7-8																				
9-10																				
11-12																				
13-14																				
15-16																				
17-18																				
19-20																				
21-22																				
23-24																				

型号 角度 端子编号	4.5482.6				4.5564.6				4.6127.6				4.6693.6				4.6722.6			
	45°	0°	45°	90°	0°	45°	90°	135°	90°	45°	0°	45°	90°	45°	0°	45°	45°	0°	45°	90°
	0	1	0	0	1	0	0	0	1	0	1	0	1	0	1	0	0	1	0	0
1-2	0		0		0		0	0		0	1	0	0		0		0			
3-4	0			0		0			0				0	0			0			
5-6	0			0	0	0		0				0		0		0	0			
7-8	0		0				0			0			0			0		0		
9-10			0	0	0	0	0					0	0	0				0		
11-12		0						0	0	0				0			0			
13-14		0			0		0	0				0				0			0	
15-16		0				0			0	0			0	0					0	
17-18		0			0	0		0				0		0					0	
19-20		0					0			0			0			0				0
21-22		0			0	0	0		0				0	0						0
23-24		0						0	0	0				0		0				0

型号 角度 端子编号	4.6746.6				4.6748.6				4.6771.6				4.6772.6				4.6774.6			
	90°	45°	0°	45°	90°	45°	0°	45°	0°	45°	90°	135°	45°	0°	45°	90°	45°	0°	45°	90°
	1	0	1	0	1	0	1	0	1	0	0	0	0	1	0	0	0	1	0	0
1-2	0					0	0				0		0				0			
3-4	0					0		0				0				0	0			
5-6	0						0	0		0					0		0			
7-8	0							0			0		0					0		
9-10		0				0	0				0					0		0		
11-12		0			0					0					0			0		
13-14			0				0				0		0	0					0	
15-16			0			0		0			0			0	0	0			0	
17-18			0		0					0				0	0				0	
19-20			0			0				0			0	0		0	0	0	0	
21-22				0			0	0				0		0		0	0	0	0	
23-24				0	0							0	0	0	0		0	0	0	

型号 角度 端子编号	4.6775.6				4.6776.6				4.6777.6				4.6778.6				4.6779.6			
	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°
	0	1	0	0	0	1	0	0	0	1	0	0	0	1	0	0	0	1	0	0
1-2	0		0	0			0		0			0	0		0	0				0
3-4	0		0	0	0		0				0	0	0		0	0	0	0		
5-6	0				0			0	0			0			0	0	0	0		0
7-8	0						0				0	0				0	0	0		
9-10	0						0		0			0				0				0
11-12				0	0		0		0			0			0		0	0		
13-14				0	0			0	0			0			0					0
15-16				0				0	0			0			0		0			
17-18			0				0				0	0	0							0
19-20			0		0		0				0	0	0					0		
21-22			0		0			0			0	0	0							0
23-24								0			0	0		0			0	0		

型号 角度 端子编号	4.6868.6				4.6877.6				4.6878.6				4.6880.6				4.6881.6			
	45°	0°	45°	90°	90°	45°	0°	45°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°
	0	1	0	0	1	0	1	0	0	1	0	0	0	1	0	0	0	1	0	0
1-2		0				0			0				0				0			
3-4		0						0		0			0				0			
5-6		0				0					0		0				0			
7-8			0					0				0			0				0	
9-10			0		0				0						0				0	
11-12			0				0			0					0				0	
13-14				0	0						0					0			0	
15-16				0			0					0				0			0	
17-18			0			0	0		0						0			0		
19-20		0	0	0	0					0			0		0	0	0	0	0	
21-22		0	0	0							0		0		0	0	0	0	0	
23-24		0	0	0				0				0	0		0	0	0	0	0	

型号 角度 端子编号	4.6882.6				4.6883.6				4.6884.6				4.6898.6				4.7013.6			
	90°	45°	0°	45°	45°	0°	45°	90°	0°	45°	90°	135°	45°	0°	45°	90°	0°	45°	90°	135°
	Ÿ	ð	ñ	ð	ð	ñ	ð	ð	ñ	ð	ð	ø	ð	ñ	ð	ð	ñ	ð	ð	ø
1-2				ð			ð		ð				ð					ð		
3-4		ð			ð	ð	ð			ð				ð					ð	
5-6	ð				ð	ð	ð	ð			ð				ð					ð
7-8	ð				ð	ð	ð					ð					ð			ð
9-10	ð				ð			ð	ð				ð						ð	
11-12	ð				ð					ð				ð						ð
13-14				ð				ð			ð					ð		ð		
15-16				ð		ð						ð					ð		ð	
17-18				ð	ð		ð		ð				ð						ð	ð
19-20				ð	ð	ð		ð		ð				ð				ð		
21-22	ð				ð	ð		ð			ð				ð				ð	
23-24				ð			ð					ð				ð				ð

型号 角度 端子编号																									
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð
1-2																									
3-4																									
5-6																									
7-8																									
9-10																									
11-12																									
13-14																									
15-16																									
17-18																									
19-20																									
21-22																									
23-24																									

型号 角度 端子编号	4.1781.6					4.1782.6					4.1783.6					4.1784.6				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	0°	45°	90°	135°	180°
	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð	ñ	ð	ð	ø	ð
1-2				ð	ð		ð		ð						ð		ð			
3-4				ð	ð		ð		ð			ð	ð	ð	ð			ð		
5-6				ð	ð		ð		ð		ð	ð	ð	ð	ð				ð	
7-8				ð	ð		ð								ð					ð
9-10	ð			ð			ð				ð	ð	ð				ð			
11-12	ð			ð		ð			ð	ð	ð							ð		
13-14	ð			ð			ð					ð	ð	ð	ð				ð	
15-16	ð			ð		ð			ð	ð		ð	ð	ð	ð					ð
17-18		ð		ð			ð		ð		ð			ð			ð			
19-20		ð		ð		ð			ð	ð			ð	ð	ð			ð		
21-22				ð			ð		ð			ð	ð	ð	ð				ð	
23-24	ð	ð		ð	ð	ð				ð			ð							ð

型号 角度 端子编号	4.1786.6					4.4024.6					KGRD/4.4689.6									
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°					
	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð	Ÿ	ð	ñ	ð	ð					
1-2			ð							ð					ð					
3-4	ð								ð	ð	ð									
5-6		ð								ð					ð					
7-8	ð							ð			ð									
9-10	ð							ð							ð					
11-12					ð	ð	ð				ð									
13-14					ð	ð					ð	ð			ð					
15-16						ð					ð	ð			ð	ð				
17-18				ð						ð	ð	ð			ð	ð				
19-20					ð	ð					ð	ð			ð	ð				
21-22										ð	R-N									
23-24		ð								ð	G-N									

型号 角度 端子编号											4.6110.6					4.6111.6				
											90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
											Ÿ	Œ	Ŧ	Œ	Œ	Ÿ	Œ	Ŧ	Œ	Œ
1-2											Œ		Œ		Œ					Œ
3-4														Œ	Œ	Œ				
5-6											Œ									Œ
7-8												Œ		Œ		Œ				
9-10											Œ				Œ					Œ
11-12												Œ		Œ		Œ				
13-14											Œ	Œ				Œ	Œ		Œ	Œ
15-16											Œ	Œ				Œ	Œ		Œ	Œ
17-18											Œ	Œ				Œ	Œ		Œ	Œ
19-20											Œ	Œ				Œ	Œ		Œ	Œ
21-22											Œ	Œ								
23-24											Œ	Œ								

型号 角度 端子编号	4.6711.6					4.6712.6					4.6713.6					4.6714.6				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	0°	45°	90°	135°	180°
	Ÿ	Œ	Ŧ	Œ	Œ	Ÿ	Œ	Ŧ	Œ	Œ	Ÿ	Œ	Ŧ	Œ	Œ	Ŧ	Œ	Œ	Œ	Œ
1-2					Œ			Œ				Œ					Œ			
3-4					Œ	Œ				Œ		Œ		Œ			Œ			
5-6				Œ		Œ				Œ				Œ			Œ			
7-8				Œ		Œ						Œ						Œ		
9-10			Œ			Œ						Œ						Œ		
11-12			Œ						Œ	Œ	Œ			Œ	Œ			Œ		
13-14			Œ					Œ				Œ							Œ	
15-16			Œ			Œ				Œ					Œ				Œ	
17-18		Œ				Œ				Œ			Œ						Œ	
19-20		Œ								Œ					Œ					Œ
21-22	Œ									Œ				Œ						Œ
23-24	Œ					Œ	Œ				Œ				Œ					Œ

型号 角度 端子编号	4.6715.6					4.6716.6					4.6717.6					4.6735.6				
	90°	45°	0°	45°	90°	0°	45°	90°	135°	180°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	Ÿ	Œ	Ŧ	Œ	Œ	Ŧ	Œ	Œ	Œ	Œ	Ÿ	Œ	Ŧ	Œ	Œ	Ÿ	Œ	Ŧ	Œ	Œ
1-2	Œ									Œ		Œ				Œ	Œ	Œ	Œ	
3-4					Œ			Œ						Œ			Œ	Œ	Œ	Œ
5-6		Œ								Œ		Œ				Œ	Œ	Œ	Œ	
7-8				Œ				Œ						Œ			Œ	Œ	Œ	Œ
9-10	Œ							Œ	Œ	Œ		Œ				Œ	Œ	Œ	Œ	Œ
11-12					Œ		Œ							Œ			Œ	Œ	Œ	Œ
13-14					Œ			Œ	Œ	Œ				Œ		Œ	Œ	Œ	Œ	
15-16	Œ						Œ								Œ		Œ	Œ	Œ	Œ
17-18					Œ			Œ	Œ	Œ			Œ			Œ	Œ	Œ	Œ	
19-20	Œ						Œ								Œ		Œ	Œ	Œ	Œ
21-22					Œ			Œ	Œ	Œ			Œ			Œ	Œ	Œ	Œ	
23-24								Œ							Œ		Œ	Œ	Œ	Œ

型号 角度 端子编号	4.6736.6					4.6737.6					4.6796.6					4.6797.6				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	Ÿ	Œ	Ŧ	Œ	Œ	Ÿ	Œ	Ŧ	Œ	Œ	Ÿ	Œ	Ŧ	Œ	Œ	Ÿ	Œ	Ŧ	Œ	Œ
1-2		Œ								Œ	Œ						Œ	Œ	Œ	Œ
3-4				Œ						Œ	Œ					Œ		Œ	Œ	Œ
5-6		Œ									Œ	Œ				Œ	Œ	Œ	Œ	Œ
7-8				Œ		Œ				Œ			Œ			Œ	Œ	Œ	Œ	
9-10			Œ					Œ					Œ			Œ	Œ		Œ	Œ
11-12	Œ							Œ					Œ			Œ	Œ		Œ	Œ
13-14			Œ					Œ					Œ	Œ	Œ	Œ				
15-16	Œ					Œ							Œ	Œ	Œ		Œ			
17-18		Œ	Œ			Œ							Œ	Œ	Œ			Œ		
19-20	Œ					Œ								Œ	Œ				Œ	
21-22					Œ	Œ								Œ	Œ					Œ
23-24						Œ														

型号 角度 端子编号	4.6798.6					4.6799.6					4.6800.6					4.6892.6				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	Ÿ	Œ	ñ	œ	ð	Ÿ	Œ	ñ	œ	ð	Ÿ	Œ	ñ	œ	ð	Ÿ	Œ	ñ	œ	ð
1-2	Œ	Œ					Œ				Œ	Œ	ñ	œ	ð	Œ				
3-4					Œ				Œ			Œ								Œ
5-6					Œ		Œ						Œ				Œ			
7-8	Œ	Œ		Œ					Œ					Œ					Œ	
9-10	Œ			Œ	Œ		Œ								Œ	Œ				
11-12	Œ			Œ	Œ				Œ		Œ									Œ
13-14		Œ		Œ	Œ					Œ		Œ					Œ			
15-16		Œ				Œ							Œ						Œ	
17-18		Œ								Œ				Œ		Œ				
19-20	Œ					Œ									Œ					Œ
21-22	Œ									Œ					Œ		Œ			
23-24		Œ		Œ	Œ	Œ									Œ				Œ	

型号 角度 端子编号	4.6893.6					4.6894.6					4.6897.6									
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°					
	Ÿ	Œ	ñ	œ	ð	Ÿ	Œ	ñ	œ	ð	Ÿ	Œ	ñ	œ	ð					
1-2	Œ			Œ						Œ	Œ	Œ								
3-4		Œ		Œ						Œ		Œ								
5-6				Œ	Œ			Œ					Œ							
7-8		Œ								Œ				Œ						
9-10					Œ	Œ									Œ					
11-12	Œ	Œ			Œ					Œ	Œ									
13-14		Œ						Œ				Œ								
15-16	Œ			Œ	Œ	Œ							Œ							
17-18		Œ		Œ				Œ		Œ				Œ						
19-20	Œ				Œ	Œ		Œ							Œ					
21-22		Œ		Œ						Œ										
23-24	Œ				Œ										Œ					

型号 角度 端子编号	4.6900.6					4.6901.6														
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°										
	Ÿ	Œ	ñ	œ	ð	Ÿ	Œ	ñ	œ	ð										
1-2				Œ					Œ	Œ										
3-4		Œ				Œ	Œ	Œ	Œ	Œ										
5-6					Œ				Œ	Œ										
7-8	Œ					Œ	Œ													
9-10				Œ			Œ	Œ	Œ	Œ										
11-12		Œ				Œ	Œ													
13-14					Œ					Œ										
15-16	Œ									Œ										
17-18			Œ							Œ										
19-20					Œ	Œ														
21-22					Œ	Œ														
23-24						Œ														

型号 角度 端子编号	4.1788.6						4.1805.6						4.1806.6					
	135°	90°	45°	0°	45°	90°	135°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	135°
	÷	Ÿ	Œ	ñ	œ	ð	÷	Ÿ	Œ	ñ	œ	ð	Ÿ	Œ	ñ	œ	ð	ø
1-2	Œ										Œ						Œ	
3-4		Œ					Œ						Œ					
5-6			Œ									Œ						Œ
7-8						Œ		Œ						Œ				
9-10					Œ				Œ						Œ			
11-12					Œ				Œ						Œ			
13-14					Œ				Œ						Œ			
15-16					Œ					Œ						Œ		
17-18					Œ			Œ						Œ				
19-20					Œ						Œ							Œ
21-22						Œ	Œ						Œ				Œ	
23-24											Œ						Œ	

型号 角度 端子编号	4.1811.6						4.6680.6						4.6808.6					
	0°	45°	135°	180°	225°	315°	90°	45°	0°	45°	90°	135°	90°	45°	0°	45°	90°	135°
	ñ	ö	ø	ð	÷	ö	ÿ	ö	ñ	ö	ð	ø	ÿ	ö	ñ	ö	ð	ø
1-2		ü	ü		ü	ü	ü						ü	ü	ü	ü	ü	ü
3-4					ü			ü					ü	ü	ü	ü	ü	ü
5-6		ü								ü				ü	ü	ü	ü	ü
7-8		ü									ü			ü	ü	ü	ü	ü
9-10			ü								ü				ü	ü	ü	ü
11-12			ü								ü				ü	ü	ü	ü
13-14			ü								ü				ü	ü	ü	ü
15-16		ü	ü		ü	ü					ü				ü	ü	ü	ü
17-18					ü						ü					ü	ü	ü
19-20					ü						ü						ü	ü
21-22						ü						ü						ü
23-24						ü						ü						ü

型号 角度 端子编号	4.6809.6						4.6810.6						4.6811.6					
	0°	45°	90°	135°	180°	225°	90°	45°	0°	45°	90°	135°	0°	45°	90°	135°	180°	225°
	ñ	ö	ð	ø	ð	÷	ÿ	ö	ñ	ö	ð	ø	ñ	ö	ð	ø	ð	÷
1-2		ü						ü	ü	ü	ü	ü		ü	ü	ü	ü	ü
3-4				ü				ü	ü	ü	ü	ü		ü	ü	ü	ü	ü
5-6						ü			ü	ü	ü	ü		ü	ü	ü	ü	ü
7-8		ü							ü	ü	ü	ü		ü	ü	ü	ü	ü
9-10				ü						ü	ü	ü		ü	ü	ü	ü	ü
11-12						ü				ü	ü	ü			ü	ü	ü	ü
13-14		ü								ü	ü	ü			ü	ü	ü	ü
15-16				ü							ü	ü			ü	ü	ü	ü
17-18						ü						ü			ü			
19-20						ü						ü				ü		
21-22						ü	ü										ü	
23-24							ü											ü

型号 角度 端子编号	4.6812.6						4.6813.6						4.6820.6					
	0°	45°	90°	135°	180°	225°	0°	45°	90°	135°	180°	225°	90°	45°	0°	45°	90°	135°
	ñ	ö	ð	ø	ð	÷	ñ	ö	ð	ø	ð	÷	ÿ	ö	ñ	ö	ð	ø
1-2		ü		ü		ü	ü						ü					
3-4		ü		ü		ü		ü						ü				
5-6		ü		ü		ü		ü							ü			
7-8			ü	ü	ü	ü			ü							ü		
9-10			ü	ü	ü				ü								ü	
11-12			ü	ü	ü					ü								ü
13-14					ü					ü			ü					
15-16					ü						ü			ü				
17-18						ü					ü				ü			
19-20						ü						ü				ü		
21-22												ü					ü	
23-24		ü	ü	ü	ü	ü												ü

型号 角度 端子编号	4.6853.6						4.6865.6						3.6986.6					
	90°	45°	0°	45°	90°	135°	0°	45°	90°	135°	180°	225°	30°	0°	30°	60°	90°	120°
	ÿ	ö	ñ	ö	ð	ø	ñ	ö	ð	ø	ð	÷	ö	ñ	ö	ö	ð	ð
1-2	ü						ü			ü	ü	ü			ü	ü	ü	ü
3-4	ü							ü	ü						ü	ü	ü	ü
5-6		ü							ü				ü	ü				
7-8		ü										ü		ü	ü	ü	ü	ü
9-10			ü							ü	ü	ü	ü					
11-12			ü								ü	ü			ü	ü	ü	ü
13-14				ü			ü	ü	ü		ü	ü				ü	ü	ü
15-16				ü						ü							ü	ü
17-18					ü					ü								ü
19-20					ü						ü	ü	ü					
21-22						ü					ü	ü	ü					
23-24						ü	ü	ü	ü	ü								

型号 角度 端子编号	3.6993.6																	
	60° 0	30° 0	0° n	30° 0	60° 0	90° 0												
1-2	0																	
3-4	0																	
5-6		0																
7-8		0																
9-10			0															
11-12			0															
13-14				0														
15-16				0														
17-18					0													
19-20					0													
21-22						0												
23-24						0												

型号 角度 端子编号	4.1785.6							4.1807.6							4.1836.6						
	0° n	45° 0	90° 0	135° 0	180° 0	225° ÷	270° i	135° ÷	90° i	45° 0	0° n	45° 0	90° 0	135° 0	135° ÷	90° i	45° 0	0° n	45° 0	90° 0	135° 0
1-2		0											0					0	0	0	0
3-4			0								0							0	0	0	0
5-6				0					0						0	0	0				
7-8					0								0		0	0	0				
9-10						0				0								0			
11-12							0		0									0			
13-14		0											0					0			
15-16			0							0								0			
17-18				0					0									0			
19-20					0								0		0	0	0		0	0	0
21-22						0				0					0	0				0	0
23-24							0		0						0						0

型号 角度 端子编号	4.6492.6							4.6531.6							4.6541.6						
	135° ÷	90° i	45° 0	0° n	45° 0	90° 0	135° 0	135° ÷	90° i	45° 0	0° n	45° 0	90° 0	135° 0	135° ÷	90° i	45° 0	0° n	45° 0	90° 0	135° 0
1-2	0	0										0						0			
3-4	0	0								0							0				
5-6	0	0						0							0						
7-8					0								0								0
9-10					0	0	0						0						0		
11-12							0		0							0					
13-14				0	0	0	0					0						0			
15-16						0	0							0							0
17-18				0	0								0						0		
19-20				0																	
21-22										0	0						0				
23-24	0							0	0						0	0					

型号 角度 端子编号	3.6674.6							4.6675.6							4.6679.6						
	90° ÷	60° i	30° 0	0° n	30° 0	60° 0	90° 0	135° ÷	90° i	45° 0	0° n	45° 0	90° 0	135° 0	135° ÷	90° i	45° 0	0° n	45° 0	90° 0	135° 0
1-2	0		0					0		0				0			0				
3-4					0		0				0		0		0	0	0				
5-6	0		0					0		0								0	0	0	0
7-8					0		0				0		0		0	0	0				
9-10	0		0					0		0								0	0	0	0
11-12					0		0				0			0	0	0				0	0
13-14					0		0				0			0	0	0					
15-16					0		0				0			0					0	0	0
17-18			0		0					0		0			0						0
19-20	0					0		0				0			0	0	0				
21-22			0		0					0		0						0	0	0	0
23-24	0						0	0					0								

型号 角度 端子编号	4.6835.6							4.6836.6							4.6837.6						
	135°	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	135°
	÷	∩	∅	∩	∅	∅	∅	÷	∩	∅	∩	∅	∅	∅	÷	∩	∅	∩	∅	∅	∅
1-2	∅	∅	∅								∅							∅			
3-4	∅	∅	∅									∅	∅	∅				∅			
5-6	∅						∅				∅	∅	∅	∅					∅	∅	∅
7-8	∅						∅	∅	∅	∅	∅									∅	∅
9-10	∅	∅	∅					∅	∅	∅					∅	∅					
11-12	∅	∅	∅							∅	∅	∅	∅		∅	∅			∅	∅	∅
13-14					∅	∅	∅	∅	∅	∅		∅	∅	∅	∅	∅			∅	∅	∅
15-16				∅				∅	∅				∅		∅					∅	∅
17-18			∅		∅			∅						∅					∅	∅	∅
19-20		∅				∅		∅	∅					∅	∅	∅	∅				∅
21-22					∅	∅	∅	∅					∅	∅		∅					
23-24										∅		∅								∅	

型号 角度 端子编号	4.6838.6							4.6839.6							4.6840.6						
	0°	45°	90°	135°	180°	225°	270°	135°	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	135°
	∩	∅	∅	∅	∅	÷	∩	÷	∩	∅	∩	∅	∅	∅	÷	∩	∅	∩	∅	∅	∅
1-2		∅	∅	∅	∅	∅	∅	∅								∅	∅	∅	∅	∅	∅
3-4			∅	∅	∅	∅	∅		∅							∅	∅	∅	∅	∅	∅
5-6				∅	∅	∅	∅			∅							∅	∅	∅	∅	∅
7-8					∅	∅	∅				∅							∅	∅	∅	∅
9-10						∅	∅					∅							∅	∅	∅
11-12							∅						∅							∅	∅
13-14		∅						∅	∅	∅	∅	∅	∅		∅						
15-16			∅											∅	∅	∅					
17-18				∅										∅	∅	∅	∅				
19-20					∅									∅	∅	∅	∅	∅			
21-22						∅								∅	∅	∅	∅	∅	∅		
23-24							∅	∅	∅	∅	∅	∅	∅		∅	∅	∅	∅	∅	∅	∅

型号 角度 端子编号	4.6841.6							4.6842.6							4.6843.6						
	135°	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	135°
	÷	∩	∅	∩	∅	∅	∅	÷	∩	∅	∩	∅	∅	∅	÷	∩	∅	∩	∅	∅	∅
1-2	∅		∅	∅	∅	∅	∅				∅							∅			
3-4		∅			∅	∅		∅	∅	∅		∅	∅	∅	∅	∅	∅		∅	∅	∅
5-6	∅	∅			∅	∅	∅			∅						∅			∅		∅
7-8			∅						∅							∅					
9-10	∅	∅	∅		∅	∅	∅	∅							∅						
11-12				∅				∅	∅	∅	∅				∅	∅	∅	∅			
13-14	∅	∅	∅	∅		∅	∅				∅	∅	∅	∅				∅	∅	∅	∅
15-16					∅									∅				∅			
17-18	∅	∅	∅	∅	∅		∅					∅								∅	
19-20						∅						∅	∅	∅							∅
21-22	∅	∅	∅	∅	∅	∅					∅							∅			
23-24							∅	∅	∅	∅		∅	∅	∅	∅	∅	∅		∅	∅	∅

型号 角度 端子编号	4.6844.6							4.6845.6							4.6849.6						
	135°	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	135°	220°	180°	135°	90°	45°	0°	45°
	÷	∩	∅	∩	∅	∅	∅	÷	∩	∅	∩	∅	∅	∅	∅	∅	÷	∩	∅	∩	∅
1-2					∅			∅											∅		
3-4					∅				∅	∅		∅	∅	∅							∅
5-6						∅				∅		∅	∅						∅		
7-8						∅					∅										∅
9-10						∅	∅	∅												∅	
11-12						∅			∅	∅		∅	∅	∅		∅					
13-14			∅							∅		∅	∅							∅	
15-16			∅									∅				∅					
17-18		∅						∅									∅				
19-20		∅							∅	∅		∅	∅	∅	∅						
21-22	∅									∅		∅	∅				∅				
23-24	∅										∅				∅						

型号 角度 编 号	4.6830.6								4.6846.6								4.6847.6							
	90°	45°	0°	45°	90°	135°	180°	225°	0°	45°	90°	135°	180°	225°	270°	315°	0°	45°	90°	135°	180°	225°	270°	315°
	ÿ	ø	ñ	ø	ø	ø	ø	÷	ñ	ø	ø	ø	ø	÷	ÿ	ø	ñ	ø	ø	ø	ø	÷	ÿ	ø
1-2				ø							ø	ø						ø				ø	ø	ø
3-4								ø							ø	ø				ø				
5-6						ø			ø	ø								ø				ø	ø	ø
7-8		ø											ø	ø						ø				
9-10				ø					ø	ø								ø	ø	ø				ø
11-12								ø					ø	ø						ø				
13-14						ø					ø				ø			ø	ø	ø				ø
15-16		ø							ø				ø							ø			ø	
17-18				ø							ø				ø			ø	ø	ø	ø	ø		ø
19-20								ø		ø				ø										
21-22																								
23-24																								

型号 角度 编 号	4.6848.6								4.6850.6															
	135°	90°	45°	0°	45°	90°	135°	180°	45°	0°	45°	90°	135°	180°	225°	270°								
	÷	ÿ	ø	ñ	ø	ø	ø	ø	ø	ñ	ø	ø	ø	ø	÷	ÿ								
1-2	ø					ø	ø	ø	ø															
3-4		ø				ø	ø	ø	ø															
5-6	ø	ø	ø				ø		ø															
7-8	ø	ø	ø					ø	ø															
9-10						ø		ø	ø															
11-12						ø	ø		ø															
13-14		ø	ø																					
15-16	ø		ø												ø	ø								
17-18		ø						ø						ø	ø	ø								
19-20	ø							ø					ø	ø	ø	ø								
21-22							ø	ø				ø	ø	ø	ø	ø								
23-24						ø		ø			ø	ø	ø	ø	ø	ø								

型号 角度 编 号	4.6854.6								4.6859.6															
	135°	90°	45°	0°	45°	90°	135°	180°	0°	45°	90°	135°	180°	225°	270°	315°								
	÷	ÿ	ø	ñ	ø	ø	ø	ø	ñ	ø	ø	ø	ø	÷	ÿ	ø								
1-2	ø	ø	ø											ø	ø	ø								
3-4	ø				ø		ø			ø		ø		ø										
5-6					ø					ø														
7-8		ø				ø					ø				ø									
9-10						ø	ø				ø	ø												
11-12			ø																					
13-14	ø	ø		ø		ø	ø		ø		ø	ø		ø	ø									
15-16			ø		ø					ø														
17-18	ø		ø	ø	ø		ø		ø	ø		ø		ø		ø								
19-20		ø				ø					ø				ø									
21-22		ø	ø	ø	ø				ø	ø	ø				ø	ø								
23-24	ø						ø					ø		ø										

型号 角度 端子编号	3.6856.6										3.6857.6									
	120°	90°	60°	30°	0°	30°	60°	90°	120°		120°	90°	60°	30°	0°	30°	60°	90°	120°	
	÷	ÿ	ø	ø	ñ	ø	ø	ø	ø		÷	ÿ	ø	ø	ñ	ø	ø	ø	ø	
1-2	ø										ø									
3-4									ø										ø	
5-6			ø				ø				ø								ø	
7-8		ø										ø								
9-10			ø										ø							
11-12		ø									ø	ø	ø	ø	ø					
13-14				ø										ø						
15-16								ø										ø		
17-18							ø										ø			
19-20								ø							ø	ø	ø	ø	ø	
21-22						ø									ø					
23-24					ø						ø								ø	

型号 角度 端子编号	3.6860.6									3.6861.6								
	120° ÷	90° ÿ	60° ö	30° ö	0° ñ	30° ö	60° ö	90° ö	120° ø	120° ÷	90° ÿ	60° ö	30° ö	0° ñ	30° ö	60° ö	90° ö	120° ø
1-2					ö									ö				
3-4								ö									ö	
5-6							ö									ö		
7-8						ö									ö			
9-10				ö									ö					
11-12			ö									ö						
13-14		ö									ö							
15-16		ö						ö			ö	ö	ö		ö	ö	ö	
17-18						ö	ö				ö						ö	
19-20	ö	ö	ö	ö		ö	ö	ö							ö	ö	ö	
21-22						ö	ö	ö			ö	ö	ö					
23-24		ö						ö										

型号 角度 端子编号	3.1540.6										3.5984.6									
	30° ö	0° ñ	30° ö	60° ö	90° ö	120° ø	150° ø	180° ö	210° ÷	240° ÷	30° ö	0° ñ	30° ö	60° ö	90° ö	120° ø	150° ø	180° ö	210° ÷	240° ÷
1-2			ö	ö	ö	ö	ö	ö	ö	ö			ö	ö	ö	ö	ö	ö	ö	ö
3-4				ö	ö	ö	ö	ö	ö	ö	ö									
5-6					ö	ö	ö	ö	ö	ö	ö									
7-8						ö	ö	ö	ö	ö			ö	ö	ö	ö	ö	ö	ö	ö
9-10							ö	ö	ö	ö				ö	ö	ö	ö	ö	ö	ö
11-12								ö	ö	ö					ö	ö	ö	ö	ö	ö
13-14									ö	ö						ö	ö	ö	ö	ö
15-16										ö							ö	ö	ö	ö
17-18	ö																	ö	ö	ö
19-20	ö																		ö	ö
21-22		ö	ö	ö	ö	ö	ö	ö	ö	ö										ö
23-24																				

型号 角度 端子编号	3.5986.6										3.6988.6									
	30° ö	0° ñ	30° ö	60° ö	90° ö	120° ø	150° ø	180° ö	210° ÷	240° ÷	30° ö	0° ñ	30° ö	60° ö	90° ö	120° ø	150° ø	180° ö	210° ÷	240° ÷
1-2	ö												ö	ö	ö	ö	ö	ö	ö	ö
3-4		ö	ö	ö	ö	ö	ö	ö	ö	ö				ö	ö	ö	ö	ö	ö	ö
5-6		ö	ö	ö	ö	ö	ö	ö	ö	ö					ö	ö	ö	ö	ö	ö
7-8			ö	ö	ö	ö	ö	ö	ö	ö						ö	ö	ö	ö	ö
9-10				ö	ö	ö	ö	ö	ö	ö							ö	ö	ö	ö
11-12					ö	ö	ö	ö	ö	ö								ö	ö	ö
13-14						ö	ö	ö	ö	ö									ö	ö
15-16							ö	ö	ö	ö										ö
17-18								ö	ö	ö	ö									
19-20									ö	ö	ö									
21-22										ö		ö	ö	ö	ö	ö	ö	ö	ö	ö
23-24																				

型号 角度 端子编号	3.6992.6										3.6994.6									
	30° ö	0° ñ	30° ö	60° ö	90° ö	120° ø	150° ø	180° ö	210° ÷	240° ÷	30° ö	0° ñ	30° ö	60° ö	90° ö	120° ø	150° ø	180° ö	210° ÷	240° ÷
1-2	ö												ö	ö	ö	ö	ö	ö	ö	ö
3-4	ö										ö									
5-6	ö										ö									
7-8			ö	ö	ö	ö	ö	ö	ö	ö			ö	ö	ö	ö	ö	ö	ö	ö
9-10				ö	ö	ö	ö	ö	ö	ö				ö	ö	ö	ö	ö	ö	ö
11-12					ö	ö	ö	ö	ö	ö					ö	ö	ö	ö	ö	ö
13-14						ö	ö	ö	ö	ö						ö	ö	ö	ö	ö
15-16							ö	ö	ö	ö							ö	ö	ö	ö
17-18								ö	ö	ö								ö	ö	ö
19-20									ö	ö									ö	ö
21-22										ö										ö
23-24																				

型号 角度 端子编号	3.6995.6																			
	30°	0°	30°	60°	90°	120°	150°	180°	210°	240°										
	0	0	0	0	0	0	0	0	0	0										
1-2		0	0	0	0	0	0	0	0	0										
3-4	0																			
5-6	0																			
7-8			0	0	0	0	0	0	0	0										
9-10				0	0	0	0	0	0	0										
11-12					0	0	0	0	0	0										
13-14						0	0	0	0	0										
15-16							0	0	0	0										
17-18								0	0	0										
19-20									0	0										
21-22																				
23-24																				

型号 角度 端子编号	3.6300.6												3.6597.6									
	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°	30°	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1-2	0												0	0	0	0	0	0	0	0	0	0
3-4		0	0	0	0	0	0	0	0	0	0	0										
5-6			0	0	0	0	0	0	0	0	0	0										
7-8				0	0	0	0	0	0	0	0	0			0	0	0	0	0	0	0	0
9-10					0	0	0	0	0	0	0	0				0	0	0	0	0	0	0
11-12						0	0	0	0	0	0	0					0	0	0	0	0	0
13-14							0	0	0	0	0	0					0	0	0	0	0	0
15-16								0	0	0	0	0						0	0	0	0	0
17-18									0	0	0	0							0	0	0	0
19-20										0	0	0								0	0	0
21-22											0	0									0	0
23-24																						0

型号 角度 端子编号	3.6871.6												3.6876.6									
	150°	120°	90°	60°	30°	0°	30°	60°	90°	120°	150°	150°	120°	90°	60°	30°	0°	30°	60°	90°	120°	150°
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1-2		0		0		0	0	0	0	0	0						0					
3-4	0		0		0								0	0	0	0				0	0	0
5-6	0	0	0	0	0	0		0		0		0	0	0	0	0						
7-8							0		0		0					0		0				
9-10	0	0			0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0
11-12			0	0								0	0	0	0	0				0	0	0
13-14	0	0	0	0	0	0	0			0	0	0	0	0	0	0			0	0	0	0
15-16								0	0			0	0	0	0				0	0	0	0
17-18			0	0	0	0	0	0	0	0	0	0	0	0						0	0	0
19-20	0	0										0	0								0	0
21-22	0	0	0	0	0	0	0	0	0			0										0
23-24										0	0											

型号 角度 端子编号	3.3625.6												3.6284.6									
	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°	330°	30°	0°	30°	60°	90°	120°	150°	180°	210°	240°
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1-2		0	0	0	0	0	0	0	0	0	0	0		0								
3-4	0		0	0	0	0	0	0	0	0	0	0	0									
5-6	0	0		0	0	0	0	0	0	0	0	0			0	0	0	0	0	0	0	0
7-8	0	0	0		0	0	0	0	0	0	0	0				0	0	0	0	0	0	0
9-10	0	0	0	0		0	0	0	0	0	0	0				0	0	0	0	0	0	0
11-12	0	0	0	0	0		0	0	0	0	0	0					0	0	0	0	0	0
13-14	0	0	0	0	0	0		0	0	0	0	0						0	0	0	0	0
15-16	0	0	0	0	0	0	0		0	0	0	0							0	0	0	0
17-18	0	0	0	0	0	0	0	0	0		0	0								0	0	0
19-20	0	0	0	0	0	0	0	0	0		0	0									0	0
21-22																						0
23-24	0																					0

型号 角度 编号	3.6294.6												3.6851.6											
	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°	330°	120°	90°	60°	30°	0°	30°	60°	90°	120°	150°	180°	210°
	ñ	ö	ö	ö	ø	ø	ö	÷	÷	ÿ	ö	ö	÷	ÿ	ö	ö	ñ	ö	ö	ö	ø	ø	ö	÷
1-2		ö	ö	ö	ö	ö	ö	ö	ö	ö	ö	ö		ö		ö								
3-4			ö	ö	ö	ö	ö	ö	ö	ö	ö	ö					ö		ö					
5-6				ö	ö	ö	ö	ö	ö	ö	ö	ö										ö		ö
7-8					ö	ö	ö	ö	ö	ö	ö	ö		ö	ö									
9-10						ö	ö	ö	ö	ö	ö	ö					ö	ö						
11-12							ö	ö	ö	ö	ö	ö										ö	ö	
13-14								ö	ö	ö	ö	ö			ö									
15-16									ö	ö	ö	ö						ö						
17-18										ö	ö	ö							ö				ö	
19-20											ö	ö				ö								
21-22												ö							ö					
23-24																								ö

型号 角度 编号	3.6872.6												3.6879.6											
	150°	120°	90°	60°	30°	0°	30°	60°	90°	120°	150°	180°	30°	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°
	÷	÷	ÿ	ö	ö	ñ	ö	ö	ö	ø	ø	ö	ö	ñ	ö	ö	ö	ø	ø	ö	÷	÷	ÿ	ö
1-2	ö												ö											
3-4		ö																						
5-6			ö												ö	ö	ö	ö	ö	ö	ö	ö	ö	ö
7-8				ö												ö	ö	ö	ö	ö	ö	ö	ö	ö
9-10					ö												ö	ö	ö	ö	ö	ö	ö	ö
11-12						ö												ö	ö	ö	ö	ö	ö	ö
13-14							ö												ö	ö	ö	ö	ö	ö
15-16								ö												ö	ö	ö	ö	ö
17-18									ö												ö	ö	ö	ö
19-20										ö												ö	ö	ö
21-22											ö												ö	ö
23-24												ö												ö

型号 角度 编号	3.6886.6												3.6887.6											
	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°	330°	30°	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°
	ñ	ö	ö	ö	ø	ø	ö	÷	÷	ÿ	ö	ö	ö	ñ	ö	ö	ö	ö	ø	ø	ö	÷	÷	ÿ
1-2	ü												ü	ü	ü	ü	ü	ü	ü	ü	ü	ü	ü	ü
3-4		ü												ü	ü	ü	ü	ü	ü	ü	ü	ü	ü	ü
5-6			ü												ü	ü	ü	ü	ü	ü	ü	ü	ü	ü
7-8				ü												ü	ü	ü	ü	ü	ü	ü	ü	ü
9-10					ü												ü	ü	ü	ü	ü	ü	ü	ü
11-12						ü												ü	ü	ü	ü	ü	ü	ü
13-14							ü												ü	ü	ü	ü	ü	ü
15-16								ü												ü	ü	ü	ü	ü
17-18									ü												ü	ü	ü	ü
19-20										ü												ü	ü	ü
21-22											ü												ü	ü
23-24												ü												ü

型号 角度 编号	3.6888.6												3.6889.6											
	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°	330°	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°	330°
	ñ	ö	ö	ö	ø	ø	ö	÷	÷	ÿ	ö	ö	ñ	ö	ö	ö	ø	ø	ö	÷	÷	ÿ	ö	ö
1-2	ö												ö											
3-4		ö												ö										
5-6			ö	ö	ö	ö	ö	ö	ö	ö	ö	ö		ö	ö									
7-8				ö	ö	ö	ö	ö	ö	ö	ö	ö				ö								
9-10					ö	ö	ö	ö	ö	ö	ö	ö				ö	ö							
11-12						ö	ö	ö	ö	ö	ö	ö						ö						
13-14							ö	ö	ö	ö	ö	ö							ö					
15-16								ö	ö	ö	ö	ö								ö				
17-18									ö	ö	ö	ö									ö			
19-20										ö	ö	ö									ö	ö		
21-22											ö	ö										ö	ö	
23-24												ö												

型号 角度 编号	3.6890.6												3.6891.6											
	150°	120°	90°	60°	30°	0°	30°	60°	90°	120°	150°	180°	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°	330°
	÷	÷	ÿ	ö	ö	ñ	ö	ö	ö	ø	ø	ö	ñ	ö	ö	ö	ø	ø	ö	÷	÷	ÿ	ö	ö
1-2							ü							ü										
3-4							ü	ü							ü									
5-6									ü							ü								
7-8									ü	ü							ü							
9-10											ü							ü						
11-12											ü	ü							ü					
13-14						ü														ü				
15-16						ü															ü			
17-18				ü	ü																	ü		
19-20			ü																				ü	
21-22		ü	ü																					ü
23-24																								ü

型号 角度 编号	3.6989.6												3.6990.6											
	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°	330°	120°	90°	60°	30°	0°	30°	60°	90°	120°	150°	180°	210°
	ñ	ö	ö	ö	ø	ø	ö	÷	÷	ÿ	ö	ö	÷	ÿ	ö	ö	ñ	ö	ö	ö	ø	ø	ö	÷
1-2										ü				ü		ü								
3-4												ü						ü			ü			
5-6											ü	ü										ü		ü
7-8										ü	ü			ü	ü									
9-10				ü														ü	ü					
11-12		ü																				ü	ü	
13-14		ü	ü												ü									
15-16			ü	ü															ü					
17-18								ü															ü	
19-20						ü										ü								
21-22						ü	ü													ü				
23-24							ü	ü																ü

型号 角度 编号	3.6999.6												3.9570.6											
	30°	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°	30°	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°
	ö	ñ	ö	ö	ö	ø	ø	ö	÷	÷	ÿ	ö	ö	ñ	ö	ö	ö	ø	ø	ö	÷	÷	ÿ	ö
1-2	ü												ü											
3-4		ü													ü	ü	ü	ü	ü	ü	ü	ü	ü	ü
5-6			ü	ü	ü	ü	ü	ü	ü	ü	ü	ü				ü	ü	ü	ü	ü	ü	ü	ü	ü
7-8				ü	ü	ü	ü	ü	ü	ü	ü	ü					ü	ü	ü	ü	ü	ü	ü	ü
9-10					ü	ü	ü	ü	ü	ü	ü	ü						ü	ü	ü	ü	ü	ü	ü
11-12						ü	ü	ü	ü	ü	ü	ü							ü	ü	ü	ü	ü	ü
13-14							ü	ü	ü	ü	ü	ü								ü	ü	ü	ü	ü
15-16								ü	ü	ü	ü	ü									ü	ü	ü	ü
17-18									ü	ü	ü	ü										ü	ü	ü
19-20										ü	ü	ü											ü	ü
21-22											ü	ü												ü
23-24												ü												

型号 角度 端子编号	9.1910.7		9.6603.7		9.6895.7		4.6991.7		4.7213.7		9.7215.7		9.7216.7		4.7218.7		9.7219.7	
	45°	45°	45°	45°	90°	0°	0°	45°	0°	45°	0°	90°	45°	45°	90°	0°	90°	0°
	ǒ	ǒ	ǒ	ǒ	Ÿ	ñ	ñ	ǒ	ñ	ǒ	ñ	ǒ	ǒ	ǒ	Ÿ	ñ	Ÿ	ñ
1-2	ǒ		ǒ			ǒ		ǒ	ǒ		ǒ		ǒ		ǒ —		ǒ	
3-4	ǒ			ǒ	ǒ			ǒ	ǒ		ǒ		ǒ		ǒ —	ǒ		ǒ
5-6	ǒ		ǒ			ǒ		ǒ		ǒ		ǒ	ǒ		ǒ —		ǒ	
7-8	ǒ			ǒ	ǒ			ǒ		ǒ		ǒ		ǒ	ǒ —	ǒ		ǒ
9-10	ǒ		ǒ			ǒ		ǒ		ǒ		ǒ	ǒ		ǒ —		ǒ	
11-12	ǒ			ǒ	ǒ			ǒ		ǒ		ǒ	ǒ		ǒ —	ǒ		ǒ
13-14	ǒ		ǒ			ǒ		ǒ		ǒ		ǒ		ǒ	ǒ —		ǒ	
15-16		ǒ		ǒ	ǒ			ǒ		ǒ		ǒ	ǒ		ǒ —	ǒ		ǒ
17-18		ǒ	ǒ			ǒ		ǒ		ǒ		ǒ	ǒ		ǒ —		ǒ	
19-20		ǒ		ǒ	ǒ			ǒ		ǒ		ǒ		ǒ	ǒ —	ǒ		ǒ
21-22		ǒ	ǒ			ǒ		ǒ	ǒ			ǒ	ǒ		ǒ —		ǒ	
23-24		ǒ		ǒ	ǒ			ǒ	ǒ			ǒ		ǒ	ǒ —	ǒ		ǒ
25-26		ǒ	ǒ			ǒ		ǒ	ǒ			ǒ	ǒ		ǒ —		ǒ	
27-28		ǒ		ǒ	ǒ			ǒ	ǒ			ǒ		ǒ	ǒ —	ǒ		ǒ

型号 角度 端子编号	9.9021.7		9.9029.7															
	0°	90°	90°	0°														
	ñ	ǒ	Ÿ	ñ														
1-2	ǒ			ǒ														
3-4	ǒ			ǒ														
5-6	ǒ			ǒ														
7-8	ǒ			ǒ														
9-10	ǒ			ǒ														
11-12	ǒ			ǒ														
13-14	ǒ			ǒ														
15-16	ǒ			ǒ														
17-18	ǒ			ǒ														
19-20	ǒ			ǒ														
21-22	ǒ			ǒ														
23-24	ǒ			ǒ														
25-26		ǒ	ǒ															
27-28		ǒ	ǒ															

型号 角度 端子编号	4.1375.7			4.1376.7			4.1381.7			4.1386.7			4.2001.7			4.2003.7		
	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ
1-2	ǒ				ǒ		ǒ		ǒ			ǒ			ǒ			ǒ
3-4			ǒ		ǒ				ǒ			ǒ	ǒ		ǒ	ǒ		
5-6	ǒ				ǒ		ǒ			ǒ					ǒ	ǒ		
7-8			ǒ		ǒ				ǒ			ǒ	ǒ		ǒ			
9-10	ǒ				ǒ		ǒ				ǒ				ǒ	ǒ		
11-12			ǒ			ǒ			ǒ		ǒ		ǒ		ǒ	ǒ		
13-14	ǒ			ǒ	ǒ		ǒ			ǒ					ǒ	ǒ		
15-16			ǒ			ǒ			ǒ			ǒ	ǒ			ǒ		
17-19		ǒ		ǒ				ǒ				ǒ			ǒ	ǒ		
19-20		ǒ				ǒ		ǒ		ǒ			ǒ			ǒ		
21-22			ǒ			ǒ			ǒ		ǒ				ǒ	ǒ		
23-24	ǒ					ǒ	ǒ				ǒ		ǒ		ǒ			
25-26	ǒ					ǒ	ǒ				ǒ				ǒ	ǒ		
27-28		ǒ				ǒ			ǒ	ǒ			ǒ					ǒ

型号 角度 端子编号	4.2004.7			4.2005.7			4.2007.7			9.4110.7			4.6260.7			4.7000.7		
	45°	0°	45°	45°	0°	45°	45°	0°	45°	90°	0°	90°	45°	0°	45°	45°	0°	45°
	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ı	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ
1-2	ǒ			ǒ			ǒ				ǒ				ǒ	ǒ		
3-4			ǒ			ǒ			ǒ			ǒ		ǒ	ǒ	ǒ		
5-6	ǒ			ǒ			ǒ			ǒ			ǒ			ǒ		
7-8			ǒ			ǒ			ǒ		ǒ		ǒ			ǒ		
9-10	ǒ			ǒ			ǒ					ǒ			ǒ			ǒ
11-12			ǒ			ǒ			ǒ		ǒ				ǒ			ǒ
13-14	ǒ			ǒ			ǒ	ǒ		ǒ					ǒ			ǒ
15-16			ǒ			ǒ			ǒ		ǒ				ǒ			ǒ
17-19	ǒ			ǒ			ǒ	ǒ				ǒ			ǒ		ǒ	
19-20			ǒ			ǒ			ǒ			ǒ			ǒ		ǒ	
21-22	ǒ			ǒ			ǒ			ǒ					ǒ		ǒ	
23-24			ǒ			ǒ			ǒ			ǒ			ǒ		ǒ	
25-26	ǒ		ǒ		ǒ		ǒ		ǒ	ǒ					ǒ		ǒ	
27-28	ǒ		ǒ		ǒ		ǒ		ǒ						ǒ		ǒ	

型号 角度 端子编号	4.7001.7			4.7002.7			4.7003.7			4.7004.7			4.7005.7			4.7007.7		
	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	90°	45°	0°
	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ı	ǒ	ñ
1-2	ǒ		ǒ	ǒ	ǒ			ǒ		ǒ		ǒ	ǒ	ǒ			ǒ	
3-4	ǒ		ǒ		ǒ	ǒ		ǒ		ǒ					ǒ		ǒ	ǒ
5-6	ǒ	ǒ		ǒ	ǒ			ǒ				ǒ			ǒ		ǒ	
7-8	ǒ	ǒ				ǒ			ǒ			ǒ	ǒ					ǒ
9-10		ǒ	ǒ	ǒ	ǒ			ǒ	ǒ			ǒ	ǒ	ǒ			ǒ	
11-12		ǒ	ǒ			ǒ	ǒ					ǒ	ǒ	ǒ				ǒ
13-14		ǒ		ǒ	ǒ		ǒ			ǒ		ǒ	ǒ				ǒ	
15-16		ǒ				ǒ		ǒ	ǒ	ǒ					ǒ			ǒ
17-19			ǒ	ǒ	ǒ				ǒ			ǒ	ǒ	ǒ			ǒ	
19-20	ǒ		ǒ			ǒ		ǒ				ǒ			ǒ			ǒ
21-22	ǒ				ǒ	ǒ	ǒ			ǒ		ǒ	ǒ	ǒ			ǒ	
23-24		ǒ		ǒ					ǒ	ǒ			ǒ					ǒ
25-26		ǒ			ǒ	ǒ		ǒ		ǒ					ǒ		ǒ	
27-28		ǒ		ǒ			ǒ			ǒ			ǒ					ǒ

型号 角度 端子编号	4.7008.7			4.7009.7			4.7010.7			4.7014.7			4.7015.7			4.7019.7		
	90°	45°	0°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
	ı	ǒ	ñ	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ
1-2		ǒ	ǒ	ǒ		ǒ	ǒ			ǒ			ǒ			ǒ		ǒ
3-4	ǒ						ǒ			ǒ			ǒ			ǒ		
5-6		ǒ	ǒ	ǒ		ǒ	ǒ			ǒ			ǒ					ǒ
7-8	ǒ						ǒ			ǒ			ǒ			ǒ		
9-10		ǒ	ǒ	ǒ	ǒ		ǒ			ǒ					ǒ			ǒ
11-12	ǒ						ǒ			ǒ					ǒ	ǒ		
13-14		ǒ	ǒ	ǒ		ǒ	ǒ					ǒ		ǒ				ǒ
15-16	ǒ			ǒ			ǒ					ǒ			ǒ	ǒ		
17-19		ǒ	ǒ			ǒ	ǒ					ǒ		ǒ			ǒ	
19-20	ǒ			ǒ					ǒ			ǒ			ǒ		ǒ	
21-22	ǒ	ǒ				ǒ			ǒ			ǒ		ǒ			ǒ	
23-24			ǒ			ǒ	ǒ					ǒ			ǒ		ǒ	
25-26	ǒ	ǒ				ǒ		ǒ				ǒ		ǒ			ǒ	
27-28			ǒ			ǒ			ǒ	ǒ				ǒ		ǒ		

型号 角度 端子编号	/4.7020.7			/4.7021.7			/9.7226.7			/9.7227.7								
	45°	0°	45°	45°	0°	45°	90°	0°	90°	90°	0°	90°						
	ǒ	ñ	ǒ	非	切	试验	ǐ	ñ	ǒ	ǐ	ñ	ǒ						
1-2	ǒ			ǒ					ǒ	ǒ	ǒ							
3-4			ǒ	ǒ					ǒ			ǒ						
5-6	ǒ		ǒ		ǒ		ǒ			ǒ	ǒ							
7-8		ǒ		ǒ			ǒ					ǒ						
9-10			ǒ			ǒ	ǒ				ǒ							
11-12	ǒ					ǒ	ǒ				ǒ							
13-14	ǒ		ǒ	ǒ			ǒ				ǒ							
15-16		ǒ		ǒ			ǒ				ǒ							
17-19		ǒ				ǒ		ǒ	ǒ		ǒ							
19-20	ǒ			ǒ				ǒ	ǒ		ǒ							
21-22			ǒ			ǒ		ǒ	ǒ	ǒ								
23-24	ǒ		ǒ	ǒ				ǒ	ǒ			ǒ						
25-26		ǒ			ǒ			ǒ										
27-28					ǒ			ǒ			ǒ							

型号 角度 端子编号	Z/4.4832.7																	
	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ
1-2																		
3-4	ǒ																	
5-6	ǒ																	
7-8		ǒ	ǒ	ǒ														
9-10	ǒ	ǒ																
11-12			ǒ	ǒ														
13-14		ǒ	ǒ															
15-16																		
17-18	ǒ	ǒ																
19-20			ǒ	ǒ														
21-22		ǒ	ǒ															
23-24																		
25-26	ǒ																	
27-28		ǒ	ǒ	ǒ														

型号 角度 端子编号	Z/4.9863.7			Z/4.9873.7			Z/4.9874.7			Z/4.9875.7			Z/4.9876.7		
	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ
1-2			ǒ	ǒ			ǒ			ǒ	ǒ		ǒ		
3-4	ǒ					ǒ						ǒ			ǒ
5-6	ǒ			ǒ	ǒ			ǒ	ǒ		ǒ	ǒ	ǒ	ǒ	ǒ
7-8	ǒ			ǒ	ǒ							ǒ	ǒ	ǒ	
9-10	ǒ			ǒ	ǒ					ǒ			ǒ	ǒ	
11-12	ǒ					ǒ	ǒ					ǒ			ǒ
13-14		ǒ	ǒ			ǒ	ǒ	ǒ	ǒ			ǒ	ǒ	ǒ	ǒ
15-16		ǒ	ǒ			ǒ	ǒ	ǒ	ǒ			ǒ	ǒ	ǒ	ǒ
17-18		ǒ	ǒ			ǒ	ǒ	ǒ	ǒ			ǒ	ǒ	ǒ	ǒ
19-20		ǒ	ǒ		ǒ	ǒ			ǒ	ǒ				ǒ	ǒ
21-22	ǒ					ǒ	ǒ					ǒ	ǒ		ǒ
23-24		ǒ	ǒ		ǒ	ǒ			ǒ	ǒ	ǒ	ǒ		ǒ	ǒ
25-26		ǒ	ǒ	ǒ		ǒ	ǒ				ǒ	ǒ		ǒ	ǒ
27-28			ǒ		ǒ	ǒ					ǒ	ǒ		ǒ	ǒ

型号 角度 端子编号	/4.4104.7				/4.4105.7				/4.4104.7				/4.7016.7				/4.7017.7			
	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	45°	0°	45°	90°
	Ÿ	Ǿ	ñ	Ǿ	Ÿ	Ǿ	ñ	Ǿ	Ÿ	Ǿ	ñ	Ǿ	Ÿ	Ǿ	ñ	Ǿ	Ǿ	ñ	Ǿ	Ǿ
1-2	Ǿ	Ǿ		Ǿ	Ǿ	Ǿ			Ǿ	Ǿ			Ǿ	Ǿ			Ǿ			Ǿ
3-4	Ǿ	Ǿ		Ǿ			Ǿ	Ǿ			Ǿ	Ǿ	Ǿ	Ǿ					Ǿ	
5-6		Ǿ			Ǿ	Ǿ			Ǿ	Ǿ				Ǿ			Ǿ		Ǿ	
7-8		Ǿ		Ǿ			Ǿ	Ǿ			Ǿ	Ǿ		Ǿ						Ǿ
9-10		Ǿ			Ǿ	Ǿ			Ǿ	Ǿ				Ǿ			Ǿ			Ǿ
11-12	Ǿ						Ǿ	Ǿ			Ǿ	Ǿ	Ǿ			Ǿ			Ǿ	
13-14	Ǿ				Ǿ	Ǿ			Ǿ	Ǿ			Ǿ			Ǿ				Ǿ
15-16	Ǿ						Ǿ	Ǿ			Ǿ	Ǿ	Ǿ			Ǿ				Ǿ
17-18					Ǿ				Ǿ	Ǿ						Ǿ			Ǿ	
19-20	Ǿ					Ǿ	Ǿ				Ǿ	Ǿ	Ǿ			Ǿ	Ǿ			
21-22		Ǿ		Ǿ				Ǿ	Ǿ					Ǿ						Ǿ
23-24					Ǿ					Ǿ	Ǿ					Ǿ			Ǿ	
25-26		Ǿ		Ǿ		Ǿ	Ǿ					Ǿ		Ǿ			Ǿ			
27-28								Ǿ								Ǿ				

型号 角度 端子编号	/4.7018.7				/4.7021.7								/4.7080.7				/4.7088.7			
	45°	0°	45°	90°	45°	0°	45°	90°					45°	0°	45°	90°	45°	0°	45°	90°
	Ǿ	ñ	Ǿ	Ǿ	Ǿ	ñ	Ǿ	Ǿ					Ǿ	ñ	Ǿ	Ǿ	Ǿ	ñ	Ǿ	Ǿ
1-2		Ǿ			Ǿ								Ǿ					Ǿ		
3-4	Ǿ			Ǿ			Ǿ	Ǿ							Ǿ			Ǿ		
5-6			Ǿ		Ǿ								Ǿ					Ǿ		
7-8		Ǿ					Ǿ	Ǿ							Ǿ				Ǿ	
9-10			Ǿ	Ǿ	Ǿ								Ǿ						Ǿ	
11-12	Ǿ						Ǿ	Ǿ							Ǿ				Ǿ	
13-14		Ǿ			Ǿ								Ǿ						Ǿ	
15-16	Ǿ		Ǿ				Ǿ								Ǿ				Ǿ	
17-18				Ǿ	Ǿ								Ǿ							Ǿ
19-20	Ǿ		Ǿ	Ǿ			Ǿ								Ǿ					Ǿ
21-22	Ǿ			Ǿ	Ǿ								Ǿ							Ǿ
23-24			Ǿ	Ǿ			Ǿ								Ǿ					Ǿ
25-26	Ǿ		Ǿ		Ǿ		Ǿ	Ǿ								Ǿ				Ǿ
27-28	Ǿ		Ǿ	Ǿ	Ǿ		Ǿ	Ǿ								Ǿ				Ǿ

型号 角度 端子编号	/4.7089.7				/4.7090.7				/4.7091.7				/4.7092.7				/4.7093.7			
	45°	0°	45°	90°	90°	45°	0°	45°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°
	Ǿ	ñ	Ǿ	Ǿ	Ÿ	Ǿ	ñ	Ǿ	Ǿ	ñ	Ǿ	Ǿ	Ǿ	ñ	Ǿ	Ǿ	Ǿ	ñ	Ǿ	Ǿ
1-2			Ǿ			Ǿ			Ǿ	Ǿ	Ǿ					Ǿ		Ǿ		Ǿ
3-4			Ǿ			Ǿ			Ǿ	Ǿ	Ǿ		Ǿ		Ǿ		Ǿ			Ǿ
5-6			Ǿ			Ǿ			Ǿ							Ǿ			Ǿ	Ǿ
7-8	Ǿ						Ǿ		Ǿ				Ǿ	Ǿ			Ǿ			
9-10	Ǿ						Ǿ		Ǿ				Ǿ		Ǿ			Ǿ	Ǿ	Ǿ
11-12	Ǿ						Ǿ		Ǿ				Ǿ	Ǿ			Ǿ			
13-14				Ǿ				Ǿ		Ǿ						Ǿ		Ǿ		Ǿ
15-16				Ǿ				Ǿ		Ǿ			Ǿ	Ǿ	Ǿ		Ǿ			
17-18				Ǿ				Ǿ		Ǿ						Ǿ		Ǿ		Ǿ
19-20			Ǿ	Ǿ		Ǿ	Ǿ	Ǿ		Ǿ			Ǿ	Ǿ	Ǿ		Ǿ			
21-22			Ǿ	Ǿ		Ǿ	Ǿ	Ǿ			Ǿ					Ǿ			Ǿ	Ǿ
23-24	Ǿ					Ǿ					Ǿ		Ǿ	Ǿ	Ǿ		Ǿ			Ǿ
25-26	Ǿ						Ǿ				Ǿ					Ǿ			Ǿ	Ǿ
27-28								Ǿ			Ǿ		Ǿ	Ǿ	Ǿ		Ǿ			

型号 角度 端子编号	/4.7094.7				/4.7095.7				/4.7096.7				/4.7097.7				/4.7098.7			
	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°
	ᄁ	ᄂ	ᄃ	ᄄ	ᄅ	ᄆ	ᄇ	ᄈ	ᄉ	ᄊ	ᄋ	ᄌ	ᄍ	ᄎ	ᄏ	ᄐ	ᄑ	ᄒ	ᄓ	ᄔ
1-2	ᄁ					ᄆ					ᄋ		ᄁ					ᄆ		
3-4				ᄃ	ᄅ		ᄇ		ᄉ					ᄊ						ᄈ
5-6	ᄁ							ᄈ			ᄋ				ᄏ					ᄈ
7-8				ᄃ	ᄅ				ᄉ							ᄐ				ᄈ
9-10		ᄂ						ᄈ		ᄊ				ᄊ			ᄃ			
11-12				ᄃ		ᄅ			ᄉ						ᄏ		ᄃ			
13-14		ᄂ					ᄇ			ᄊ						ᄐ	ᄃ			ᄃ
15-16				ᄃ	ᄅ						ᄋ			ᄊ					ᄃ	
17-18	ᄁ	ᄂ						ᄈ		ᄊ					ᄏ				ᄈ	
19-20			ᄂ	ᄃ	ᄅ	ᄆ				ᄊ						ᄐ			ᄈ	
21-22	ᄁ	ᄂ					ᄇ	ᄈ			ᄋ				ᄏ	ᄐ			ᄈ	
23-24			ᄂ	ᄃ	ᄅ	ᄆ				ᄊ						ᄐ				ᄈ
25-26	ᄁ	ᄂ	ᄃ				ᄇ	ᄈ	ᄉ	ᄊ						ᄐ	ᄃ		ᄃ	
27-28	ᄁ	ᄂ	ᄃ							ᄊ										

型号 角度 端子编号	/4.7105.7				/4.7106.7				/4.7189.7				/4.7400.7							
	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	45°	0°	45°	90°				
	ᄁ	ᄂ	ᄃ	ᄄ	ᄅ	ᄆ	ᄇ	ᄈ	ᄉ	ᄊ	ᄋ	ᄌ	ᄍ	ᄎ	ᄏ	ᄐ				
1-2	ᄁ	ᄂ				ᄆ					ᄋ		ᄁ							
3-4			ᄂ	ᄃ	ᄅ				ᄉ						ᄏ					
5-6	ᄁ							ᄈ	ᄉ	ᄊ			ᄁ							
7-8				ᄃ		ᄅ					ᄋ	ᄌ			ᄏ					
9-10		ᄂ	ᄃ					ᄈ	ᄉ				ᄁ							
11-12	ᄁ				ᄅ					ᄊ	ᄋ				ᄏ					
13-14				ᄃ			ᄇ					ᄌ	ᄍ							
15-16		ᄂ	ᄃ		ᄅ				ᄉ						ᄏ					
17-18	ᄁ	ᄂ					ᄇ			ᄊ	ᄋ		ᄁ							
19-20			ᄂ	ᄃ	ᄅ							ᄌ	ᄍ		ᄏ					
21-22	ᄁ					ᄆ			ᄉ				ᄁ			ᄐ				
23-24				ᄃ				ᄇ		ᄊ	ᄋ				ᄏ	ᄐ				
25-26		ᄂ	ᄃ			ᄅ						ᄌ	ᄍ			ᄐ				
27-28								ᄈ							ᄏ	ᄐ				

型号 角度 端子编号	/4.7417.7				/49.9585.7															
	90°	45°	0°	45°	90°	45°	45°	90°												
	ᄁ	ᄂ	ᄃ	ᄄ	ᄅ	ᄆ	ᄇ	ᄈ												
1-2				ᄃ	ᄅ	ᄆ		ᄈ												
3-4		ᄂ			ᄅ	ᄆ		ᄈ												
5-6			ᄂ		ᄅ			ᄈ												
7-8	ᄁ				ᄅ			ᄈ												
9-10			ᄂ	ᄃ				ᄇ												
11-12								ᄇ												
13-14			ᄂ	ᄃ		ᄅ														
15-16						ᄅ														
17-18			ᄂ	ᄃ		ᄅ	ᄆ													
19-20						ᄅ	ᄆ													
21-22				ᄃ			ᄅ	ᄆ												
23-24		ᄂ				ᄅ	ᄆ													
25-26			ᄂ				ᄇ													
27-28	ᄁ						ᄇ													

型号 角度 端子编号	/4.1068.7					/4.2006.7					/4.6036.7					/4.6744.7				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	ī	ō	ñ	ö	đ	ī	ō	ñ	ö	đ	ī	ō	ñ	ö	đ	ī	ō	ñ	ö	đ
1-2	ū					ū					ū			ū	ū				ū	
3-4		ū					ū				ū			ū	ū		ū			
5-6									ū		ū							ū		
7-8				ū						ū	ū					ū				ū
9-10					ū					ū	ū							ū	ū	
11-12					ū					ū		ū								
13-14					ū					ū		ū						ū	ū	
15-16					ū					ū		ū								
17-18					ū					ū				ū				ū	ū	
19-20					ū					ū				ū						
21-22					ū					ū				ū					ū	
23-24					ū					ū					ū		ū			
25-26					ū					ū					ū			ū		
27-28	ū	ū		ū						ū					ū	ū				ū

型号 角度 端子编号	/4.7011.7					4.7027.7														
	90°	45°	0°	45°	90°	45°	0°	45°	90°	135°										
	ī	ō	ñ	ö	đ	ō	ñ	ö	đ	ø										
1-2					ū		ū													
3-4					ū		ū													
5-6					ū		ū													
7-8					ū			ū												
9-10					ū			ū												
11-12					ū			ū												
13-14					ū				ū											
15-16					ū				ū											
17-18					ū				ū											
19-20	ū									ū										
21-22		ū								ū										
23-24			ū							ū										
25-26				ū			ū	ū	ū	ū										
27-28					ū		ū	ū	ū	ū										

型号 角度 端子编号	/4.7100.7					/4.7101.7					/4.7102.7					/4.7103.7				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	0°	45°	90°	135°	180°	90°	45°	0°	45°	90°
	ī	ō	ñ	ö	đ	ī	ō	ñ	ö	đ	ñ	ō	đ	ø	ò	ī	ō	ñ	ö	đ
1-2	ū					ū	ū		ū	ū					ū	ū	ū	ū	ū	
3-4	ū					ū	ū		ū	ū					ū	ū	ū	ū	ū	
5-6	ū					ū								ū				ū	ū	ū
7-8		ū				ū								ū					ū	ū
9-10		ū				ū							ū				ū	ū	ū	ū
11-12		ū					ū						ū				ū	ū	ū	ū
13-14				ū			ū					ū				ū	ū			
15-16				ū			ū					ū				ū	ū			
17-18				ū					ū			ū	ū			ū				ū
19-20					ū				ū			ū	ū					ū		
21-22					ū				ū			ū								ū
23-24					ū					ū		ū								ū
25-26	ū	ū		ū	ū					ū		ū				ū				
27-28	ū	ū		ū	ū					ū		ū				ū				

型号 角度 端子编号	/4.7104.7					/4.7107.7					/4.7110.7					/4.7127.7				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	ī	ǒ	ñ	ǒ	ǒ	ī	ǒ	ñ	ǒ	ǒ	ī	ǒ	ñ	ǒ	ǒ	ī	ǒ	ñ	ǒ	ǒ
1-2			ǒ		ǒ	ǒ								ǒ		ǒ				
3-4		ǒ	ǒ		ǒ		ǒ					ǒ					ǒ			
5-6	ǒ							ǒ					ǒ						ǒ	
7-8				ǒ					ǒ		ǒ				ǒ					ǒ
9-10	ǒ	ǒ		ǒ						ǒ			ǒ	ǒ						ǒ
11-12		ǒ	ǒ	ǒ				ǒ												ǒ
13-14	ǒ					ǒ							ǒ	ǒ						ǒ
15-16	ǒ	ǒ		ǒ			ǒ													ǒ
17-18			ǒ		ǒ			ǒ					ǒ	ǒ						ǒ
19-20			ǒ	ǒ	ǒ				ǒ							ǒ	ǒ		ǒ	
21-22	ǒ	ǒ								ǒ				ǒ						ǒ
23-24					ǒ					ǒ		ǒ								ǒ
25-26	ǒ									ǒ			ǒ							ǒ
27-28					ǒ					ǒ	ǒ				ǒ					

型号 角度 端子编号	/4.7126.7																	
	0°	45°	90°	135°	180°	225°												
	ñ	ǒ	ǒ	ǒ	ǒ	÷												
1-2	ǒ			ǒ														
3-4		ǒ			ǒ													
5-6			ǒ			ǒ												
7-8	ǒ	ǒ	ǒ															
9-10	ǒ	ǒ	ǒ															
11-12	ǒ			ǒ														
13-14		ǒ			ǒ													
15-16			ǒ			ǒ												
17-18				ǒ	ǒ	ǒ												
19-20				ǒ	ǒ	ǒ												
21-22	ǒ			ǒ														
23-24		ǒ			ǒ													
25-26			ǒ			ǒ												
27-28																		

型号 角度 端子编号	/3.6675.7							/3.6676.7							/4.7156.7						
	90°	60°	30°	0°	30°	60°	90°	90°	60°	30°	0°	30°	60°	90°	0°	45°	90°	135°	180°	225°	270°
	ī	ǒ	ǒ	ñ	ǒ	ǒ	ǒ	ī	ǒ	ǒ	ñ	ǒ	ǒ	ǒ	ñ	ǒ	ǒ	ǒ	ǒ	÷	ī
1-2				ǒ							ǒ								ǒ		ǒ
3-4					ǒ			ǒ		ǒ									ǒ		ǒ
5-6							ǒ					ǒ		ǒ				ǒ		ǒ	ǒ
7-8	ǒ		ǒ					ǒ		ǒ								ǒ		ǒ	ǒ
9-10							ǒ					ǒ		ǒ			ǒ			ǒ	ǒ
11-12			ǒ					ǒ		ǒ							ǒ			ǒ	ǒ
13-14					ǒ								ǒ	ǒ		ǒ	ǒ	ǒ		ǒ	
15-16						ǒ						ǒ	ǒ	ǒ		ǒ	ǒ	ǒ		ǒ	
17-18	ǒ											ǒ	ǒ	ǒ		ǒ	ǒ	ǒ			
19-20						ǒ				ǒ		ǒ				ǒ	ǒ				
21-22			ǒ					ǒ						ǒ		ǒ			ǒ		
23-24					ǒ					ǒ		ǒ				ǒ			ǒ		
25-26							ǒ	ǒ						ǒ		ǒ		ǒ	ǒ		
27-28	ǒ															ǒ		ǒ	ǒ		

型号 角度 端子编号	/4.7157.7							/4.7158.7							/4.7160.7						
	135° ÷	90° ÿ	45° ø	0° ñ	45° ø	90° ø	135° ø	135° ÷	90° ÿ	45° ø	0° ñ	45° ø	90° ø	135° ø	135° ÷	90° ÿ	45° ø	0° ñ	45° ø	90° ø	135° ø
1-2					0	0	0							0	0						
3-4					0	0	0	0		0					0						
5-6	0	0	0									0				0					
7-8	0	0	0					0		0						0					
9-10			0		0							0		0			0				
11-12			0		0			0		0							0				
13-14	0						0					0						0			
15-16	0						0							0				0			
17-18					0	0	0			0								0			
19-20					0	0	0	0										0			
21-22	0	0	0					0		0										0	
23-24	0	0	0					0												0	
25-26				0						0											0
27-28		0				0		0						0							0

型号 角度 端子编号	/4.7161.7							/4.7470.7													
	0° ñ	45° ø	90° ø	135° ø	180° ø	225° ÷	270° ÿ	135° ÷	90° ÿ	45° ø	0° ñ	45° ø	90° ø	135° ø							
1-2	0											0									
3-4		0	0	0	0	0	0	0													
5-6		0	0	0	0	0	0							0							
7-8			0	0	0	0	0		0												
9-10			0	0	0	0	0				0										
11-12				0	0	0	0			0											
13-14				0	0	0	0			0											
15-16					0	0	0				0										
17-18					0	0	0		0												
19-20						0	0							0							
21-22						0	0	0					0								
23-24							0					0									
25-26							0						0								
27-28													0								

型号 角度 编号	/4.7167.7								/4.7168.7								4.7169.7							
	135° ÷	90° ÿ	45° ø	0° ñ	45° ø	90° ø	135° ø	180° ø	45° ø	0° ñ	45° ø	90° ø	135° ø	180° ø	225° ÷	270° ÿ	135° ÷	90° ÿ	45° ø	0° ñ	45° ø	90° ø	135° ø	180° ø
1-2		0		0		0		0			0						0							
3-4		0		0		0		0			0						0							
5-6		0		0		0		0				0						0						
7-8		0		0				0					0						0					
9-10				0				0							0					0				
11-12		0						0								0					0			
13-14		0		0		0		0			0							0	0	0	0			
15-16				0							0											0		
17-18		0						0				0									0			
19-20						0								0								0		
21-22		0													0							0		
23-24								0								0							0	
25-26								0	0														0	
27-28								0																0

型号 角度 端子编号	/3.6481.7									/3.7176.7								
	30°	0°	30°	60°	90°	120°	150°	180°	210°	120°	90°	60°	30°	0°	30°	60°	90°	120°
	ø	ñ	ø	ø	ø	ø	ø	ø	÷	÷	ÿ	ø	ø	ñ	ø	ø	ø	ø
1-2	0												0					
3-4			0	0	0	0	0	0	0		0	0						
5-6			0	0	0	0	0	0	0	0								
7-8						0	0											0
9-10										0								
11-12					0	0	0	0		0								0
13-14						0					0	0				0		
15-16						0	0						0		0			
17-18							0	0		0							0	0
19-20									0		0							
21-22			0	0	0	0	0	0					0					
23-24			0	0	0								0		0			
25-26							0					0						
27-28										0	0	0				0	0	0

型号 角度 编号	/3.1541.7												/3.5987.7											
	30°	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°	30°	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°
	ø	ñ	ø	ø	ø	ø	ø	ø	÷	÷	ÿ	ø	ø	ñ	ø	ø	ø	ø	ø	ø	÷	÷	ÿ	ø
1-2		0											0											
3-4	0													0	0	0	0	0	0	0	0	0	0	0
5-6	0													0	0	0	0	0	0	0	0	0	0	0
7-8			0	0	0	0	0	0	0	0	0	0			0	0	0	0	0	0	0	0	0	0
9-10				0	0	0	0	0	0	0	0	0				0	0	0	0	0	0	0	0	0
11-12					0	0	0	0	0	0	0	0					0	0	0	0	0	0	0	0
13-14						0	0	0	0	0	0	0						0	0	0	0	0	0	0
15-16							0	0	0	0	0	0							0	0	0	0	0	0
17-18								0	0	0	0	0								0	0	0	0	0
19-20									0	0	0	0									0	0	0	0
21-22										0	0	0										0	0	0
23-24											0	0											0	0
25-26												0												0
27-28																								

型号 角度 编号	/3.5988.7												/3.6495.7											
	30°	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°	30°	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°
	ø	ñ	ø	ø	ø	ø	ø	ø	÷	÷	ÿ	ø	ø	ñ	ø	ø	ø	ø	ø	ø	÷	÷	ÿ	ø
1-2	0													0	0	0	0	0	0	0	0	0	0	0
3-4	0												0											
5-6			0	0	0	0	0	0	0	0	0	0	0											
7-8			0	0	0	0	0	0	0	0	0	0			0	0	0	0	0	0	0	0	0	0
9-10				0	0	0	0	0	0	0	0	0				0	0	0	0	0	0	0	0	0
11-12					0	0	0	0	0	0	0	0					0	0	0	0	0	0	0	0
13-14						0	0	0	0	0	0	0						0	0	0	0	0	0	0
15-16							0	0	0	0	0	0							0	0	0	0	0	0
17-18								0	0	0	0	0								0	0	0	0	0
19-20									0	0	0	0									0	0	0	0
21-22										0	0	0										0	0	0
23-24											0	0											0	0
25-26												0												0
27-28																								

型号 角度 编 号													/3.6593.7											
	30°	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°	30°	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°
	ø	ñ	ø	ø	ø	ø	ø	ø	÷	÷	ÿ	ø	ø	ñ	ø	ø	ø	ø	ø	ø	÷	÷	ÿ	ø
1-2													ø											
3-4														ø										
5-6															ø									
7-8																ø								
9-10																	ø							
11-12																		ø						
13-14																			ø					
15-16																				ø				
17-18																					ø			
19-20																						ø		
21-22																							ø	
23-24																								ø
25-26													ø											
27-28														ø										

型号 角度 编 号	/3.6596.7												/3.6987.7											
	30°	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°	30°	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°
	ø	ñ	ø	ø	ø	ø	ø	ø	÷	÷	ÿ	ø	ø	ñ	ø	ø	ø	ø	ø	ø	÷	÷	ÿ	ø
1-2		ø	ø	ø	ø	ø	ø	ø	ø	ø	ø	ø			ø	ø	ø	ø	ø	ø	ø	ø	ø	ø
3-4	ø															ø	ø	ø	ø	ø	ø	ø	ø	ø
5-6	ø																ø	ø	ø	ø	ø	ø	ø	ø
7-8	ø																	ø	ø	ø	ø	ø	ø	ø
9-10			ø	ø	ø	ø	ø	ø	ø	ø	ø	ø						ø	ø	ø	ø	ø	ø	ø
11-12				ø	ø	ø	ø	ø	ø	ø	ø	ø							ø	ø	ø	ø	ø	ø
13-14					ø	ø	ø	ø	ø	ø	ø	ø									ø	ø	ø	ø
15-16						ø	ø	ø	ø	ø	ø	ø										ø	ø	ø
17-18							ø	ø	ø	ø	ø	ø											ø	ø
19-20								ø	ø	ø	ø	ø												ø
21-22									ø	ø	ø	ø	ø											
23-24										ø	ø	ø	ø	ø										
25-26											ø	ø	ø	ø	ø	ø	ø	ø	ø	ø	ø	ø	ø	ø
27-28												ø												

型号 角度 端子编号	9.0630.8		Z/4.7241.8		4.7311.8		4.7312.8		4.7313.8		4.7314.8		9.7535.8		9.7536.8		9.7538.8	
	45°	45°	0°	45°	0°	45°	0°	45°	0°	45°	0°	45°	90°	0°	45°	45°	90°	0°
	ǒ	ǒ	ñ	ǒ	ñ	ǒ	ñ	ǒ	ñ	ǒ	ñ	ǒ	ı	ñ	ǒ	ǒ	ı	ñ
1-2	ǒ		ǒ		ǒ			ǒ	ǒ			ǒ		ǒ	ǒ		ǒ	
3-4		ǒ		ǒ		ǒ		ǒ	ǒ			ǒ		ǒ	ǒ			ǒ
5-6	ǒ		ǒ		ǒ			ǒ	ǒ			ǒ		ǒ		ǒ	ǒ	
7-8		ǒ		ǒ		ǒ		ǒ	ǒ			ǒ		ǒ		ǒ	ǒ	
9-10	ǒ		ǒ		ǒ			ǒ	ǒ			ǒ		ǒ	ǒ		ǒ	
11-12		ǒ		ǒ		ǒ		ǒ	ǒ			ǒ		ǒ	ǒ			ǒ
13-14	ǒ		ǒ		ǒ			ǒ	ǒ			ǒ		ǒ		ǒ	ǒ	
15-16		ǒ		ǒ		ǒ		ǒ	ǒ			ǒ		ǒ		ǒ	ǒ	
17-18	ǒ		ǒ		ǒ			ǒ	ǒ			ǒ		ǒ	ǒ		ǒ	
19-20		ǒ		ǒ		ǒ		ǒ	ǒ			ǒ		ǒ		ǒ		ǒ
21-22	ǒ		ǒ		ǒ			ǒ	ǒ			ǒ		ǒ	ǒ		ǒ	
23-24		ǒ		ǒ		ǒ		ǒ		ǒ	ǒ	ǒ		ǒ		ǒ	ǒ	
25-26	ǒ		ǒ		ǒ			ǒ	ǒ			ǒ		ǒ	ǒ		ǒ	
27-28		ǒ		ǒ		ǒ		ǒ		ǒ	ǒ			ǒ		ǒ		ǒ
29-30	ǒ		ǒ		ǒ			ǒ	ǒ			ǒ		ǒ		ǒ	ǒ	
31-32		ǒ		ǒ		ǒ		ǒ		ǒ	ǒ			ǒ	ǒ			ǒ

型号 角度 端子编号	9.7539.8																	
	90°	0°																
	ı	ñ																
1-2		ǒ																
3-4	ǒ																	
5-6		ǒ																
7-8	ǒ																	
9-10		ǒ																
11-12	ǒ																	
13-14		ǒ																
15-16	ǒ																	
17-18		ǒ																
19-20	ǒ																	
21-22		ǒ																
23-24	ǒ																	
25-26		ǒ																
27-28	ǒ																	
29-30		ǒ																
31-32	ǒ																	

型号 角度 端子编号	Z/4.2251.8			4.2321.8			4.2322.8			4.2323.8			4.2324.8			4.2325.8		
	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ
1-2	ǒ			ǒ			ǒ				ǒ	ǒ	ǒ		ǒ			ǒ
3-4			ǒ	ǒ			ǒ				ǒ	ǒ		ǒ	ǒ			
5-6	ǒ			ǒ			ǒ				ǒ	ǒ	ǒ					ǒ
7-8			ǒ	ǒ			ǒ			ǒ	ǒ			ǒ	ǒ			
9-10	ǒ			ǒ			ǒ			ǒ	ǒ		ǒ					ǒ
11-12			ǒ	ǒ			ǒ			ǒ	ǒ			ǒ	ǒ			
13-14	ǒ			ǒ			ǒ					ǒ	ǒ					ǒ
15-16			ǒ	ǒ				ǒ	ǒ			ǒ			ǒ	ǒ		
17-19	ǒ				ǒ	ǒ		ǒ	ǒ			ǒ	ǒ					ǒ
19-20			ǒ		ǒ	ǒ		ǒ				ǒ			ǒ	ǒ		
21-22	ǒ				ǒ	ǒ			ǒ			ǒ	ǒ					ǒ
23-24			ǒ		ǒ				ǒ	ǒ					ǒ	ǒ		
25-26	ǒ					ǒ			ǒ	ǒ			ǒ					ǒ
27-28			ǒ			ǒ			ǒ	ǒ					ǒ	ǒ		
29-30	ǒ					ǒ			ǒ	ǒ			ǒ					ǒ
31-32			ǒ			ǒ			ǒ	ǒ					ǒ	ǒ		

型号 角度 端子编号	4.2326.8			4.2327.8			4.2328.8			4.2330.8			4.2331.8			4.2333.8		
	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
	0	1	0	0	1	0	0	1	0	0	1	0	0	1	0	0	1	0
1-2	0		0	0		0		0		0	0		0					0
3-4	0		0	0		0				0	0		0					0
5-6	0			0		0			0		0	0	0					0
7-8			0	0		0	0				0	0	0					0
9-10		0		0		0			0	0	0		0					0
11-12		0		0		0	0			0	0		0					0
13-14		0		0		0			0		0	0	0					0
15-16		0			0		0				0	0	0					0
17-19	0	0		0		0			0	0	0		0					0
19-20	0	0			0		0			0	0		0				0	0
21-22		0	0	0		0			0		0	0	0			0		
23-24		0	0		0		0				0	0	0			0		
25-26	0			0		0			0	0	0		0			0		
27-28	0			0		0	0			0	0		0			0		0
29-30			0	0		0			0		0	0			0			0
31-32			0	0		0	0				0	0			0		0	0

型号 角度 端子编号	4.2336.8			4.2337.8			4.2338.8			4.2339.8			4.2340.8			4.2341.8		
	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
	0	1	0	0	1	0	0	1	0	0	1	0	0	1	0	0	1	0
1-2			0	0					0			0	0			0		
3-4	0			0					0	0			0		0	0		0
5-6			0			0			0			0	0		0	0		0
7-8			0			0			0	0			0			0		0
9-10	0			0					0			0	0		0	0		0
11-12			0	0					0			0	0		0	0		0
13-14			0			0			0			0	0		0	0		0
15-16	0					0			0			0		0			0	
17-19			0	0					0			0		0			0	
19-20	0			0					0			0		0			0	
21-22			0			0			0			0		0			0	
23-24	0					0			0			0		0			0	
25-26	0			0					0			0		0			0	
27-28	0			0			0					0		0			0	0
29-30	0					0	0					0			0			0
31-32	0					0								0	0			0

型号 角度 端子编号	4.2342.8			9.2545.8			9.2546.8			9.2547.8			9.2548.8			9.2549.8		
	45°	0°	45°	90°	0°	90°	90°	0°	90°	90°	0°	90°	90°	0°	90°	90°	0°	90°
	0	1	0	1	1	0	1	1	0	1	1	0	1	1	0	1	1	0
1-2	0				0		0		0		0			0		0		
3-4	0		0	0		0	0		0		0		0		0	0		
5-6	0		0		0		0		0		0				0	0		
7-8	0			0		0	0		0		0		0	0		0		
9-10	0		0		0		0		0		0				0	0		
11-12	0		0	0		0	0		0		0			0		0		
13-14	0		0		0		0		0		0			0			0	0
15-16		0	0	0		0	0		0		0				0	0		0
17-19		0			0		0		0		0				0		0	0
19-20		0		0		0	0		0		0		0	0			0	0
21-22		0			0		0		0		0			0			0	0
23-24		0		0		0	0		0		0			0			0	0
25-26		0			0		0		0		0		0		0			0
27-28		0		0		0	0		0		0		0	0				0
29-30			0		0		0		0		0		0	0			0	
31-32			0	0		0		0		0		0		0			0	

型号 角度 端子编号	9.2552.8			9.2553.8			9.4103.8			4.6896.8			4.7014.8			4.7316.8		
	90° ī	0° ñ	90° ö	90° ī	0° ñ	90° ö	90° ī	0° ñ	90° ö	90° ī	0° ñ	90° ö	45° ö	0° ñ	45° ö	45° ö	0° ñ	45° ö
1-2	ü			ü				ü			ü		ü			ü		
3-4			ü	ü			ü			ü			ü				ü	
5-6	ü			ü					ü			ü	ü			ü		
7-8			ü	ü				ü			ü		ü				ü	
9-10	ü			ü			ü			ü			ü			ü		
11-12			ü		ü	ü			ü			ü	ü				ü	
13-14	ü				ü	ü		ü			ü		ü			ü		
15-16			ü		ü	ü	ü			ü			ü				ü	
17-19	ü				ü	ü			ü			ü			ü			ü
19-20			ü		ü	ü		ü			ü				ü			ü
21-22	ü				ü	ü	ü			ü					ü			ü
23-24			ü			ü			ü			ü			ü			ü
25-26	ü				ü			ü		ü	ü				ü			ü
27-28			ü		ü		ü			ü					ü	ü	ü	
29-30	ü				ü				ü			ü			ü	ü	ü	
31-32			ü		ü										ü			

型号 角度 端子编号	4.7321.8			4.7322.8			4.7323.8			4.7324.8			4.7325.8			4.7327.8		
	45° ö	0° ñ	45° ö	45° ö	0° ñ	45° ö	45° ö	0° ñ	45° ö	45° ö	0° ñ	45° ö	45° ö	0° ñ	45° ö	45° ö	0° ñ	45° ö
1-2	ü				ü		ü			ü				ü				ü
3-4	ü				ü				ü	ü				ü	ü			ü
5-6	ü				ü		ü			ü				ü	ü			ü
7-8	ü			ü		ü			ü	ü			ü	ü				ü
9-10	ü	ü		ü		ü	ü			ü			ü	ü				ü
11-12	ü	ü				ü			ü	ü			ü	ü				ü
13-14	ü	ü				ü		ü			ü				ü			ü
15-16		ü	ü			ü			ü		ü				ü	ü		
17-19		ü	ü			ü		ü			ü				ü	ü		
19-20		ü				ü	ü				ü				ü	ü		
21-22			ü	ü				ü			ü				ü	ü		
23-24			ü	ü					ü		ü		ü			ü		
25-26			ü	ü				ü				ü	ü			ü		
27-28			ü	ü			ü					ü	ü			ü		
29-30			ü	ü	ü			ü				ü	ü					ü
31-32			ü	ü			ü					ü	ü				ü	

型号 角度 端子编号	4.7328.8			4.7329.8			4.7330.8			4.7331.8			4.7332.8			/4.7534.8		
	45° ö	0° ñ	45° ö	90° ī	45° ö	0° ñ	45° ö	0° ñ	45° ö	90° ī	45° ö	0° ñ	45° ö	0° ñ	45° ö	45° ö	0° ñ	45° ö
1-2	ü				ü	ü	ü				ü		ü			ü	ü	
3-4	ü			ü			ü					ü	ü			ü	ü	
5-6	ü				ü	ü			ü		ü		ü					ü
7-8	ü			ü					ü			ü	ü					ü
9-10	ü				ü	ü	ü				ü		ü			ü		
11-12		ü		ü			ü					ü	ü					ü
13-14		ü			ü	ü			ü		ü			ü		ü	ü	
15-16		ü		ü		ü		ü			ü		ü	ü		ü	ü	
17-19		ü			ü	ü	ü				ü		ü					ü
19-20		ü		ü			ü					ü		ü				ü
21-22			ü	ü	ü				ü		ü		ü			ü		
23-24			ü	ü		ü			ü			ü		ü		ü	ü	
25-26			ü	ü	ü		ü				ü		ü			ü	ü	
27-28			ü			ü	ü					ü			ü			ü
29-30			ü	ü	ü				ü		ü				ü			ü
31-32						ü			ü			ü			ü	ü		

型号 角度 端子编号	9.7537.8																	
	90° Ÿ	0° ñ	90° ð															
1-2		ú																
3-4		ú																
5-6	ú																	
7-8			ú															
9-10	ú																	
11-12			ú															
13-14	ú																	
15-16			ú															
17-19	ú																	
19-20			ú															
21-22	ú																	
23-24			ú															
25-26	ú																	
27-28			ú															
29-30	ú																	
31-32			ú															

型号 角度 端子编号				Z/4.9837.8									4.6306.8			
				45° ↗	0° ↔	45° ↖							45° ↗	0° ↔	45° ↖	90° ↕
				↖	↔	↗							↖	↔	↗	↕
1-2						↖							↖			
3-4						↖							↖			
5-6						↖							↖			
7-8						↖									↖	
9-10				↖	↖										↖	
11-12				↖	↖										↖	
13-14					↖	↖										↖
15-16					↖	↖										↖
17-18							↖									↖
19-20							↖						↖		↖	↖
21-22						↖	↖						↖		↖	↖
23-24						↖	↖						↖		↖	↖
25-26				↖									↖			
27-28				↖											↖	
29-30				↖												↖
31-32				↖												

型号 角度 端子编号	9.2544.8				9.2550.8				9.2551.8				4.6303.8				4.7326.8			
	0° ñ	90° ð	180° ð	270° Ÿ	90° Ÿ	0° ñ	90° ð	180° ð	90° Ÿ	0° ñ	90° ð	180° ð	45° ð	0° ñ	45° ð	90° ð	90° Ÿ	45° ð	0° ñ	45° ð
1-2	ú						ú			ú	ú		ú						ú	ú
3-4				ú				ú			ú		ú					ú		ú
5-6		ú			ú				ú		ú			ú				ú	ú	
7-8			ú				ú					ú		ú				ú		
9-10		ú	ú	ú			ú			ú					ú					ú
11-12	ú				ú						ú				ú				ú	
13-14			ú						ú							ú	ú			
15-16				ú			ú					ú				ú			ú	
17-18		ú			ú			ú		ú			ú				ú			
19-20		ú	ú	ú							ú		ú							ú
21-22	ú						ú		ú					ú			ú			
23-24		ú			ú			ú				ú		ú						ú
25-26			ú							ú					ú				ú	
27-28				ú			ú				ú				ú			ú		
29-30		ú	ú	ú	ú			ú	ú							ú	ú			
31-32												ú				ú				

型号 角度 端子编号	4.7411.8				4.7412.8				4.7413.8				4.7414.8				4.7419.8			
	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°
端子编号	0	1	2	3	0	1	2	3	0	1	2	3	0	1	2	3	0	1	2	3
1-2	0	0	0				0	0	0					0			0	0		
3-4	0	0	0		0	0			0						0				0	
5-6	0	0	0		0	0			0							0	0	0	0	
7-8	0	0	0				0	0		0				0	0		0		0	
9-10	0				0					0				0			0			
11-12	0					0	0	0		0						0		0		
13-14	0							0				0		0	0	0				0
15-16	0				0	0	0				0			0				0	0	
17-18		0				0	0				0				0					0
19-20		0			0			0			0					0				0
21-22		0				0					0			0	0					0
23-24		0			0		0	0				0		0	0	0				0
25-26			0		0							0			0		0	0	0	
27-28			0			0						0			0					0
29-30			0				0					0		0			0	0	0	
31-32			0					0				0		0						0

型号 角度 端子编号	4.7410.8					4.7415.8					4.7420.8					4.7421.8				
	90°	45°	0°	45°	90°	0°	45°	90°	135°	180°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
端子编号	1	0	1	0	0	1	0	0	0	0	1	0	1	0	0	1	0	1	0	0
1-2	0	0				0					0					0				
3-4				0	0		0					0					0			0
5-6	0	0		0	0				0				0				0			
7-8	0	0		0	0					0				0					0	
9-10	0					0									0	0				
11-12		0					0				0									0
13-14				0					0			0					0			
15-16					0					0			0						0	
17-18	0					0								0		0				
19-20		0					0								0					0
21-22				0					0		0						0			
23-24					0					0		0							0	
25-26	0					0	0						0			0				
27-28		0				0			0					0						0
29-30				0		0	0		0	0					0		0			
31-32					0															0

型号 角度 端子编号	4.7422.8					4.7423.8					4.7424.8					4.7425.8				
	90°	45°	0°	45°	90°	0°	45°	90°	135°	180°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
端子编号	1	0	1	0	0	1	0	0	0	0	1	0	1	0	0	1	0	1	0	0
1-2				0		0					0	0						0	0	
3-4	0	0					0				0	0				0	0			0
5-6		0						0			0							0		0
7-8	0								0		0					0	0		0	
9-10			0	0	0					0		0						0		
11-12		0				0						0				0	0		0	0
13-14	0						0					0						0		
15-16		0						0								0	0		0	0
17-18	0								0					0				0		
19-20	0	0								0				0		0	0		0	0
21-22			0	0	0	0								0		0	0		0	0
23-24	0	0		0			0								0	0	0		0	0
25-26	0	0		0	0			0							0	0	0		0	0
27-28				0					0						0		0			
29-30	0									0				0	0	0				
31-32		0												0	0			0	0	0

型号 角度 端子编号	4.7427.8					4.7428.8					4.7429.8					4.7430.8				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	Ÿ	ð	ñ	ö	ð	Ÿ	ð	ñ	ö	ð	Ÿ	ð	ñ	ö	ð	Ÿ	ð	ñ	ö	ð
1-2	Ÿ					Ÿ	Ÿ		Ÿ	Ÿ	Ÿ	Ÿ		Ÿ	Ÿ	Ÿ	Ÿ		Ÿ	
3-4		Ÿ				Ÿ	Ÿ		Ÿ	Ÿ	Ÿ	Ÿ		Ÿ	Ÿ	Ÿ	Ÿ		Ÿ	
5-6				Ÿ			Ÿ		Ÿ			Ÿ		Ÿ		Ÿ	Ÿ			
7-8					Ÿ		Ÿ		Ÿ			Ÿ		Ÿ					Ÿ	
9-10	Ÿ					Ÿ					Ÿ					Ÿ	Ÿ			
11-12		Ÿ								Ÿ					Ÿ	Ÿ	Ÿ			
13-14				Ÿ		Ÿ					Ÿ					Ÿ				
15-16					Ÿ					Ÿ					Ÿ				Ÿ	
17-18	Ÿ					Ÿ					Ÿ						Ÿ			
19-20		Ÿ					Ÿ		Ÿ				Ÿ	Ÿ					Ÿ	
21-22				Ÿ			Ÿ		Ÿ				Ÿ	Ÿ					Ÿ	
23-24					Ÿ	Ÿ					Ÿ						Ÿ			
25-26				Ÿ						Ÿ					Ÿ	Ÿ				
27-28				Ÿ		Ÿ					Ÿ						Ÿ		Ÿ	
29-30					Ÿ					Ÿ					Ÿ	Ÿ	Ÿ		Ÿ	
31-32					Ÿ	Ÿ				Ÿ	Ÿ				Ÿ	Ÿ	Ÿ		Ÿ	

型号 角度 端子编号	4.7431.8					4.7432.8					4.7433.8					4.7434.8				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	Ÿ	ð	ñ	ö	ð	Ÿ	ð	ñ	ö	ð	Ÿ	ð	ñ	ö	ð	Ÿ	ð	ñ	ö	ð
1-2	Ÿ						Ÿ				Ÿ					Ÿ				
3-4	Ÿ						Ÿ						Ÿ		Ÿ	Ÿ	Ÿ			
5-6	Ÿ						Ÿ					Ÿ					Ÿ			
7-8							Ÿ							Ÿ						
9-10		Ÿ						Ÿ							Ÿ					Ÿ
11-12		Ÿ						Ÿ			Ÿ									Ÿ
13-14		Ÿ						Ÿ					Ÿ		Ÿ					Ÿ
15-16								Ÿ				Ÿ								Ÿ
17-18				Ÿ					Ÿ					Ÿ	Ÿ					Ÿ
19-20				Ÿ					Ÿ		Ÿ	Ÿ		Ÿ	Ÿ					Ÿ
21-22				Ÿ					Ÿ				Ÿ	Ÿ	Ÿ				Ÿ	
23-24								Ÿ			Ÿ			Ÿ	Ÿ				Ÿ	
25-26					Ÿ					Ÿ		Ÿ		Ÿ	Ÿ				Ÿ	
27-28					Ÿ					Ÿ	Ÿ		Ÿ		Ÿ				Ÿ	
29-30					Ÿ					Ÿ		Ÿ		Ÿ	Ÿ				Ÿ	
31-32										Ÿ									Ÿ	

(4.7443.8)

型号 角度 端子编号	4.7435.8					4.7436.8					4.7444.8(4.7442.8)					4.7445.8				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	Ÿ	ð	ñ	ö	ð	Ÿ	ð	ñ	ö	ð	Ÿ	ð	ñ	ö	ð	Ÿ	ð	ñ	ö	ð
1-2					Ÿ				Ÿ		ŸŸ	Ÿ		Ÿ	Ÿ	Ÿ				
3-4				Ÿ			Ÿ				ŸŸ	Ÿ		Ÿ	Ÿ		Ÿ			
5-6		Ÿ							Ÿ		ŸŸ	Ÿ		Ÿ	Ÿ			Ÿ		
7-8	Ÿ						Ÿ				ŸŸ	Ÿ		Ÿ	Ÿ				Ÿ	
9-10					Ÿ				Ÿ		Ÿ			Ÿ						Ÿ
11-12				Ÿ			Ÿ				Ÿ			Ÿ		Ÿ				
13-14		Ÿ								Ÿ	Ÿ			Ÿ			Ÿ			
15-16		Ÿ						Ÿ				ŸŸ						Ÿ		
17-18	Ÿ					Ÿ						ŸŸ							Ÿ	
19-20	Ÿ							Ÿ				ŸŸ								Ÿ
21-22					Ÿ	Ÿ						Ÿ		Ÿ		Ÿ				
23-24	Ÿ	Ÿ		Ÿ	Ÿ					Ÿ			Ÿ	Ÿ			Ÿ			
25-26					Ÿ			Ÿ					Ÿ	Ÿ				Ÿ		
27-28		Ÿ			Ÿ	Ÿ							Ÿ	Ÿ	Ÿ				Ÿ	
29-30		Ÿ								Ÿ			Ÿ		Ÿ					Ÿ
31-32		Ÿ		Ÿ	Ÿ										Ÿ					

型号 角度 端子编号	4.7437.8						4.7446.8						4.7447.8					
	90°	45°	0°	45°	90°	135°	0°	45°	135°	180°	225°	315°	135°	90°	45°	0°	45°	90°
	ī	ō	ñ	ö	ð	ø	ñ	ō	ø	ò	÷	ö	÷	ī	ō	ñ	ö	ð
1-2	ū	ū		ū	ū	ū		ū		ò								ū
3-4	ū									ū		ū		ū	ū		ū	ū
5-6	ū							ū									ū	
7-8	ū									ū		ū				ū	ū	ū
9-10		ū						ū							ū			
11-12		ū								ū		ū		ū	ū			
13-14		ū						ū		ū					ū			
15-16				ū								ū		ū				
17-18				ū				ū		ū						ū	ū	ū
19-20				ū								ū		ū				
21-22					ū			ū		ū					ū			
23-24					ū							ū		ū	ū		ū	
25-26					ū					ū		ū		ū				
27-28						ū				ū		ū			ū			
29-30						ū						ū		ū	ū		ū	
31-32						ū						ū				ū		

型号 角度 端子编号	4.2474.8							4.2476.8							4.2477.8						
	135°	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	135°
	÷	ī	ō	ñ	ö	ð	ø	÷	ī	ō	ñ	ö	ð	ø	÷	ī	ō	ñ	ö	ð	ø
1-2					ū							ū	ū	ū							ū
3-4			ū									ū	ū	ū							ū
5-6	ū							ū	ū	ū											ū
7-8						ū		ū	ū	ū					ū	ū	ū				
9-10				ū								ū	ū	ū			ū		ū	ū	ū
11-12			ū									ū	ū	ū			ū		ū	ū	ū
13-14	ū							ū	ū	ū									ū	ū	ū
15-16						ū		ū	ū	ū								ū			
17-18					ū						ū							ū			
19-20		ū						ū	ū	ū		ū	ū	ū				ū	ū	ū	ū
21-22						ū		ū	ū				ū	ū						ū	ū
23-24		ū						ū						ū						ū	ū
25-26					ū	ū					ū				ū				ū		
27-28			ū								ū							ū			
29-30	ū	ū						ū	ū	ū		ū	ū	ū				ū			
31-32						ū				ū		ū									ū

型号 角度 端子编号	4.2478.8							4.2481.8							4.7476.8						
	135°	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	135°
	÷	ī	ō	ñ	ö	ð	ø	÷	ī	ō	ñ	ö	ð	ø	÷	ī	ō	ñ	ö	ð	ø
1-2			ū			ū	ū	ū						ū					ū	ū	ū
3-4	ū	ū			ū			ū						ū	ū	ū	ū				
5-6					ū			ū		ū				ū	ū						ū
7-8					ū	ū	ū	ū				ū					ū		ū		
9-10	ū	ū	ū					ū				ū							ū	ū	ū
11-12			ū							ū		ū			ū	ū	ū				
13-14					ū	ū				ū					ū						ū
15-16		ū	ū							ū							ū		ū		
17-18				ū							ū			ū				ū	ū	ū	ū
19-20	ū				ū			ū		ū					ū	ū	ū				
21-22			ū				ū					ū		ū	ū						ū
23-24					ū	ū	ū					ū		ū			ū		ū		
25-26					ū	ū		ū		ū								ū	ū	ū	ū
27-28		ū	ū									ū			ū	ū	ū				
29-30			ū				ū							ū	ū						ū
31-32	ū				ū									ū			ū		ū		

型号 角度 端子编号	4.7477.8							4.7478.8							4.7734.8						
	135° ÷	90° ı	45° đ	0° ñ	45° ò	90° đ	135° ø	135° ÷	90° ı	45° đ	0° ñ	45° ò	90° đ	135° ø	225° ø	180° ò	135° ÷	90° ı	45° đ	0° ñ	45° ò
1-2				0							0								0		
3-4				0					0								0				
5-6					0	0	0						0		0						
7-8					0	0	0		0		0		0								0
9-10	0	0	0						0		0		0						0		
11-12	0	0	0										0				0				
13-14	0						0		0						0						
15-16	0						0				0										0
17-18		0				0					0									0	
19-20		0				0							0			0					
21-22			0		0				0											0	
23-24			0		0				0		0		0			0					
25-26		0	0	0	0	0			0				0						0	0	
27-28		0	0	0	0	0							0				0	0			
29-30				0									0		0	0					
31-32				0																	0

型号 角度 编号	4.2475.8								4.2486.8								4.2487.8							
	135° ÷	90° ı	45° đ	0° ñ	45° ò	90° đ	135° ø	180° ò	135° ÷	90° ı	45° đ	0° ñ	45° ò	90° đ	135° ø	180° ò	135° ÷	90° ı	45° đ	0° ñ	45° ò	90° đ	135° ø	180° ò
1-2			0																					0
3-4				0							0								0		0			
5-6						0		0									0				0			
7-8	0											0								0				
9-10		0								0								0						
11-12			0										0							0				
13-14						0					0								0					
15-16	0													0								0		
17-18		0													0	0	0	0			0	0	0	
19-20					0						0							0			0		0	
21-22		0						0									0	0	0		0	0	0	
23-24						0						0						0			0		0	0
25-26		0	0							0							0	0	0		0	0	0	
27-28				0									0					0			0		0	
29-30						0	0				0						0	0	0		0	0	0	
31-32	0													0				0			0			

型号 角度 编号	4.7486.8								4.7487.8															
	0° ñ	45° ò	90° đ	135° ø	180° ò	225° ÷	270° ı	315° đ	90° đ	45° ò	0° ñ	45° ò	90° ı	135° ÷	180° ò	225° ÷								
1-2	0								0															
3-4		0							0															
5-6			0							0														
7-8				0						0														
9-10					0						0													
11-12						0					0													
13-14							0					0												
15-16								0				0												
17-18	0												0											
19-20		0											0											
21-22			0											0										
23-24				0										0										
25-26					0										0									
27-28						0									0									
29-30							0									0								
31-32								0								0								

3.6992.8

型号 角度 端子编号	3.6302.8										3.6875.8									
	30°	0°	30°	60°	90°	120°	150°	180°	210°	240°	30°	0°	30°	60°	90°	120°	150°	180°	210°	240°
	0	1	0	0	0	0	0	0	+	+	0	1	0	0	0	0	0	0	+	+
1-2	0												0	0	0	0	0	0	0	0
3-4	0												0	0	0	0	0	0	0	0
5-6	0										0	0								
7-8	0											0	0	0	0	0	0	0	0	0
9-10	0										0			0	0	0	0	0	0	0
11-12	0												0	0	0	0	0	0	0	0
13-14	0												0	0	0	0	0	0	0	0
15-16	0														0	0	0	0	0	0
17-18			0	0	0	0	0	0	0	0						0	0	0	0	0
19-20				0	0	0	0	0	0	0							0	0	0	0
21-22					0	0	0	0	0	0								0	0	0
23-24						0	0	0	0	0									0	0
25-26							0	0	0	0										0
27-28								0	0	0	0									
29-30									0	0	0									
31-32										0										

型号 角度 端子编号	3.7516.8										
	150°	120°	90°	60°	30°	0°	30°	60°	90°	120°	150°
	÷	÷	ÿ	ø	ø	ñ	ø	ø	ø	ø	ø
1-2						0					
3-4						0					
5-6	0	0	0	0	0		0	0	0	0	0
7-8	0	0	0	0	0		0	0	0	0	0
9-10	0	0	0	0	0						
11-12	0	0	0	0	0						
13-14							0	0	0	0	0
15-16							0	0	0	0	0
17-18	0	0	0	0				0	0	0	0
19-20	0	0	0	0				0	0	0	0
21-22	0	0	0						0	0	0
23-24	0	0	0						0	0	0
25-26	0	0								0	0
27-28	0	0								0	0
29-30	0										0
31-32	0										0

型号 角度 编号	3.7517.8												3.7526.8											
	30°	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°	330°
	ø	ñ	ø	ø	ø	ø	ø	ø	÷	÷	ÿ	ø	ñ	ø	ø	ø	ø	ø	ø	÷	÷	ÿ	ø	ø
1-2			ø	ø	ø	ø	ø	ø	ø	ø	ø	ø		ø	ø									
3-4			ø	ø	ø	ø	ø	ø	ø	ø	ø	ø			ø									
5-6	ø	ø														ø								
7-8		ø	ø	ø	ø	ø	ø	ø	ø	ø	ø	ø					ø							
9-10	ø																	ø						
11-12			ø	ø	ø	ø	ø	ø	ø	ø	ø	ø							ø					
13-14				ø	ø	ø	ø	ø	ø	ø	ø	ø								ø				
15-16					ø	ø	ø	ø	ø	ø	ø	ø									ø			
17-18						ø	ø	ø	ø	ø	ø	ø										ø		
19-20							ø	ø	ø	ø	ø	ø											ø	
21-22								ø	ø	ø	ø	ø												ø
23-24									ø	ø	ø	ø	ø	ø		ø		ø		ø		ø	ø	
25-26										ø	ø	ø	ø	ø		ø		ø		ø		ø	ø	
27-28											ø	ø		ø		ø		ø		ø		ø		ø
29-30												ø		ø		ø		ø		ø		ø		ø
31-32													ø											

型号 角度 编号	3.7527.8												3.7528.8											
	150°	120°	90°	60°	30°	0°	30°	60°	90°	120°	150°	180°	270°	240°	210°	180°	150°	120°	90°	60°	30°	0°	30°	60°
	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷
1-2																								
3-4																								
5-6																								
7-8																								
9-10																								
11-12																								
13-14																								
15-16																								
17-18																								
19-20																								
21-22																								
23-24																								
25-26																								
27-28																								
29-30																								
31-32																								

型号 角度 编号	3.7529.8												3.7530.8											
	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°	330°	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°	330°
	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷
1-2																								
3-4																								
5-6																								
7-8																								
9-10																								
11-12																								
13-14																								
15-16																								
17-18																								
19-20																								
21-22																								
23-24																								
25-26																								
27-28																								
29-30																								
31-32																								

型号 角度 编号	3.7531.8																							
	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°	330°												
	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷												
1-2																								
3-4																								
5-6																								
7-8																								
9-10																								
11-12																								
13-14																								
15-16																								
17-18																								
19-20																								
21-22																								
23-24																								
25-26																								
27-28																								
29-30																								
31-32																								

型号 角度 端子编号	4.7228.9		4.7230.9		Z/4.7242.9		9.7745.9		9.7746.9							
	0°	45°	0°	45°	0°	45°	90°	0°	90°	0°						
	ñ	ð	ñ	ð	ñ	ð	ı	ñ	ı	ñ						
1-2		ú		ú	ú			ú		ú						
3-4	ú		ú		ú			ú		ú						
5-6		ú		ú	ú			ú		ú						
7-8	ú		ú		ú			ú		ú						
9-10		ú		ú	ú			ú		ú						
11-12	ú		ú		ú			ú		ú						
13-14		ú		ú	ú			ú		ú						
15-16	ú		ú		ú			ú		ú						
17-18		ú		ú	ú			ú		ú						
19-20	ú		ú		ú			ú		ú						
21-22		ú		ú	ú		ú			ú						
23-24	ú		ú		ú		ú			ú						
25-26		ú		ú	ú		ú			ú						
27-28	ú		ú		ú		ú			ú						
29-30	ú			ú	ú		ú			ú						
31-32	ú		ú		ú		ú			ú						
33-34	ú		ú			ú	ú			ú						
35-36	ú		ú			ú	ú			ú						

型号 角度 端子编号	9.2543.9			9.2547.9			4.7014.9			4.7620.9			4.7621.9			4.7623.9		
	90°	0°	90°	90°	0°	90°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
	ı	ñ	ð	ı	ñ	ð	ð	ñ	ð	ð	ñ	ð	ð	ñ	ð	ð	ñ	ð
1-2		ú		ú			ú			ú			ú			ú		
3-4		ú		ú			ú			ú	ú			ú		ú	ú	
5-6		ú		ú			ú			ú			ú					ú
7-8		ú		ú			ú				ú				ú		ú	
9-10		ú		ú			ú			ú			ú			ú		
11-12		ú		ú			ú				ú				ú			ú
13-14			ú		ú		ú			ú			ú			ú		
15-16			ú		ú		ú				ú				ú		ú	
17-19			ú		ú				ú			ú	ú					ú
19-20			ú		ú				ú	ú					ú		ú	
21-22			ú		ú				ú		ú		ú			ú		
23-24			ú		ú				ú			ú			ú			ú
25-26	ú					ú			ú	ú			ú			ú		
27-28	ú					ú			ú		ú				ú		ú	
29-30	ú					ú			ú			ú	ú					ú
31-32	ú					ú			ú	ú					ú		ú	
33-34	ú					ú			ú		ú		ú			ú		
35-36	ú					ú	ú					ú			ú			ú

型号 角度 端子编号	4.7624.9			4.7625.9			4.7626.9			4.7627.9			4.7628.9			9.7780.9		
	45°	0°	45°	0°	45°	90°	45°	0°	45°	45°	0°	45°	45°	0°	45°	90°	0°	90°
	ð	ñ	ð	ñ	ð	ð	ð	ñ	ð	ð	ñ	ð	ð	ñ	ð	ı	ñ	ð
1-2		ú	ú	ú			ú			ú					ú	ú		ú
3-4		ú	ú	ú	ú		ú			ú			ú			ú		
5-6		ú	ú	ú			ú			ú					ú	ú		
7-8		ú			ú		ú			ú			ú					ú
9-10		ú			ú		ú			ú					ú	ú		
11-12		ú			ú		ú			ú			ú					ú
13-14			ú			ú	ú			ú					ú	ú		
15-16			ú			ú	ú			ú			ú					ú
17-19			ú			ú	ú			ú					ú	ú		
19-20			ú	ú			ú			ú			ú					ú
21-22			ú	ú			ú					ú			ú	ú		
23-24		ú		ú			ú					ú	ú					ú
25-26		ú			ú		ú					ú			ú	ú		
27-28	ú				ú				ú			ú	ú					ú
29-30	ú				ú				ú			ú			ú	ú		
31-32	ú					ú			ú			ú	ú					ú
33-34	ú					ú			ú			ú			ú	ú		
35-36			ú			ú			ú			ú	ú					ú

型号 角度 端子编号	4.7800.9			4.7801.9			4.7802.9			4.7803.9			4.7915.9					
	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°			
	ø	ñ	ø	ø	ñ	ø	ø	ñ	ø	ø	ñ	ø	ø	ñ	ø			
1-2	ø			ø			ø			ø			ø					
3-4	ø		ø		ø		ø		ø	ø			ø		ø			
5-6	ø		ø			ø	ø		ø			ø	ø					
7-8	ø			ø			ø		ø			ø			ø			
9-10	ø		ø		ø		ø		ø			ø	ø					
11-12	ø		ø			ø	ø		ø	ø		ø			ø			
13-14	ø		ø	ø			ø		ø	ø		ø		ø				
15-16		ø	ø		ø			ø		ø				ø				
17-19		ø				ø		ø		ø				ø				
19-20		ø		ø				ø		ø				ø				
21-22		ø			ø			ø		ø				ø				
23-24		ø				ø		ø		ø				ø				
25-26		ø		ø				ø		ø				ø				
27-28		ø			ø			ø	ø	ø				ø				
29-30			ø			ø			ø	ø				ø				
31-32			ø	ø			ø		ø	ø				ø				
33-34	ø		ø		ø		ø			ø				ø	ø			
35-36		ø				ø			ø					ø				

型号 角度 端子编号	4.1378.9				9.6920.9				9.7541.9				4.7542.9				4.7629.9			
	45°	0°	45°	90°	0°	90°	180°	270°	90°	0°	90°	180°	90°	45°	0°	45°	45°	0°	45°	90°
	ø	ñ	ø	ø	ñ	ø	ø	ÿ	ÿ	ñ	ø	ø	ÿ	ø	ñ	ø	ø	ñ	ø	ø
1-2	ø					ø				ø	ø	ø			ø		ø			
3-4	ø						ø		ø		ø	ø			ø		ø			
5-6	ø							ø		ø	ø	ø			ø		ø			
7-8			ø			ø			ø							ø	ø			
9-10			ø				ø			ø	ø	ø				ø	ø			
11-12			ø					ø	ø							ø		ø		
13-14				ø		ø			ø		ø	ø			ø			ø		
15-16				ø			ø			ø					ø			ø		
17-18				ø				ø	ø		ø	ø				ø		ø		
19-20	ø		ø	ø		ø				ø		ø	ø			ø		ø		
21-22	ø		ø	ø			ø		ø		ø	ø				ø			ø	
23-24	ø							ø		ø						ø				ø
25-26	ø					ø			ø	ø		ø	ø						ø	
27-28			ø				ø				ø			ø					ø	
29-30			ø					ø	ø	ø		ø	ø						ø	
31-32				ø		ø					ø			ø			ø	ø	ø	
33-34				ø			ø		ø	ø		ø			ø		ø	ø	ø	
35-36								ø			ø									

型号 角度 端子编号	4.7680.9				4.7681.9				4.7683.9				4.7684.9				4.7685.9			
	90°	45°	0°	45°	45°	0°	45°	90°	0°	45°	90°	135°	45°	0°	45°	90°	45°	0°	45°	90°
	ÿ	ø	ñ	ø	ø	ñ	ø	ø	ñ	ø	ø	ø	ø	ñ	ø	ø	ø	ñ	ø	ø
1-2	ø		ø	ø	ø						ø		ø				ø			
3-4	ø		ø	ø			ø					ø	ø				ø			
5-6			ø					ø		ø			ø				ø			
7-8			ø	ø	ø						ø		ø				ø			
9-10			ø				ø					ø	ø				ø			
11-12	ø			ø				ø		ø					ø		ø			
13-14	ø			ø	ø							ø			ø			ø		
15-16	ø			ø			ø					ø			ø			ø		
17-18				ø				ø		ø					ø			ø		
19-20	ø			ø	ø					ø					ø			ø		
21-22				ø			ø					ø				ø		ø		
23-24								ø				ø				ø		ø		
25-26			ø		ø							ø				ø			ø	
27-28				ø			ø					ø				ø			ø	
29-30			ø					ø				ø				ø			ø	
31-32				ø	ø						ø					ø			ø	
33-34	ø		ø				ø				ø					ø			ø	
35-36	ø			ø				ø			ø					ø			ø	

型号 角度 端子编号	4.7686.9				4.7687.9				4.7688.9											
	45°	0°	45°	90°	45°	0°	45°	90°	90°	45°	0°	45°								
	đ	ñ	đ	đ	đ	ñ	đ	đ	ĩ	đ	ñ	đ								
1-2	đ				đ					đ										
3-4	đ						đ	đ		đ										
5-6	đ				đ						đ									
7-8	đ						đ	đ			đ									
9-10		đ			đ							đ								
11-12		đ					đ	đ				đ								
13-14		đ			đ					đ										
15-16		đ					đ			đ										
17-18		đ			đ						đ									
19-20		đ					đ				đ									
21-22			đ		đ							đ								
23-24			đ					đ				đ								
25-26			đ	đ				đ		đ										
27-28			đ	đ				đ		đ										
29-30				đ			đ	đ			đ									
31-32				đ			đ	đ			đ									
33-34				đ			đ	đ				đ								
35-36				đ			đ	đ				đ								

型号 角度 端子编号	4.7543.9					9.7544.9					4.7691.9					4.7692.9				
	0°	45°	90°	135°	180°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	ñ	đ	đ	đ	đ	ĩ	đ	ñ	đ	đ	ĩ	đ	ñ	đ	đ	ĩ	đ	ñ	đ	đ
1-2				đ	đ	đ						đ			đ		đ			
3-4	đ	đ				đ						đ	đ		đ	đ			đ	đ
5-6					đ	đ						đ								đ
7-8	đ			đ		đ							đ						đ	
9-10					đ		đ							đ						đ
11-12	đ	đ		đ			đ							đ					đ	
13-14	đ	đ					đ						đ	đ	đ					đ
15-16				đ			đ					đ							đ	
17-18					đ				đ			đ	đ				đ			
19-20	đ	đ		đ					đ			đ					đ			
21-22				đ					đ			đ					đ			
23-24	đ	đ							đ				đ	đ	đ	đ	đ			
25-26				đ	đ					đ	đ						đ			
27-28		đ							đ			đ					đ			
29-30	đ			đ	đ					đ	đ						đ			
31-32	đ	đ								đ			đ				đ			
33-34		đ			đ	đ	đ			đ	đ			đ					đ	đ
35-36	đ	đ		đ	đ	đ	đ			đ	đ	đ	đ		đ				đ	đ

型号 角度 端子编号	49.7735.9																			
	135°	45°	0°	45°	135°															
	÷	đ	ñ	đ	đ															
1-2		đ																		
3-4	đ																			
5-6					đ															
7-8				đ																
9-10		đ																		
11-12	đ																			
13-14					đ															
15-16				đ																
17-18		đ																		
19-20	đ																			
21-22					đ															
23-24				đ																
25-26		đ																		
27-28	đ																			
29-30					đ															
31-32				đ																
33-34	đ			đ																
35-36		đ			đ															

型号 角度 端子编号	4.7711.9						4.7712.9						4.7713.9					
	0°	45°	135°	180°	225°	315°	90°	45°	0°	45°	90°	135°	90°	45°	0°	45°	90°	135°
	ñ	ð	ø	ð	÷	ð	ÿ	ð	ñ	ð	ð	ø	ÿ	ð	ñ	ð	ð	ø
1-2	0						0						0					
3-4		0						0				0		0				
5-6			0						0									
7-8				0						0						0		
9-10					0		0			0							0	
11-12						0	0			0								0
13-14	0										0		0					
15-16		0					0				0			0				
17-18			0				0				0							
19-20				0								0				0		
21-22					0		0					0					0	
23-24						0	0					0						0
25-26	0						0						0					
27-28		0						0	0	0	0	0	0		0			
29-30			0				0											
31-32				0			0									0		
33-34					0		0										0	
35-36						0	0											0

型号 角度 端子编号	4.7715.9						4.7737.9											
	90°	45°	0°	45°	90°	135°	90°	45°	0°	45°	90°	135°						
	ÿ	ð	ñ	ð	ð	ø	ÿ	ð	ñ	ð	ð	ø						
1-2	0							0										
3-4		0								0								
5-6			0					0										
7-8				0						0								
9-10					0			0										
11-12						0				0								
13-14	0								0									
15-16		0									0							
17-18			0						0									
19-20				0							0							
21-22					0				0									
23-24						0						0						
25-26	0											0						
27-28		0																
29-30			0									0						
31-32				0									0					
33-34					0							0						
35-36						0												

型号 角度 端子编号	4.7731.9							4.7732.9							4.7733.9						
	135°	90°	45°	0°	45°	90°	135°	0°	45°	90°	135°	180°	225°	270°	135°	90°	45°	0°	45°	90°	135°
	÷	ÿ	ð	ñ	ð	ð	ø	ñ	ð	ð	ø	ð	÷	ÿ	÷	ÿ	ð	ñ	ð	ð	ø
1-2	0								0							0	0	0	0		
3-4		0								0						0	0	0	0		
5-6			0								0						0	0	0	0	
7-8					0							0					0	0	0	0	
9-10						0							0					0	0	0	
11-12							0							0					0	0	
13-14	0								0							0	0	0	0	0	
15-16		0								0						0	0	0	0	0	
17-18			0								0					0	0	0	0	0	
19-20				0								0				0	0	0	0	0	
21-22					0								0				0	0	0	0	
23-24						0								0						0	
25-26	0								0											0	
27-28		0								0										0	
29-30			0								0					0				0	
31-32				0								0				0			0	0	
33-34					0								0					0	0	0	
35-36						0								0						0	

型号 角度 编号	4.7741.9								4.7742.9								4.7743.9							
	0°	45°	90°	135°	180°	225°	270°	315°	0°	45°	90°	135°	180°	225°	270°	315°	0°	45°	90°	135°	180°	225°	270°	315°
	ñ	ò	ó	ø	ù	÷	ı	ö	ñ	ò	ó	ø	ù	÷	ı	ö	ñ	ò	ó	ø	ù	÷	ı	ö
1-2		ò				ó		ó	ó									ò						
3-4				ó						ò												ó		
5-6		ò				ó		ó			ó								ó				ó	
7-8				ó								ó												ó
9-10		ò		ó				ó					ó							ó				
11-12						ó								ó			ó							
13-14		ò		ó				ó							ó			ó					ó	
15-16						ó										ó			ó			ó		
17-18		ò		ó		ó			ó								ó			ó				
19-20								ó		ó											ó			ó
21-22		ò		ó		ó					ó							ó	ó	ó	ó	ó		
23-24								ó				ó					ó					ó	ó	ó
25-26		ò				ó		ó					ó					ó	ó	ó	ó	ó		
27-28				ó										ó			ó					ó	ó	ó
29-30		ò		ó				ó							ó			ó	ó	ó	ó	ó		
31-32						ó										ó	ó					ó	ó	ó
33-34		ò		ó		ó			ó		ó		ó		ó			ó	ó	ó	ó	ó		
35-36										ó		ó		ó		ó	ó					ó	ó	ó

型号 角度 编号	4.7744.9								4.7749.9															
	0°	45°	90°	135°	180°	225°	270°	315°	135°	90°	45°	0°	45°	90°	135°	180°								
	ñ	ò	ó	ø	ù	÷	ı	ö	÷	ı	ö	ñ	ò	ó	ø	ù								
1-2	ó								ó				ó											
3-4		ò												ó										
5-6			ó							ó	ó													
7-8				ó					ó							ó								
9-10					ó									ó	ó									
11-12						ó						ó	ó											
13-14							ó				ó													
15-16								ó	ó															
17-18		ò	ó	ó	ó	ó	ó	ó								ó								
19-20	ó		ó	ó	ó	ó	ó	ó					ó											
21-22	ó	ó		ó	ó	ó	ó	ó			ó													
23-24	ó	ó	ó		ó	ó	ó	ó	ó															
25-26	ó	ó	ó	ó		ó	ó	ó								ó								
27-28	ó	ó	ó	ó	ó		ó	ó					ó											
29-30	ó	ó	ó	ó	ó	ó		ó			ó	ó												
31-32	ó	ó	ó	ó	ó	ó	ó		ó	ó														
33-34															ó	ó								
35-36	ó											ó	ó											

型号 角度 编号	3.7518.9												3.7781.9											
	30°	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°	330°
	ø	ñ	ö	ø	ð	ø	ø	ò	÷	÷	ı	ö	ñ	ö	ö	ö	ø	ø	ò	÷	÷	ı	ö	ö
1-2			ö	ö	ö	ö	ö	ö	ö	ö	ö	ö		ö		ö		ö						
3-4			ö	ö	ö	ö	ö	ö	ö	ö	ö	ö		ö		ö		ö		ö		ö		ö
5-6	ö	ö												ö		ö		ö						
7-8		ö	ö	ö	ö	ö	ö	ö	ö	ö	ö	ö								ö		ö		ö
9-10	ö																			ö		ö		ö
11-12			ö	ö	ö	ö	ö	ö	ö	ö	ö	ö		ö						ö				
13-14				ö	ö	ö	ö	ö	ö	ö	ö	ö		ö						ö				
15-16					ö	ö	ö	ö	ö	ö	ö	ö		ö						ö				
17-18						ö	ö	ö	ö	ö	ö	ö				ö						ö		
19-20							ö	ö	ö	ö	ö	ö				ö		ö				ö		ö
21-22								ö	ö	ö	ö	ö				ö						ö		
23-24									ö	ö	ö	ö				ö						ö		
25-26										ö	ö	ö						ö						ö
27-28											ö	ö						ö						ö
29-30												ö						ö						ö
31-32	ö																	ö						ö
33-34	ö																	ö						ö
35-36														ö		ö		ö		ö		ö		ö

型号 角度 端子编号	4.7891.10		4.7893.10		9.8610.10											
	0°	45°	0°	45°	45°	45°										
	ñ	ð	ñ	ð	ð	ð										
1-2	ð			ð	ð											
3-4		ð		ð		ð										
5-6	ð			ð	ð											
7-8		ð		ð		ð										
9-10	ð			ð	ð											
11-12		ð		ð		ð										
13-14	ð			ð	ð											
15-16		ð		ð		ð										
17-18	ð			ð	ð											
19-20		ð		ð		ð										
21-22	ð			ð	ð											
23-24		ð		ð		ð										
25-26	ð		ð		ð											
27-28		ð	ð			ð										
29-30	ð		ð		ð											
31-32		ð	ð			ð										
33-34	ð		ð		ð											
35-36		ð	ð			ð										
37-38	ð		ð		ð											
39-40		ð	ð			ð										

型号 角度 端子编号	4.7901.10			4.7902.10			4.7903.10			4.7904.10			4.7905.10			4.7906.10		
	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
	ð	ñ	ð	ð	ñ	ð	ð	ñ	ð	ð	ñ	ð	ð	ñ	ð	ð	ñ	ð
1-2			ð	ð			ð			ð	ð		ð	ð			ð	
3-4	ð					ð	ð				ð	ð			ð		ð	
5-6			ð	ð			ð			ð	ð		ð	ð			ð	
7-8	ð					ð	ð				ð	ð			ð		ð	
9-10			ð	ð				ð		ð		ð	ð	ð			ð	
11-12	ð					ð		ð		ð		ð	ð		ð		ð	
13-14			ð	ð			ð			ð			ð	ð			ð	
15-16	ð					ð		ð				ð	ð		ð		ð	
17-19			ð	ð			ð			ð			ð	ð			ð	
19-20	ð					ð			ð			ð	ð		ð		ð	
21-22			ð	ð			ð	ð		ð	ð		ð				ð	
23-24	ð					ð			ð		ð	ð	ð				ð	
25-26			ð	ð			ð	ð		ð				ð	ð		ð	
27-28	ð					ð			ð			ð		ð	ð		ð	
29-30			ð	ð			ð	ð		ð				ð	ð			ð
31-32	ð					ð			ð			ð		ð				ð
33-34			ð	ð			ð	ð		ð				ð				ð
35-36	ð					ð	ð					ð			ð			ð
37-38			ð	ð			ð			ð					ð			ð
39-40	ð					ð		ð				ð	ð	ð	ð			ð

型号 角度 端子编号	4.7907.10			4.7908.10			4.7909.10			4.7911.10			4.7912.10			4.7913.10		
	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ
1-2		ǒ		ǒ			ǒ			ǒ			ǒ		ǒ	ǒ		ǒ
3-4			ǒ			ǒ		ǒ		ǒ			ǒ		ǒ	ǒ		ǒ
5-6		ǒ		ǒ			ǒ			ǒ			ǒ		ǒ	ǒ		ǒ
7-8			ǒ			ǒ		ǒ		ǒ			ǒ		ǒ	ǒ		ǒ
9-10		ǒ		ǒ			ǒ			ǒ			ǒ		ǒ	ǒ		ǒ
11-12			ǒ			ǒ		ǒ		ǒ			ǒ		ǒ	ǒ		ǒ
13-14		ǒ		ǒ				ǒ			ǒ		ǒ			ǒ		
15-16			ǒ			ǒ		ǒ			ǒ				ǒ			ǒ
17-19		ǒ		ǒ			ǒ				ǒ		ǒ		ǒ	ǒ		ǒ
19-20			ǒ			ǒ	ǒ				ǒ		ǒ			ǒ		
21-22		ǒ		ǒ				ǒ			ǒ		ǒ			ǒ		
23-24			ǒ			ǒ	ǒ				ǒ		ǒ			ǒ		
25-26	ǒ			ǒ			ǒ					ǒ	ǒ			ǒ		
27-28		ǒ	ǒ			ǒ	ǒ					ǒ	ǒ			ǒ		
29-30	ǒ			ǒ				ǒ				ǒ	ǒ		ǒ	ǒ		ǒ
31-32			ǒ			ǒ		ǒ				ǒ			ǒ			ǒ
33-34		ǒ	ǒ	ǒ	ǒ		ǒ					ǒ	ǒ			ǒ		
35-36			ǒ	ǒ	ǒ			ǒ				ǒ			ǒ			ǒ
37-38		ǒ		ǒ	ǒ				ǒ	ǒ			ǒ			ǒ		
39-40			ǒ	ǒ	ǒ				ǒ			ǒ	ǒ		ǒ	ǒ		

型号 角度 端子编号	4.7914.10																	
	45°	0°	45°															
	ǒ	ñ	ǒ															
1-2	ǒ		ǒ															
3-4	ǒ		ǒ															
5-6	ǒ		ǒ															
7-8	ǒ		ǒ															
9-10	ǒ		ǒ															
11-12																		
13-14	ǒ		ǒ															
15-16																		
17-19	ǒ																	
19-20																		
21-22	ǒ																	
23-24																		
25-26	ǒ																	
27-28																		
29-30			ǒ															
31-32			ǒ															
33-34			ǒ															
35-36																		
37-38			ǒ															
39-40			ǒ															

型号 角度 端子编号	4.7961.10				4.7962.10				9.7963.10				Z/4.9835.10						
	0°	45°	90°	135°	0°	45°	90°	135°	90°	0°	90°	180°	45°	0°	45°				
	ñ	ö	ð	ø	ñ	ö	ð	ø	ı	ñ	ð	ò	ö	ñ	ö				
1-2		ü		ü		ü		ü	ü			ü			ü	ü			
3-4		ü	ü			ü	ü				ü				ü	ü			
5-6			ü				ü		ü			ü			ü	ü			
7-8			ü	ü			ü	ü			ü				ü	ü			
9-10				ü				ü	ü			ü	ü	ü					
11-12		ü					ü	ü			ü		ü	ü					
13-14		ü		ü		ü		ü	ü					ü	ü				
15-16			ü			ü					ü			ü	ü				
17-18			ü				ü					ü				ü			
19-20			ü	ü			ü		ü							ü			
21-22				ü				ü			ü				ü	ü			
23-24				ü		ü	ü					ü			ü	ü			
25-26				ü		ü			ü				ü						
27-28			ü					ü			ü		ü						
29-30		ü	ü	ü			ü					ü	ü	ü					
31-32		ü					ü		ü		ü	ü	ü	ü					
33-34			ü			ü			ü				ü	ü					
35-36		ü				ü			ü			ü	ü	ü					
37-38		ü						ü			ü				ü	ü			
39-40		ü						ü							ü	ü			

型号 角度 端子编号	4.7970.10					4.7971.10					4.7972.10					4.7973.10				
	90°	45°	0°	45°	90°	0°	45°	90°	135°	180°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	ı	ö	ñ	ö	ð	ñ	ö	ð	ø	ò	ı	ö	ñ	ö	ð	ı	ö	ñ	ö	ð
1-2	ü							ü							ü	ü	ü			
3-4	ü	ü					ü				ü					ü			ü	ü
5-6			ü					ü				ü				ü	ü			
7-8			ü				ü						ü			ü			ü	ü
9-10			ü					ü					ü			ü				
11-12			ü				ü					ü					ü			
13-14				ü				ü			ü								ü	
15-16				ü			ü								ü					ü
17-18				ü					ü						ü	ü				
19-20				ü						ü	ü						ü			
21-22				ü					ü			ü							ü	
23-24				ü						ü				ü						ü
25-26				ü					ü					ü		ü				
27-28					ü					ü		ü					ü			
29-30					ü				ü		ü								ü	
31-32					ü					ü					ü					ü
33-34					ü				ü						ü	ü				
35-36					ü					ü	ü						ü			
37-38					ü				ü			ü							ü	
39-40					ü					ü				ü						ü

型号 角度 端子编号	4.7974.10					4.8530.10														
	90°	45°	0°	45°	90°	1	2	0	4	5										
	Ÿ	ö	ñ	ö	ö															
1-2	ü									ü										
3-4	ü								ü											
5-6	ü						ü													
7-8	ü					ü	ü		ü	ü										
9-10	ü									ü										
11-12			ü						ü											
13-14			ü				ü													
15-16			ü				ü													
17-18			ü			ü														
19-20		ü				ü														
21-22		ü								ü										
23-24		ü								ü										
25-26		ü								ü										
27-28		ü				ü	ü													
29-30				ü			ü													
31-32				ü						ü										
33-34				ü		ü														
35-36				ü			ü													
37-38				ü					ü											
39-40										ü										

型号 角度 端子编号	4.8020.10															
	0°	45°	90°	135°	180°	225°										
	ñ	ö	ö	ø	ö	÷										
1-2		ü														
3-4		ü														
5-6		ü														
7-8		ü														
9-10			ü													
11-12			ü													
13-14			ü													
15-16			ü													
17-18				ü												
19-20				ü												
21-22				ü												
23-24				ü												
25-26					ü											
27-28					ü											
29-30					ü											
31-32					ü											
33-34						ü										
35-36						ü										
37-38						ü										
39-40						ü										

型号 角度 端子编号	4.7714.10							4.7731.10							4.8023.10						
	135°	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	135°
	÷	ÿ	ö	ñ	ö	ö	ø	÷	ÿ	ö	ñ	ö	ö	ø	÷	ÿ	ö	ñ	ö	ö	ø
1-2	ü	ü						ü							ü						ü
3-4	ü	ü							ü						ü						ü
5-6	ü	ü								ü					ü		ü				ü
7-8			ü									ü			ü				ü		
9-10			ü										ü		ü				ü		
11-12			ü											ü	ü		ü		ü		
13-14					ü			ü									ü				
15-16					ü				ü								ü				
17-18					ü					ü											ü
19-20						ü	ü					ü					ü				
21-22						ü	ü						ü				ü				
23-24						ü	ü							ü	ü		ü				
25-26	ü	ü	ü		ü	ü	ü	ü										ü			ü
27-28	ü	ü	ü		ü	ü	ü		ü									ü			ü
29-30	ü	ü	ü		ü	ü	ü			ü					ü		ü				
31-32	ü	ü										ü						ü			
33-34			ü										ü								ü
35-36					ü									ü							ü
37-38						ü	ü			ü								ü			
39-40	ü	ü	ü		ü	ü	ü				ü										

型号 角度 编号	4.8021.10								4.8022.10															
	0°	45°	90°	135°	180°	225°	270°	315°	0°	45°	90°	135°	180°	225°	270°	315°								
	ñ	ö	ö	ø	ö	÷	ÿ	ö	ñ	ö	ö	ø	ö	÷	ÿ	ö								
1-2		ü	ü	ü						ü	ü	ü												
3-4		ü	ü	ü	ü	ü	ü			ü	ü	ü	ü											
5-6		ü	ü	ü						ü	ü	ü												
7-8					ü	ü	ü					ü												
9-10					ü	ü	ü					ü												
11-12		ü			ü					ü			ü											
13-14		ü			ü					ü			ü											
15-16		ü			ü					ü			ü											
17-18			ü			ü					ü			ü										
19-20			ü			ü					ü			ü										
21-22			ü			ü					ü			ü										
23-24			ü			ü					ü			ü										
25-26				ü			ü					ü				ü								
27-28				ü			ü					ü				ü								
29-30				ü			ü					ü				ü								
31-32				ü			ü					ü				ü								
33-34				ü			ü					ü				ü								
35-36		ü	ü	ü						ü	ü	ü				ü								
37-38						ü	ü	ü					ü	ü	ü									
39-40		ü	ü	ü	ü	ü	ü			ü	ü	ü	ü	ü	ü									

型号 角度 端子编号	3.8042.10										3.8043.10									
	120°	90°	60°	30°	0°	30°	60°	90°	120°	150°	120°	90°	60°	30°	0°	30°	60°	90°	120°	150°
÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷
1-2					0						0	0	0	0		0	0	0	0	0
3-4										0										0
5-6						0									0					
7-8	0										0									
9-10							0										0			
11-12		0										0								
13-14								0										0		
15-16			0										0							
17-18									0										0	
19-20				0										0						
21-22					0					0					0					
23-24																				0
25-26						0										0				
27-28	0										0									
29-30							0										0			
31-32		0										0								
33-34								0										0		
35-36			0										0							
37-38									0										0	
39-40				0										0						

型号 角度 端子编号	3.6301.10											
	30°	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°
÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷	÷
1-2	0											
3-4	0											
5-6	0											
7-8	0											
9-10	0											
11-12	0											
13-14	0											
15-16	0											
17-18	0											
19-20	0											
21-22			0	0	0	0	0	0	0	0	0	0
23-24				0	0	0	0	0	0	0	0	0
25-26					0	0	0	0	0	0	0	0
27-28						0	0	0	0	0	0	0
29-30							0	0	0	0	0	0
31-32								0	0	0	0	0
33-34									0	0	0	0
35-36										0	0	0
37-38											0	0
39-40												0

型号 角度 端子编号	3.8062.10											
	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°	330°
	ñ	ö	ö	ö	ø	ø	ò	÷	÷	ÿ	ö	ö
1-2											ú	
3-4												ú
5-6									ú			
7-8										ú		
9-10							ú					
11-12								ú				
13-14					ú							
15-16						ú						
17-18			ú									
19-20				ú								
21-22			ú									
23-24				ú								
25-26	ú											
27-28		ú										
29-30	ú											
31-32		ú										
33-34	ú											
35-36		ú										
37-38	ú											
39-40		ú										

型号 角度 端子编号	3.8064.10											
	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°	330°
	ñ	ö	ö	ö	ø	ø	ò	÷	÷	ÿ	ö	ö
1-2		ú		ú		ú						
3-4		ú		ú		ú		ú		ú		ú
5-6		ú		ú		ú						
7-8								ú		ú		ú
9-10								ú		ú		ú
11-12		ú						ú				
13-14		ú						ú				
15-16		ú						ú				
17-18				ú						ú		
19-20				ú		ú				ú		ú
21-22				ú						ú		
23-24				ú						ú		
25-26						ú						ú
27-28						ú						ú
29-30						ú						ú
31-32						ú						ú
33-34						ú						ú
35-36		ú		ú		ú						
37-38								ú		ú		ú
39-40												

型号 角度 端子编号	9.3351.11		9.3352.11		4.7229.11		4.7231.11		4.7232.11							
	45°	45°	45°	45°	0°	45°	0°	45°	0°	45°						
	0	0	0	0	0	0	0	0	0	0						
1-2		0	0			0		0		0						
3-4	0			0	0		0		0							
5-6		0	0			0		0		0						
7-8	0			0	0		0		0							
9-10		0	0			0		0		0						
11-12	0			0	0		0		0							
13-14		0	0			0		0		0						
15-16	0			0	0		0		0							
17-18		0	0			0		0		0						
19-20	0			0	0		0		0							
21-22		0	0			0		0		0						
23-24	0			0	0		0		0							
25-26		0	0			0		0		0						
27-28	0			0	0		0		0							
29-30		0	0			0		0		0						
31-32	0			0	0		0		0							
33-34		0	0			0		0		0						
35-36	0			0	0			0		0						
37-38		0	0			0		0		0						
39-40	0			0	0			0		0						
41-42		0	0			0			0	0						
43-44	0			0	0			0		0						

型号 角度 端子编号	4.5551.11			4.5574.11			9.5947.11			4.8181.11			4.8182.11			4.8184.11		
	45 ⁰	0 ⁰	45 ⁰	0 ⁰	45 ⁰	90 ⁰	90 ⁰	0 ⁰	90 ⁰	45 ⁰	0 ⁰	45 ⁰	45 ⁰	0 ⁰	45 ⁰	45 ⁰	0 ⁰	45 ⁰
	ᄒ	ᄒ	ᄒ	ᄒ	ᄒ	ᄒ	ᄒ	ᄒ	ᄒ	ᄒ	ᄒ	ᄒ	ᄒ	ᄒ	ᄒ	ᄒ	ᄒ	ᄒ
1-2	ᄒ			ᄒ				ᄒ				ᄒ	ᄒ			ᄒ		
3-4		ᄒ			ᄒ		ᄒ			ᄒ					ᄒ			ᄒ
5-6			ᄒ			ᄒ			ᄒ			ᄒ	ᄒ				ᄒ	
7-8	ᄒ			ᄒ				ᄒ		ᄒ					ᄒ	ᄒ		
9-10		ᄒ			ᄒ		ᄒ					ᄒ	ᄒ					ᄒ
11-12			ᄒ			ᄒ			ᄒ	ᄒ					ᄒ		ᄒ	
13-14	ᄒ			ᄒ				ᄒ				ᄒ	ᄒ			ᄒ		
15-16		ᄒ			ᄒ		ᄒ			ᄒ					ᄒ			ᄒ
17-19			ᄒ			ᄒ			ᄒ			ᄒ	ᄒ				ᄒ	
19-20	ᄒ			ᄒ				ᄒ		ᄒ					ᄒ	ᄒ		
21-22		ᄒ			ᄒ		ᄒ					ᄒ		ᄒ	ᄒ			ᄒ
23-24			ᄒ			ᄒ			ᄒ	ᄒ				ᄒ	ᄒ		ᄒ	
25-26	ᄒ			ᄒ				ᄒ				ᄒ		ᄒ	ᄒ	ᄒ		
27-28		ᄒ			ᄒ		ᄒ			ᄒ				ᄒ	ᄒ			ᄒ
29-30			ᄒ			ᄒ			ᄒ			ᄒ		ᄒ	ᄒ		ᄒ	
31-32	ᄒ			ᄒ				ᄒ		ᄒ			ᄒ	ᄒ		ᄒ		
33-34		ᄒ			ᄒ		ᄒ					ᄒ	ᄒ	ᄒ				ᄒ
35-36			ᄒ			ᄒ			ᄒ	ᄒ			ᄒ	ᄒ			ᄒ	
37-38	ᄒ			ᄒ				ᄒ				ᄒ	ᄒ	ᄒ		ᄒ		
39-40		ᄒ			ᄒ		ᄒ			ᄒ			ᄒ	ᄒ				ᄒ
41-42			ᄒ			ᄒ			ᄒ			ᄒ	ᄒ	ᄒ			ᄒ	
43-44										ᄒ				ᄒ	ᄒ	ᄒ		

型号 角度 端子编号	4.3241.11				4.3242.11															
	45°	0°	45°	90°	90°	45°	0°	45°												
	ǒ	ñ	ǒ	ǒ	ǎ	ǒ	ñ	ǒ												
1-2	ǒ							ǒ												
3-4			ǒ	ǒ				ǒ												
5-6	ǒ						ǒ													
7-8			ǒ	ǒ			ǒ													
9-10	ǒ					ǒ														
11-12			ǒ	ǒ		ǒ														
13-14	ǒ					ǒ	ǒ	ǒ												
15-16			ǒ	ǒ		ǒ	ǒ	ǒ												
17-18	ǒ							ǒ												
19-20			ǒ					ǒ												
21-22	ǒ							ǒ												
23-24			ǒ				ǒ													
25-26	ǒ						ǒ													
27-28				ǒ			ǒ													
29-30				ǒ		ǒ														
31-32				ǒ		ǒ														
33-34			ǒ	ǒ		ǒ														
35-36			ǒ	ǒ		ǒ	ǒ	ǒ												
37-38			ǒ	ǒ		ǒ	ǒ	ǒ												
39-40			ǒ	ǒ				ǒ												
41-42			ǒ	ǒ			ǒ													
43-44			ǒ	ǒ		ǒ														

型号 角度 端子编号	4.8019.11					4.8183.11					4.8253.11					4.8254.11				
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	ǎ	ǒ	ñ	ǒ	ǒ	ǎ	ǒ	ñ	ǒ	ǒ	ǎ	ǒ	ñ	ǒ	ǒ	ǎ	ǒ	ñ	ǒ	ǒ
1-2	ǒ					ǒ					ǒ		ǒ		ǒ					ǒ
3-4	ǒ					ǒ						ǒ		ǒ		ǒ				
5-6	ǒ						ǒ				ǒ				ǒ	ǒ				ǒ
7-8		ǒ						ǒ					ǒ		ǒ			ǒ		
9-10		ǒ						ǒ			ǒ									ǒ
11-12		ǒ						ǒ					ǒ			ǒ				
13-14				ǒ				ǒ					ǒ			ǒ				
15-16				ǒ					ǒ						ǒ			ǒ		
17-18				ǒ					ǒ		ǒ									ǒ
19-20					ǒ				ǒ		ǒ					ǒ				
21-22					ǒ				ǒ				ǒ			ǒ				
23-24					ǒ				ǒ						ǒ					ǒ
25-26	ǒ	ǒ		ǒ	ǒ				ǒ						ǒ	ǒ				
27-28	ǒ	ǒ		ǒ	ǒ				ǒ				ǒ							ǒ
29-30	ǒ									ǒ	ǒ					ǒ				
31-32	ǒ									ǒ			ǒ		ǒ			ǒ		
33-34		ǒ								ǒ			ǒ		ǒ		ǒ		ǒ	
35-36		ǒ								ǒ	ǒ							ǒ		ǒ
37-38				ǒ						ǒ	ǒ							ǒ		
39-40				ǒ						ǒ			ǒ		ǒ			ǒ		
41-42					ǒ					ǒ	ǒ							ǒ		ǒ
43-44					ǒ								ǒ					ǒ		

型号 角度 端子编号	4.3291.11							4.3292.11													
	135° ÷	90° ÿ	45° ø	0° ñ	45° ø	90° ø	135° ø	135° ÷	90° ÿ	45° ø	0° ñ	45° ø	90° ø	135° ø							
1-2					0			0						0							
3-4		0						0						0							
5-6					0			0													
7-8		0												0							
9-10					0				0												
11-12		0							0												
13-14		0			0				0												
15-16		0								0											
17-18					0					0											
19-20					0					0											
21-22						0						0									
23-24			0									0									
25-26						0						0									
27-28			0										0								
29-30						0							0								
31-32			0										0								
33-34						0							0	0							
35-36			0										0	0							
37-38			0			0				0		0									
39-40			0							0		0									
41-42						0		0	0												
43-44						0		0	0												

型号 角度 端子编号	3.8321.11										
	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	
	ñ	ø	ø	ø	ø	ø	ø	÷	÷	ÿ	
1-2	0										
3-4		0									
5-6			0								
7-8				0							
9-10					0						
11-12						0					
13-14							0				
15-16						0					
17-18							0				
19-20										0	
21-22								0			
23-24										0	
25-26								0			
27-28										0	
29-30									0		
31-32										0	
33-34									0		
35-36										0	
37-38									0		
39-40										0	
41-42									0		
43-44										0	

型号 角度 端子编号	3.8341.11											
	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°	330°
	ñ	ö	ö	ö	ø	ø	ö	÷	÷	ÿ	ö	ö
1-2		ú										
3-4		ú										
5-6			ú									
7-8			ú									
9-10				ú								
11-12				ú								
13-14					ú							
15-16					ú							
17-18						ú						
19-20						ú						
21-22							ú					
23-24							ú					
25-26								ú				
27-28								ú				
29-30									ú			
31-32									ú			
33-34										ú		
35-36										ú		
37-38											ú	
39-40											ú	
41-42												ú
43-44												ú

型号 角度 端子编号	9.3460.12		9.9027.12															
	45°	45°	0°	90°														
	ǒ	ǒ	ñ	ǒ														
1-2	ǒ			ǒ														
3-4		ǒ		ǒ														
5-6	ǒ			ǒ														
7-8		ǒ		ǒ														
9-10	ǒ			ǒ														
11-12		ǒ		ǒ														
13-14	ǒ			ǒ														
15-16		ǒ		ǒ														
17-18	ǒ			ǒ														
19-20		ǒ		ǒ														
21-22	ǒ			ǒ														
23-24		ǒ		ǒ														
25-26	ǒ			ǒ														
27-28		ǒ		ǒ														
29-30	ǒ			ǒ														
31-32		ǒ		ǒ														
33-34	ǒ			ǒ														
35-36		ǒ		ǒ														
37-38	ǒ			ǒ														
39-40		ǒ		ǒ														
41-42	ǒ			ǒ														
43-44		ǒ		ǒ														
45-46	ǒ			ǒ														
47-48		ǒ		ǒ														

型号 角度 端子编号	Z/4.3411.12			4.3461.12			3.3463.12			4.5551.12			4.7621.12			4.8461.12		
	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°	45°	0°	45°
	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ñ	ǒ
1-2	ǒ			ǒ			ǒ		ǒ	ǒ			ǒ				ǒ	
3-4			ǒ			ǒ	ǒ		ǒ		ǒ				ǒ			ǒ
5-6			ǒ			ǒ	ǒ		ǒ			ǒ	ǒ				ǒ	
7-8	ǒ			ǒ			ǒ		ǒ	ǒ					ǒ			ǒ
9-10	ǒ			ǒ			ǒ	ǒ			ǒ		ǒ				ǒ	
11-12			ǒ			ǒ	ǒ	ǒ				ǒ			ǒ			ǒ
13-14			ǒ			ǒ	ǒ	ǒ		ǒ			ǒ				ǒ	
15-16	ǒ			ǒ			ǒ	ǒ			ǒ				ǒ			ǒ
17-19	ǒ			ǒ				ǒ	ǒ			ǒ	ǒ				ǒ	
19-20			ǒ			ǒ		ǒ	ǒ	ǒ					ǒ			ǒ
21-22			ǒ			ǒ		ǒ	ǒ		ǒ		ǒ				ǒ	
23-24	ǒ			ǒ				ǒ	ǒ			ǒ			ǒ			ǒ
25-26	ǒ			ǒ				ǒ		ǒ			ǒ				ǒ	
27-28			ǒ			ǒ		ǒ			ǒ				ǒ			ǒ
29-30			ǒ			ǒ		ǒ				ǒ	ǒ				ǒ	
31-32	ǒ			ǒ				ǒ		ǒ					ǒ			ǒ
33-34	ǒ			ǒ					ǒ		ǒ		ǒ				ǒ	
35-36			ǒ			ǒ			ǒ			ǒ			ǒ			ǒ
37-38			ǒ			ǒ			ǒ	ǒ			ǒ					ǒ
39-40	ǒ			ǒ					ǒ		ǒ				ǒ			ǒ
41-42	ǒ			ǒ			ǒ					ǒ	ǒ					ǒ
43-44			ǒ			ǒ	ǒ			ǒ					ǒ			ǒ
45-46			ǒ			ǒ	ǒ				ǒ		ǒ					ǒ
47-48	ǒ			ǒ			ǒ					ǒ			ǒ			ǒ

型号 角度 端子编号	4.8503.12					4.8504.12															
	45°	0°	45°	90°		0°	45°	90°	135°												
	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ǒ	ø												
1-2	ǒ					ǒ															
3-4	ǒ					ǒ															
5-6	ǒ						ǒ														
7-8	ǒ						ǒ														
9-10	ǒ							ǒ													
11-12	ǒ								ǒ												
13-14		ǒ				ǒ															
15-16		ǒ				ǒ															
17-18		ǒ					ǒ														
19-20		ǒ					ǒ														
21-22		ǒ						ǒ													
23-24		ǒ							ǒ												
25-26			ǒ			ǒ															
27-28			ǒ			ǒ															
29-30			ǒ			ǒ															
31-32			ǒ				ǒ														
33-34			ǒ				ǒ														
35-36			ǒ				ǒ														
37-38				ǒ					ǒ												
39-40				ǒ					ǒ												
41-42				ǒ					ǒ												
43-44				ǒ		ǒ	ǒ	ǒ													
45-46				ǒ		ǒ	ǒ	ǒ													
47-48				ǒ		ǒ	ǒ	ǒ													

型号 角度 端子编号	4.8531.12					4.8532.12					4.8533.12									
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°					
	ı	ǒ	ñ	ǒ	ǒ	ı	ǒ	ñ	ǒ	ǒ	ı	ǒ	ñ	ǒ	ǒ					
1-2	ǒ							ǒ					ǒ							
3-4		ǒ						ǒ							ǒ					
5-6				ǒ				ǒ			ǒ									
7-8					ǒ			ǒ					ǒ							
9-10	ǒ									ǒ	ǒ									
11-12		ǒ								ǒ			ǒ							
13-14				ǒ						ǒ			ǒ							
15-16					ǒ				ǒ						ǒ					
17-18	ǒ								ǒ		ǒ									
19-20		ǒ							ǒ		ǒ									
21-22				ǒ			ǒ						ǒ							
23-24					ǒ		ǒ								ǒ					
25-26	ǒ						ǒ								ǒ					
27-28		ǒ				ǒ							ǒ							
29-30				ǒ		ǒ					ǒ									
31-32					ǒ	ǒ							ǒ							
33-34	ǒ						ǒ								ǒ					
35-36		ǒ					ǒ				ǒ									
37-38				ǒ					ǒ		ǒ									
39-40					ǒ				ǒ				ǒ							
41-42	ǒ					ǒ					ǒ									
43-44		ǒ				ǒ							ǒ							
45-46				ǒ						ǒ					ǒ					
47-48					ǒ					ǒ	ǒ		ǒ		ǒ					

型号 角度 端子编号	4.8571.12							4.8583.12													
	135°	90°	45°	0°	45°	90°	135°	135°	90°	45°	0°	45°	90°	135°							
	÷	ı	đ	ñ	ö	đ	ø	÷	ı	đ	ñ	ö	đ	ø							
1-2	ı							ı													
3-4		ı	đ		ı	ı	ı	ı													
5-6			đ		ı	ı		ı													
7-8					ı				ı												
9-10	ı								ı												
11-12		ı	đ		ı	ı	ı		ı												
13-14			đ		ı	ı				ı											
15-16					ı					ı											
17-18	ı									ı											
19-20		ı	đ		ı	ı	ı						ı								
21-22			đ		ı	ı							ı								
23-24					ı								ı								
25-26	ı													ı							
27-28		ı	đ		ı	ı	ı						ı								
29-30			đ		ı	ı							ı								
31-32					ı														ı		
33-34	ı																		ı		
35-36		ı	đ		ı	ı	ı												ı		
37-38			đ		ı	ı		ı					ı						ı		
39-40					ı			ı					ı						ı		
41-42	ı								ı	ı											
43-44		ı	đ		ı	ı	ı		ı	ı											
45-46			đ		ı	ı							ı								
47-48					ı								ı								

型号 角度 编 号	4.8502.12								4.8581.12								4.8582.12							
	90°	45°	0°	45°	90°	135°	180°	225°	0°	45°	90°	135°	180°	225°	270°	315°	0°	45°	90°	135°	180°	225°	270°	315°
	ı	đ	ñ	ö	đ	ø	ð	÷	ñ	ö	đ	ø	ð	÷	ı	đ	ñ	ö	đ	ø	ð	÷	ı	đ
1-2		ı								ı		ı		ı		ı	ı							
3-4							ı			ı		ı		ı		ı	ı							
5-6						ı			ı		ı		ı		ı		ı							
7-8			ı						ı		ı		ı		ı			ı						
9-10	ı									ı		ı		ı		ı		ı						
11-12							ı			ı		ı		ı		ı		ı						
13-14						ı					ı	ı			ı	ı			ı					
15-16				ı							ı	ı			ı	ı			ı					
17-18	ı								ı	ı				ı	ı			ı						
19-20							ı		ı	ı				ı	ı					ı				
21-22						ı					ı	ı			ı	ı				ı				
23-24				ı							ı	ı			ı	ı				ı				
25-26	ı												ı	ı	ı	ı					ı			
27-28							ı		ı	ı	ı	ı	ı								ı			
29-30						ı							ı	ı	ı	ı					ı			
31-32				ı					ı	ı	ı	ı										ı		
33-34			ı										ı	ı	ı	ı						ı		
35-36	ı						ı		ı	ı	ı	ı										ı		
37-38					ı								ı	ı	ı	ı							ı	
39-40			ı						ı	ı	ı	ı											ı	
41-42	ı									ı		ı		ı		ı							ı	
43-44										ı		ı		ı		ı								ı
45-46							ı		ı	ı			ı	ı										ı
47-48					ı				ı	ı			ı	ı										ı

型号 角度 端子编号	3.8591.12									3.8592.12								
	0°	30°	60°	90°	120°	150°	180°	210°	240°	0°	30°	60°	90°	120°	150°	180°	210°	240°
	ñ	ð	ð	ð	ø	ø	ð	÷	÷	ñ	ð	ð	ð	ø	ø	ð	÷	÷
1-2	0									0								
3-4		0									0							
5-6			0									0						
7-8				0									0					
9-10					0									0				
11-12						0									0			
13-14							0	0	0							0	0	0
15-16	0									0								
17-18		0									0							
19-20			0									0						
21-22				0									0					
23-24					0									0				
25-26						0									0			
27-28							0	0	0							0	0	0
29-30	0									0								
31-32		0									0							
33-34			0									0						
35-36				0									0					
37-38					0									0				
39-40						0									0			
41-42							0	0	0							0	0	0
43-44	0		0	0	0					0		0	0	0				
45-46	0	0	0		0					0	0	0		0				
47-48	0	0	0	0		0				0	0	0	0		0			

型号 角度 端子编号	3.3621.12												
	210°	240°	270°	300°	330°	0°	30°	60°	90°	120°	150°	180°	
						ñ	ð	ð	ð	ø	ø	ð	
1-2						0							
3-4												0	
5-6							0						
7-8	0												
9-10								0					
11-12		0											
13-14									0				
15-16			0							0			
17-18													
19-20				0							0		
21-22					0								
23-24												0	
25-26						0							
27-28													
29-30							0						
31-32	0												
33-34								0					
35-36		0							0				
37-38													
39-40			0							0			
41-42													
43-44				0							0		
45-46					0								
47-48												0	

型号 角度 端子编号	3.3623.12											
	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°	330°
	ñ	ö	ö	ö	ø	ø	ö	÷	÷	ÿ	ö	ö
1-2								ö				
3-4								ö				
5-6								ö	ö			
7-8								ö	ö			
9-10								ö	ö	ö		
11-12								ö	ö	ö		
13-14								ö	ö	ö	ö	
15-16								ö	ö	ö	ö	
17-18								ö	ö	ö	ö	ö
19-20								ö	ö	ö	ö	ö
21-22	ö							ö	ö	ö	ö	ö
23-24	ö							ö	ö	ö	ö	ö
25-26	ö	ö						ö	ö	ö	ö	ö
27-28	ö	ö						ö	ö	ö	ö	ö
29-30	ö	ö	ö					ö	ö	ö	ö	ö
31-32	ö	ö	ö					ö	ö	ö	ö	ö
33-34	ö	ö	ö	ö				ö	ö	ö	ö	ö
35-36	ö	ö	ö	ö				ö	ö	ö	ö	ö
37-38	ö	ö	ö	ö	ö			ö	ö	ö	ö	ö
39-40	ö	ö	ö	ö	ö			ö	ö	ö	ö	ö
41-42	ö	ö	ö	ö	ö	ö		ö	ö	ö	ö	ö
43-44	ö	ö	ö	ö	ö	ö		ö	ö	ö	ö	ö
45-46	ö	ö	ö	ö	ö	ö	ö	ö	ö	ö	ö	ö
47-48	ö	ö	ö	ö	ö	ö	ö	ö	ö	ö	ö	ö

型号 角度 端子编号	3.3624.12											
	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°	330°
	ñ	ö	ö	ö	ø	ø	ö	÷	÷	ÿ	ö	ö
1-2	ö											
3-4		ö										
5-6			ö									
7-8				ö								
9-10					ö							
11-12						ö						
13-14							ö					
15-16								ö				
17-18									ö			
19-20										ö		
21-22											ö	
23-24												ö
25-26		ö	ö	ö	ö	ö	ö	ö	ö	ö	ö	ö
27-28	ö		ö	ö	ö	ö	ö	ö	ö	ö	ö	ö
29-30	ö	ö		ö	ö	ö	ö	ö	ö	ö	ö	ö
31-32	ö	ö	ö		ö	ö	ö	ö	ö	ö	ö	ö
33-34	ö	ö	ö	ö		ö	ö	ö	ö	ö	ö	ö
35-36	ö	ö	ö	ö	ö		ö	ö	ö	ö	ö	ö
37-38	ö	ö	ö	ö	ö	ö		ö	ö	ö	ö	ö
39-40	ö	ö	ö	ö	ö	ö	ö		ö	ö	ö	ö
41-42	ö	ö	ö	ö	ö	ö	ö	ö		ö	ö	ö
43-44	ö	ö	ö	ö	ö	ö	ö	ö	ö		ö	ö
45-46												
47-48	ö											

型号 角度 端子编号	9.8586.13		9.9030.13												4.8048.13				
	45°	45°	45°	45°											45°	0°	45°		
	ǒ	ǒ	ǒ	ǒ											ǒ	ñ	ǒ		
1-2	ǒ		ǒ												ǒ				
3-4		ǒ	ǒ													ǒ			
5-6	ǒ		ǒ														ǒ		
7-8		ǒ		ǒ													ǒ		
9-10	ǒ			ǒ													ǒ		
11-12		ǒ		ǒ											ǒ		ǒ		
13-14	ǒ		ǒ												ǒ		ǒ		
15-16	ǒ		ǒ												ǒ				
17-18	ǒ			ǒ											ǒ				
19-20	ǒ			ǒ											ǒ				
21-22	ǒ		ǒ												ǒ				
23-24	ǒ		ǒ												ǒ				
25-26	ǒ		ǒ												ǒ				
27-28		ǒ	ǒ												ǒ				
29-30	ǒ		ǒ												ǒ				
31-32		ǒ		ǒ											ǒ				
33-34	ǒ			ǒ											ǒ				
35-36		ǒ		ǒ											ǒ				
37-38	ǒ		ǒ														ǒ		
39-40		ǒ	ǒ												ǒ				
41-42	ǒ			ǒ													ǒ		
43-44		ǒ		ǒ											ǒ				
45-46	ǒ		ǒ												ǒ				
47-48		ǒ	ǒ												ǒ				
49-50	ǒ		ǒ														ǒ		
51-52		ǒ	ǒ																

型号 角度 端子编号	4.8046.13						4.8044.13								4.8047.13				
	90°	45°	0°	45°	90°	135°	90°	45°	0°	45°	90°	135°	180°		90°	45°	0°	45°	90°
	Ÿ	ǒ	ñ	ǒ	ǒ	ø	Ÿ	ǒ	ñ	ǒ	ǒ	ø	ò		Ÿ	ǒ	ñ	ǒ	ǒ
1-2				ǒ	ǒ	ǒ				ǒ	ǒ	ǒ	ǒ				ǒ		
3-4				ǒ	ǒ	ǒ				ǒ	ǒ	ǒ	ǒ				ǒ		
5-6				ǒ	ǒ	ǒ				ǒ	ǒ	ǒ	ǒ				ǒ		
7-8				ǒ	ǒ	ǒ				ǒ	ǒ	ǒ	ǒ				ǒ		
9-10				ǒ	ǒ	ǒ				ǒ	ǒ	ǒ	ǒ						ǒ
11-12				ǒ	ǒ	ǒ				ǒ	ǒ	ǒ	ǒ						ǒ
13-14						ǒ						ǒ	ǒ						ǒ
15-16				ǒ								ǒ	ǒ					ǒ	
17-18	ǒ	ǒ			ǒ	ǒ						ǒ	ǒ					ǒ	
19-20	ǒ	ǒ			ǒ	ǒ						ǒ	ǒ					ǒ	
21-22						ǒ						ǒ	ǒ					ǒ	
23-24						ǒ						ǒ	ǒ			ǒ			
25-26						ǒ					ǒ	ǒ	ǒ			ǒ			
27-28						ǒ					ǒ		ǒ			ǒ			
29-30						ǒ		ǒ								ǒ			
31-32		ǒ						ǒ							ǒ				
33-34		ǒ						ǒ							ǒ				
35-36		ǒ						ǒ							ǒ				
37-38		ǒ						ǒ											ǒ
39-40		ǒ						ǒ											ǒ
41-42	ǒ						ǒ								ǒ				
43-44	ǒ						ǒ								ǒ				
45-46	ǒ						ǒ											ǒ	
47-48	ǒ						ǒ											ǒ	
49-50	ǒ						ǒ									ǒ			
51-52				ǒ	ǒ	ǒ	ǒ									ǒ			

型号 角度 端子编号	9.8045.14		4.3462.14			4.8190.14					4.3603.14							
	0°	90°	45°	0°	45°	90°	45°	0°	45°	90°	135°	90°	45°	0°	45°	90°	135°	180°
	ñ	ð	ð	ñ	ð	ÿ	ð	ñ	ð	ð	÷	ÿ	ð	ñ	ð	ð	ø	ð
1-2	0		0			0								0				
3-4		0			0	0									0			
5-6	0		0				0									0		
7-8		0			0		0										0	
9-10	0		0					0										0
11-12		0			0			0			0							
13-14		0	0					0				0						
15-16		0			0			0					0					
17-18		0	0					0					0					
19-20		0			0			0						0				
21-22		0	0					0							0			
23-24		0			0			0								0		
25-26		0	0					0									0	
27-28		0			0			0										0
29-30		0	0					0			0							
31-32		0			0			0				0						
33-34		0	0					0					0					
35-36		0			0					0			0					
37-38		0	0							0				0				
39-40		0			0					0					0			
41-42		0	0							0						0		
43-44		0			0					0							0	
45-46		0	0							0								0
47-48		0			0					0	0							
49-50		0	0							0		0						
51-52		0			0			0					0					
53-54		0	0					0					0					
55-56		0			0			0					0					

型号 角度 端子编号	4.3606.15																	
	0°	45°	90°	135°	180°	225°	270°	315°										
	ñ	ð	ð	ø	ð	÷	ÿ	ð										
1-2	0	0																
3-4			0															
5-6				0														
7-8					0													
9-10							0											
11-12								0										
13-14	0																	
15-16	0	0																
17-18			0															
19-20				0														
21-22					0													
23-24							0											
25-26								0										
27-28	0																	
29-30	0	0																
31-32			0															
33-34				0														
35-36					0													
37-38							0											
39-40								0										
41-42	0																	
43-44						0												
45-46						0												
47-48						0												
49-50		0	0	0	0	0	0	0										
51-52		0	0	0	0	0	0	0										
53-54		0	0	0	0	0	0	0										
55-56						0												
57-58																		
59-60	0																	

型号 角度 端子编号	4.4512.16									3.3604.16							
	45°	0°	45°							135°	90°	45°	0°	45°	90°	135°	180°
	ǒ	ñ	ö							÷	ï	ǒ	ñ	ö	ð	ø	ò
1-2	ú									ú							
3-4			ú								ú						
5-6	ú											ú					
7-8			ú										ú	ú			
9-10	ú														ú		
11-12			ú													ú	
13-14	ú												ú				
15-16			ú											ú			
17-18	ú									ú							
19-20			ú								ú	ú					
21-22	ú												ú	ú			
23-24			ú												ú		
25-26	ú															ú	
27-28			ú							ú							
29-30	ú												ú	ú			
31-32			ú										ú				
33-34	ú													ú			
35-36			ú							ú							
37-38	ú												ú	ú			
39-40			ú							ú							
41-42	ú										ú						
43-44			ú									ú					
45-46	ú												ú	ú			
47-48			ú												ú		
49-50	ú															ú	
51-52			ú										ú				
53-54	ú													ú			
55-56			ú							ú							
57-58	ú										ú	ú	ú	ú			
59-60			ú												ú		
61-62	ú															ú	
63-64			ú														

型号 角度 端子编号	9.3606.18								
	90 ⁰	0 ⁰	90 ⁰						
	Ÿ	ñ	đ						
1-2	Ÿ								
3-4	Ÿ								
5-6	Ÿ								
7-8	Ÿ								
9-10	Ÿ								
11-12	Ÿ								
13-14	Ÿ								
15-16	Ÿ								
17-18	Ÿ								
19-20	Ÿ								
21-22	Ÿ								
23-24	Ÿ								
25-26	Ÿ								
27-28	Ÿ								
29-30	Ÿ								
31-32	Ÿ								
33-34	Ÿ								
35-36	Ÿ								
37-38	Ÿ								
39-40	Ÿ								
41-42	Ÿ								
43-44		Ÿ — Ÿ							
45-46		Ÿ — Ÿ							
47-48		Ÿ — Ÿ							
49-50		Ÿ							
51-52		Ÿ							
53-54		Ÿ							
55-56		Ÿ — Ÿ							
57-58		Ÿ — Ÿ							
59-60		Ÿ — Ÿ							
61-62			Ÿ						
63-64			Ÿ						
65-66			Ÿ						
67-68			Ÿ						
69-70			Ÿ						
71-72			Ÿ						

电压转换开关接点图

型号 角度 端子编号	LW21(12)-16/9.0638.2					LW21(12)-16/9.0639.2						LW21(12)-16/9.0640.2									
	R		S		T	RS		ST		TR		CH	CH		R		S		T		CH
	90°		0°		90°	90°		0°		90°		180°	180°		90°		0°		90°		180°
1-2				0	0					0			0	0				0	0	0	0
3-4	0	0	0	0		0								0	0	0	0	0			
5-6	0	0				0	0	0					0	0	0	0				0	0
7-8		0	0	0	0			0	0	0						0	0	0	0	0	

型号 角度 端子编号	LW21(12)-16/9.6911.2						LW21(12)-16/9.6912.2						LW21(12)-16/9.6939.2								
	0°		90°		180°		270°	0°		90°		180°		270°	0°		90°		180°		270°
	0		U _A		U _B		U _C	0		U _{AB}		U _{BC}		U _{CA}	U _{BC}		U _{CA}		0		U _{AB}
1-2			0											0			0				
3-4					0					0											
5-6							0			0		0			0						0
7-8			0		0		0					0		0	0		0				0

型号 角度 端子编号	LW21(12)-16/9.6912.3						LW21(12)-16/9.6916.3						LW21(12)-16/9.6919.3								
	0°		90°		180°		270°	0°		90°		180°		270°	0°		90°		180°		270°
	0		U _{AB}		U _{BC}		U _{CA}	0		U _{AB}		U _{BC}		U _{CA}	0		U _{AB}		U _{BC}		U _{CA}
1-2			0											0			0				
3-4							0			0									0		
5-6					0					0		0									0
7-8			0									0		0			0				
9-10							0	0											0		
11-12					0			0													0

型号 角度 端子编号	LW21(12)-16/9.6921.3														
	0°		90°		180°		270°								
	0		U _{AB}		U _{BC}		U _{CA}								
1-2							0								
3-4			0												
5-6					0										
7-8							0								
9-10			0												
11-12					0										

型号 角度 端子编号	LW21(12)-16/9.6922.4						LW21(12)-16/9.6933.4						LW21(12)-16/9.6936.4								
	0°		90°		180°		270°	0°		90°		180°		270°	0°		90°		180°		270°
	0		U _{AB}		U _{BC}		U _{CA}	0		U _{AB}		U _{BC}		U _{CA}	0		U _{AB}		U _{BC}		U _{CA}
1-2							0			0		0			0				0		0
3-4			0											0	0		0		0		
5-6			0		0					0				0			0		0		0
7-8					0		0					0			0		0				0
9-10							0	0				0		0			0				
11-12			0							0											0
13-14			0		0			0		0		0			0						
15-16					0		0							0							

型号 角度 端子编号	LW21(12)-16/9.6912.6																				
	0°		90°		180°		270°	0°		90°		180°		270°	0°		90°		180°		270°
	网电		U _{AB}		U _{BC}		U _{CA}	0		U _{AB}		U _{BC}		U _{CA}	0		U _{AB}		U _{BC}		U _{CA}
1-2			0																		
3-4							0														
5-6					0																
7-8			0																		
9-10							0														
11-12					0																
13-14			0																		
15-16							0														
17-18					0																
19-20			0																		
21-22							0														
23-24					0																

电流转换开关接点图

型号 角度 端子编号	LW21(12)-16/9.5626.2					LW21(12)-16/9.5650.2														
	90°		0°		90°	90°		0°		90°										
	I _A		I _B		I _C	I _A		I _B		I _C										
1-2				0	0			0	0	0										
3-4	0	0	0	0		0	0													
5-6	0	0				0	0	0												
7-8		0	0	0	0				0	0										

型号 角度 端子编号	LW21(12)-16/9.5629.2								LW21(12)-16/9.6924.2															
	ñ		ð		ò		ï		ñ		ð		ò		ï		ñ		ð		ò		ï	
	0		I _A		I _B		I _C		0		I _A		I _B		I _C		0		I _A		I _B		I _C	
1-2	0	0				0	0	0								0								
3-4		0	0	0	0	0					0	0	0											
5-6	0	0	0	0				0	0	0	0													
7-8				0	0	0	0	0							0	0	0							

型号 角度 端子编号	LW21(12)-16/9.6913.3						LW21(12)-16/9.6914.3						LW21(12)-16/9.6915.3											
	ñ		ð		ò		ï		ñ		ð		ò		ï		ñ		ð		ò		ï	
	I _C		I _B		I _A		0		0		I _A		I _B		I _C		0		I _A		I _B		I _C	
1-2		0	0	0	0	0	0	0	0	0		0	0	0	0	0				0	0	0	0	0
3-4	0	0					0			0	0	0						0	0	0		0	0	0
5-6	0	0		0	0	0	0	0	0	0	0	0		0	0	0		0	0	0	0	0		
7-8		0	0	0								0	0	0			0	0				0	0	0
9-10	0	0	0	0		0	0	0	0	0	0	0	0	0		0	0	0		0	0	0		0
11-12				0	0	0								0	0	0	0	0	0	0	0			0

型号 角度 端子编号	LW21(12)-16/9.6935.3														LW21(12)-16/9.9004.4													
	ñ		ð		ò		ï										ñ		ð		ò		ï					
	0		I _A		I _B		I _C										I ₁		I ₂		I ₃		I ₄					
1-2						0												0	0	0	0	0	0	0	0	0	0	0
3-4	0	0	0	0	0	0		0									0	0									0	
5-6					0	0	0										0	0		0	0	0	0	0	0	0	0	
7-8	0	0	0	0		0	0	0										0	0	0								
9-10		0	0	0													0	0	0	0			0	0	0	0		
11-12	0	0			0	0	0	0	0											0	0	0						
13-14																	0	0	0	0	0	0	0				0	
15-16																								0	0	0	0	

电压电流转换开关接点图

型号 角度 端子编号	LW21(12)-16/9.6918.5								LW21(12)-16/9.6930.6								LW21(12)-16/9.6942.7														
	0		U AB		U BC		U CA		网 电		U AB		U BC		U CA		网 电		U AB		U BC		U CA								
	0		I _A		I _B		I _C		0		I _A		I _B		I _C		0		I _A		I _B		I _C								
1-2							0								0									0							
3-4			0								0								0												
5-6			0		0						0		0						0		0										
7-8					0		0						0		0						0		0								
9-10	0	0		0	0	0	0	0	0								0	0		0	0	0	0	0	0						
11-12		0	0	0					0									0	0	0											
13-14	0	0	0	0		0	0	0	0	0		0	0	0	0	0	0	0	0	0	0		0	0	0						
15-16				0	0	0				0	0	0	0							0	0	0									
17-18	0	0	0	0	0	0		0	0	0	0	0		0	0	0	0	0	0	0	0	0		0							
19-20						0	0	0					0	0	0							0	0	0							
21-22									0	0	0	0	0	0		0	0														
23-24														0	0	0															
25-26																	0														
27-28																	0														

型号 角度 端子编号	LW21(12)-16/9.7220.7																							
	0		U AB		U BC		U CA																	
	0		I _A		I _B		I _C																	
1-2			0																					
3-4			0																					
5-6	0																							
7-8	0																							
9-10							0																	
11-12							0																	
13-14	0	0	0	0		0	0	0																
15-16	0	0	0	0		0	0	0																
17-18	0	0	0	0		0	0	0																
19-20	0	0	0	0		0	0	0																
21-22			0																					
23-24	0																							
25-26							0																	
27-28																								

LW21(12)-16D/49.4621. 1		分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ī	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2			Ů	Ů	Ů		
3-4		Ů		Ů		Ů	

LW21(12)-16D/49.6770. 1		分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ī	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				Ů			
3-4							Ů

LW21(12)-16D/49.4617. 2	LW2-Z-4.1a/F8	分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ī	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2	1-4			Ů			
3-4	2-3						Ů
5-6	5-7		Ů		Ů		
7-8	6-8	Ů				Ů	

LW21(12)-16D/49.6770. 2		分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ī	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				Ů			
3-4				Ů			
5-6							Ů
7-8							Ů

LW21(12)-16D/49.4620. 2		分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ī	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2			Ů	Ů	Ů		
3-4							
5-6				Ů			
7-8							

LW21(12)-16D/49.4621. 2		分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ī	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2			Ů	Ů	Ů		
3-4			Ů			Ů	
5-6			Ů		Ů		
7-8		Ů					Ů

LW21(12)-16D/49.4634. 2		分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ī	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2			Ů	Ů	Ů		
3-4		Ů		Ů		Ů	
5-6		Ů		Ů	Ů		Ů
7-8		Ů	Ů				Ů

LW21(12)-16D/49.4650. 2		分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ī	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2					Ů		
3-4		Ů					
5-6				Ů			
7-8							Ů

LW21(12)-16D/49.4654. 2		分后	预合	合	合后	预分	分
		ī	ñ	ö	ň	ĭ	÷
		90°	0°	45°	0°	90°	135°
1-2				Ů			
3-4						Ů	
5-6		Ů					
7-8				Ů			

LW21(12)-16D/49.4657. 2		分后	预合	合	合后	预分	分
		ī	ñ	ö	ň	ĭ	÷
		90°	0°	45°	0°	90°	135°
1-2			Ů	Ů	Ů		
3-4				Ů			
5-6		Ů				Ů	Ů
7-8							Ů

LW21(12)-16D/49.4665. 2		分后	预合	合	合后	预分	分
		ī	ñ	ö	ň	ĭ	÷
		90°	0°	45°	0°	90°	135°
1-2			Ů		Ů		
3-4		Ů				Ů	
5-6				Ů			
7-8							Ů

LW21(12)-16D/49.4679. 2		分后	预合	合	合后	预分	分
		ī	ñ	ö	ň	ĭ	÷
		90°	0°	45°	0°	90°	135°
1-2				Ů			
3-4							Ů
5-6			Ů		Ů		
7-8			Ů		Ů		

LW21(12)-16D/49.4680. 2		分后	预合	合	合后	预分	分
		ī	ñ	ö	ň	ĭ	÷
		90°	0°	45°	0°	90°	135°
1-2			Ů		Ů		
3-4		Ů				Ů	
5-6				Ů			
7-8							Ů

LW21(12)-16D/49. 6768.2		分后	预合	合	合后	预分	分
		ī	ñ	ö	ň	ĭ	÷
		90°	0°	45°	0°	90°	135°
1-2				Ů			
3-4							Ů
5-6				Ů			
7-8							Ů

LW21(12)-16D/49.4615. 3		分后	预合	合	合后	预分	分
		ī	ñ	ö	ň	ĭ	÷
		90°	0°	45°	0°	90°	135°
1-2				Ů			
3-4							Ů
5-6			Ů		Ů		
7-8		Ů				Ů	
9-10				Ů			
11-12							Ů

LW21(12)-16D/49.6781. 3	LW2-Z-40.20/F8	分后	预合	合	合后	预分	分
		ī	ñ	ö	ň	ĭ	÷
		90°	0°	45°	0°	90°	135°
1-2	1-2		Ů			Ů	
3-4	2-3	Ů					Ů
5-6	1-4			Ů	Ů		
7-8	5-7			Ů	Ů		
9-10	5-6		Ů			Ů	
11-12	6-8	Ů					Ů

LW21(12)-16D/49.4631. 3		分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ï	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2			0		0		
3-4			0			0	
5-6			0		0		
7-8		0				0	
9-10				0			
11-12							0

LW21(12)-16D/49.4631. 3		分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ï	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2			0		0		
3-4		0				0	
5-6				0			
7-8							0
9-10				0	0		
11-12		0					0

LW21(12)-16D/49.4632. 3		分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ï	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				0			
3-4							0
5-6		0					
7-8					0		
9-10							
11-12							

LW21(12)-16D/49.4633. 3		分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ï	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				0			
3-4							0
5-6		0					
7-8					0		
9-10		0				0	
11-12			0		0		

LW21(12)-16D/49.4641. 3		分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ï	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				0			
3-4							0
5-6			0	0	0		
7-8		0				0	0
9-10			0			0	
11-12				0	0		

LW21(12)-16D/49.4643. 3		分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ï	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				0	0		
3-4				0	0		
5-6		0					0
7-8		0					0
9-10				0	0		
11-12				0	0		

LW21(12)-16D/49.4650. 3		分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ī	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2			0		0		
3-4		0				0	
5-6				0			
7-8							0
9-10				0	0		
11-12		0					0

LW21(12)-16D/49.4654. 3		分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ī	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				0			
3-4							0
5-6		0					
7-8		0		0			
9-10		0					
11-12							

LW21(12)-16D/49.4655. 3		分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ī	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2			0		0		
3-4		0			0		
5-6				0			
7-8							0
9-10							
11-12							

LW21(12)-16D/49.4678. 3		分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ī	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				0			
3-4							0
5-6			0				
7-8						0	
9-10							
11-12							

LW21(12)-16D/49.6767. 3		分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ī	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				0			
3-4				0			
5-6							0
7-8							0
9-10				0			
11-12							0

LW21(12)-16D/49.6781. 3	LW2-Z-40.20/F8	分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ī	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2	1-2		0			0	
3-4	2-3	0					0
5-6	1-4			0	0		
7-8	5-7			0	0		
9-10	5-8		0			0	
11-12	6-8	0					0

LW21(12)-16D/49.6768. 3= D/49.9572.3		分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ī	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				Ů			
3-4							Ů
5-6				Ů			
7-8							Ů
9-10				Ů			
11-12							Ů

		分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ī	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2							
3-4							
5-6							
7-8							
9-10							
11-12							

LW21(12)-16D/49.4610. 4		分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ī	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2			Ů		Ů		
3-4		Ů				Ů	
5-6				Ů			
7-8							Ů
9-10					Ů		
11-12		Ů					
13-14				Ů	Ů		
15-16			Ů		Ů		

LW21(12)-16D/49.4612. 4	LW2-Z-4.6a.40/F8	分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ī	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2	1-4			Ů			
3-4	2-3						Ů
5-6	5-6		Ů		Ů		
7-8	5-8			Ů			
9-10	6-7	Ů				Ů	Ů
11-12	9-10		Ů			Ů	
13-14	9-12			Ů	Ů		
15-16	10-11	Ů					Ů

LW21(12)-16D/49.4614. 4	LW2-Z-4.6.40/F8	分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ī	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2	1-4			Ů			
3-4	2-3						Ů
5-6	5-6	Ů				Ů	
7-8	6-7						Ů
9-10	5-8		Ů	Ů	Ů		
11-12	9-10		Ů			Ů	
13-14	10-11	Ů					Ů
15-16	9-12			Ů	Ů		

LW21(12)-16D/49.4633. 4		分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ī	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				Ů			
3-4							Ů
5-6		Ů					
7-8					Ů		
9-10		Ů				Ů	
11-12			Ů		Ů		
13-14							
15-16							

LW21(12)-16D/49.4618. 4	LW21(12)-16D/49.4618. 6	LW2—Z-4.4.6a.40/F8	分后	预合	合	合后	预分	分
			ī	ñ	ö	ñ	ī	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2	1-2	1-4			ú			
3-4	3-4	2-3						ú
5-6	5-6	5-8			ú			
7-8	7-8	6-7						ú
9-10	9-10	9-10		ú		ú		
	11-12	9-12			ú			
11-12	13-14	10-11	ú				ú	ú
13-14	15-16	13-14		ú			ú	
	17-18	14-15	ú					ú
15-16	19-20	13-16			ú	ú		

LW21(12)-16D/49.4663. 4			分后	预合	合	合后	预分	分
			ī	ñ	ö	ñ	ī	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				ú		ú		
3-4		ú					ú	
5-6					ú			
7-8								ú
9-10					ú	ú		
11-12				ú			ú	
13-14								ú
15-16								

LW21(12)-16D/49.4669. 4			分后	预合	合	合后	预分	分
			ī	ñ	ö	ñ	ī	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2					ú			
3-4								ú
5-6			ú					ú
7-8				ú	ú	ú		
9-10								
11-12					ú			
13-14			ú				ú	ú
15-16				ú	ú	ú		

LW21(12)-16D/49.4674. 4			分后	预合	合	合后	预分	分
			ī	ñ	ö	ñ	ī	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				ú				
3-4							ú	
5-6					ú			
7-8								ú
9-10					ú	ú		
11-12		ú						ú
13-14								
15-16								

LW21(12)-16D/49.4684. 4			分后	预合	合	合后	预分	分
			ī	ñ	ö	ñ	ī	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2								ú
3-4							ú	
5-6					ú			
7-8				ú				
9-10		ú						ú
11-12					ú	ú		
13-14								
15-16								

LW21(12)-16D/49.6817. 4		分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ī	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2		0	0			0	0
3-4				0	0		
5-6		0	0			0	0
7-8				0	0		
9-10			0	0	0	0	
11-12		0					0
13-14			0	0	0	0	
15-16		0					0

LW21(12)-16D/49.4649. 5		分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ī	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2		0				0	
3-4			0		0		
5-6				0			
7-8			0		0		
9-10		0				0	
11-12		0		0			0
13-14			0				0
15-16			0	0	0		
15-16		0				0	

LW21(12)-16D/49.4612. 3	LW21(12)-16D/49.4612. 5	LW2-Z-4.6a.40/F8	分后	预合	合	合后	预分	分
			ī -	- ñ	ö	ñ	ī	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2	1-2	1-4			0			
3-4	3-4	2-3						0
5-6	5-6	5-6		0		0		
	7-8	5-8			0			
7-8	9-10	6-7	0				0	0
---	11-12	---						
9-10	13-14	9-10		0			0	
	15-16	10-11	0					0
11-12	17-18	9-12			0	0		
	19-20							

LW21(12)-16D/49.6726. 5	LW2-Z-1a.4.4.6a/F8	分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ī	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2	1-3		0		0		
3-4	2-4	0				0	
5-6	5-8			0			
7-8	6-7						0
9-10	9-12			0			
11-12	10-11						0
13-14	13-14		0		0		
15-16	13-16			0			
17-18	14-15	0				0	0
19-20	空号						

LW21(12)-16D/49.3001. 5	LW2-YZ-66.4.4 /F8	分后	预合	合	合后	预分	分
		ī -	- ñ	ö	ñ	ī	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2	1-2	0				0	
3-4	2-3						0
5-6	1-4		0	0	0		
7-8	5-6	0				0	
9-10	6-7						0
11-12	5-8		0	0	0		
13-14	9-12			0			
15-16	10-11						0
17-18	13-16			0			
19-20	15-17						0

LW21(12)-16D/49.4603. 5	LW2-Z-1a.4.20.20/F8	分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ī	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2	1-3		0		0		
3-4	2-4	0				0	
5-6	5-8			0			
7-8	6-7						0
9-10	9-11			0	0		
11-12	9-10		0			0	
13-14	10-12	0					0
15-16	13-15			0	0		
17-18	13-14		0			0	
19-20	14-16	0					0

LW21(12)-16D/49.6816. S		分后	预合	合	合后	预分	分
		ÿ -	- ñ	ö	ñ	ÿ	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2			ú		ú		
3-4		ú				ú	
5-6				ú			
7-8							ú
9-10			ú	ú	ú		
11-12		ú				ú	ú
13-14			ú			ú	
15-16				ú	ú		
17-18				ú	ú		
19-20		ú					ú

LW21(12)-16D/49.4683. S	. LW2-Z-1a.4.6a.20/F8	分后	预合	合	合后	预分	分
		ÿ	ñ	ö	ñ	ÿ	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2	1-2		ú		ú		
3-4	3-4	ú				ú	
5-6	5-6			ú			
7-8	7-8						ú
9-10	9-10		ú	ú	ú		
11-12	10-11	ú				ú	ú
13-14	9-12	ú	ú			ú	ú
15-16	13-14			ú	ú		
17-18	14-15			ú	ú		
19-20	13-16						ú

LW21(12)-16D/49.4668. S	. LW2-Z-1a.4.6a.40.20/F8	分后	预合	合	合后	预分	分
		ÿ -	- ñ	ö	ñ	ÿ	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2	1-3		ú		ú		
3-4	2-4	ú				ú	
5-6	5-8			ú			
7-8	6-7						ú
9-10	9-12			ú			
11-12	10-11	ú				ú	ú
13-14	14-15	ú					ú
15-16	15-16			ú	ú		
17-18	17-19			ú	ú		
19-20	空号						

LW21(12)-16D/49.4673. S		分后	预合	合	合后	预分	分
		ÿ	ñ	ö	ñ	ÿ	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				ú			
3-4							ú
5-6		ú				ú	
7-8			ú		ú		
9-10			ú		ú		
11-12		ú				ú	ú
13-14		ú					ú
15-16			ú			ú	
17-18				ú	ú		
19-20			ú			ú	

LW21(12)-16D/49.4605. 6	LW2-YZ-4.4.6a.40/F1.	分后	预合	合	合后	预分	分
		Ÿ -	- ñ	ö	ñ	ÿ	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2	1-3		Ů		Ů		
3-4	2-4	Ů				Ů	
5-6	5-8			Ů			
7-8	6-7						Ů
9-10	9-12			Ů			
11-12	10-11						Ů
13-14	13-14		Ů		Ů		
15-16	13-16			Ů			
17-18	14-15	Ů				Ů	Ů
19-20	17-18		Ů			Ů	
21-22	18-19	Ů					Ů
23-24	17-20			Ů	Ů		

LW21(12)-16D/49.4609. 6		分后	预合	合	合后	预分	分
		Ÿ	ñ	ö	ñ	ÿ	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2			Ů		Ů		
3-4		Ů				Ů	
5-6				Ů			
7-8							Ů
9-10			Ů			Ů	
11-12				Ů	Ů		
13-14		Ů					Ů
15-16			Ů			Ů	
17-18		Ů					Ů
19-20				Ů	Ů		
21-22				Ů			
23-24							Ů

LW21(12)-16D/49.4625. 6	.	分后	预合	合	合后	预分	分
		Ÿ -	- ñ	ö	ñ	ÿ	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2			Ů		Ů		
3-4		Ů				Ů	
5-6				Ů			
7-8							Ů
9-10			Ů	Ů	Ů		
11-12		Ů				Ů	Ů
13-14				Ů			
15-16							Ů
17-18		Ů	Ů			Ů	Ů
19-20				Ů	Ů		
21-22				Ů	Ů		
23-24		Ů					Ů

LW21(12)-16D/49.4626. 6	LW2-Z-1a.4.6a.20/F8	分后	预合	合	合后	预分	分
		Ÿ -	- ñ	ö	ñ	ÿ	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2			Ů		Ů		
3-4		Ů				Ů	
5-6				Ů			
7-8							Ů
9-10			Ů		Ů		
11-12				Ů			
13-14		Ů				Ů	Ů
15-16							
17-18				Ů	Ů		
19-20			Ů			Ů	
21-22		Ů					Ů
23-24							

LW21(12)-16D/49.4646 .6		分后	预合	合	合后	预分	分
		ÿ -	- ñ	ö	ñ	ÿ	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2			ú		ú		
3-4		ú				ú	
5-6				ú			
7-8							ú
9-10			ú		ú		
11-12		ú				ú	ú
13-14				ú			
15-16			ú			ú	
17-18		ú					ú
19-20				ú	ú		
21-22							
23-24							

LW21(12)-16D/49.4664. .6		分后	预合	合	合后	预分	分
		ÿ -	- ñ	ö	ñ	ÿ	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2			ú		ú		
3-4		ú				ú	
5-6				ú			
7-8							ú
9-10			ú	ú	ú		
11-12		ú				ú	ú
13-14				ú	ú		
15-16		ú					ú
17-18		ú	ú			ú	ú
19-20				ú	ú		
21-22				ú	ú		
23-24		ú					ú

LW21(12)-16D/49.4683 .6	LW2-Z-1a.4.6a.20/F8.	分后	预合	合	合后	预分	分
		ÿ -	- ñ	ö	ñ	ÿ	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2	1-2		ú		ú		
3-4	3-4	ú				ú	
5-6	5-6			ú			
7-8	7-8						ú
9-10	9-10		ú	ú	ú		
11-12	10-11	ú				ú	ú
13-14	9-12	ú	ú			ú	ú
15-16	13-14			ú	ú		
17-18	14-15			ú	ú		
19-20	13-16						ú
21-22							
23-24							

		分后	预合	合	合后	预分	分
		ÿ -	- ñ	ö	ñ	ÿ	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2							
3-4							
5-6							
7-8							
9-10							
11-12							
13-14							
15-16							
17-18							
19-20							
21-22							
23-24							

LW21(12)-16D/49.4607.	7		分后	预合	合	合后	预分	分
			Ÿ -	- ħ	ö	ħ	Ÿ	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				ú		ú		
3-4			ú				ú	
5-6					ú			
7-8								ú
9-10				ú	ú	ú		
11-12			ú				ú	ú
13-14				ú	ú	ú		
15-16			ú				ú	ú
17-18			ú	ú			ú	ú
19-20					ú	ú		
21-22				ú		ú		
23-24					ú			

LW21(12)-16D/49.6788. 7(改)	.	分后	预合	合	合后	预分	分
		ī -	-ñ	ö	ñ	ī	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2			ú		ú		
3-4		ú				ú	
5-6				ú			
7-8							ú
9-10			ú	ú	ú		
11-12		ú				ú	ú
13-14				ú			
15-16							ú
17-18		ú	ú			ú	ú
19-20				ú	ú		
21-22				ú	ú		
23-24		ú					ú
25-26				ú	ú		
27-28		ú					ú

LW21(12)-16D/49.6734. 7	7	分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ī	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2			ú		ú		
3-4		ú				ú	
5-6				ú			
7-8							ú
9-10			ú	ú	ú		
11-12		ú				ú	
13-14		ú				ú	ú
15-16							ú
17-18				ú			
19-20							ú
21-22			ú			ú	
23-24		ú					ú
25-26				ú	ú		
27-28				ú	ú		

LW21(12)-16D/49.6802. 7(改)	.	分后	预合	合	合后	预分	分
		ī -	-ñ	ö	ñ	ī	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2			ú		ú		
3-4		ú				ú	
5-6				ú			
7-8							ú
9-10			ú	ú	ú		
11-12		ú				ú	ú
13-14		ú	ú			ú	ú
15-16				ú	ú		
17-18				ú	ú		
19-20		ú					ú
21-22				ú			
23-24							ú
25-26				ú	ú		
27-28		ú					ú

LW21(12)-16D/49.6803. 7	7	分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ī	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2			ú		ú		
3-4		ú				ú	
5-6				ú			
7-8							ú
9-10			ú	ú	ú		
11-12		ú				ú	ú
13-14		ú	ú			ú	ú
15-16				ú	ú		
17-18				ú	ú		
19-20		ú					ú
21-22			ú	ú	ú		
23-24		ú				ú	ú
25-26				ú	ú		
27-28		ú					ú

LW21(12)-16D/49.6804. 7(改)		分后	预合	合	合后	预分	分
		ī -	- ñ	ö	ñ	ï	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2			0		0		
3-4		0				0	
5-6				0			
7-8							0
9-10			0	0	0		
11-12		0				0	0
13-14		0	0			0	0
15-16				0	0		
17-18				0	0		
19-20		0					0
21-22				0	0		
23-24		0					0
25-26				0	0		
27-28		0					0

LW21(12)-16D/49.6808. 7		分后	预合	合	合后	预分	分
		ī	ñ	ö	ñ	ï	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2			0		0		
3-4		0				0	
5-6				0			
7-8							0
9-10			0	0	0		
11-12		0				0	0
13-14			0	0	0		
15-16		0				0	0
17-18		0	0			0	0
19-20				0	0		
21-22			0		0		
23-24				0			
25-26				0			
27-28		0					0

LW21(12)-16D/49.4616. 5	LW21(12)-16D/49.4616. 7	LW2-Z-4.6a.20.1a.4/F8	分后	预合	合	合后	预分	分
			ī -	- ñ	ö	ñ	ï	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2	1-2	1-4			0			
3-4	3-4	2-3						0
5-6	5-6	5-6		0		0		
	7-8	5-8			0			
7-8	9-10	6-7	0				0	0
	11-12	---						
	13-14	13-15		0		0		
9-10	15-16	14-16	0				0	
11-12	17-18	17-20			0			
13-14	19-20	18-19						0
15-16	21-22	9-11			0	0		
17-18	23-24	9-10		0			0	
---	25-26	10-12	0					0
19-20	27-28	---						

LW21(12)-16D/49.6780. 5	LW21(12)-16D/49.6781. 7	LW2-Z-1a.4.6a.40.20/F8	分后	预合	合	合后	预分	分
			ī	ñ	ö	ñ	ï	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2	1-2	1-3		0		0		
3-4	3-4	2-4	0				0	
5-6	5-6	5-8			0			
7-8	7-8	6-7						0
9-10	9-10	9-10		0		0		
	11-12	9-12			0			
11-12	13-14	10-11	0				0	0
---	15-16	---						0
13-14	17-18	13-14		0			0	
	19-20	14-15	0					0
15-16	21-22	13-16			0	0		
17-18	23-24	17-19			0	0		
---	25-26	17-18		0			0	
19-20	27-28	18-20	0					0

LW21(12)-16D/49.4033. ┐			分后	预合	合	合后	预分	分
			┐ -	- ┐	ö	ñ	┐	÷
			90°	0°	45°	0°	90°	135°
1-2							0	
3-4						0		
5-6					0			
7-8					0			
9-10				0				
11-12			0					
13-14								0
15-16								0
17-18								0
19-20								0
21-22								0
23-24								0
25-26								0
27-28						0		

LW21(12)-16D/49.4635 ┐	LW2-Z-1a.4.6a.20.20.F8			分后	预合	合	合后	预分	分
				┐	ñ	ö	ñ	┐	÷
				90°	0°	45°	0°	90°	135°
1-2	1-3				0		0		
3-4	2-4			0				0	
5-6	5-8					0			
7-8	6-7								0
9-10	9-10				0		0		
11-12	9-12					0			
13-14	10-11			0				0	0
15-16	空号								
17-18	13-15					0	0		
19-20	14-16				0			0	
21-22	17-18			0					0
23-24	17-20					0	0		
25-26	18-19				0			0	
27-28				0					0

LW21(12)-16D/49.4638. ┐			分后	预合	合	合后	预分	分
			┐ -	- ┐	ö	ñ	┐	÷
			90°	0°	45°	0°	90°	135°
1-2				0		0		
3-4			0				0	
5-6					0			
7-8								0
9-10				0		0		
11-12			0				0	0
13-14					0			
15-16				0			0	
17-18			0					0
19-20					0	0		
21-22				0			0	
23-24			0					0
25-26					0	0		
27-28								

LW21(12)-16D/49.4653. ┐			分后	预合	合	合后	预分	分
			┐	ñ	ö	ñ	┐	÷
			90°	0°	45°	0°	90°	135°
1-2				0		0		
3-4			0				0	
5-6					0			
7-8								0
9-10				0		0		
11-12					0			
13-14			0				0	0
15-16								0
17-18								
19-20				0			0	
21-22					0	0		
23-24					0	0		
25-26				0			0	
27-28			0					0

LW21(12)-16D/49. 4660.7			分后	预合	合	合后	预分	分
			ī -	- ñ	ö	ñ	ī	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				ú		ú		
3-4			ú				ú	
5-6					ú			
7-8								ú
9-10				ú		ú		
11-12					ú			
13-14			ú				ú	ú
15-16								
17-18				ú		ú		
19-20			ú				ú	
21-22				ú		ú		
23-24					ú			
25-26			ú				ú	ú
27-28								

LW21(12)-16D/49. 4681.7			分后	预合	合	合后	预分	分
			ī	ñ	ö	ñ	ī	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				ú		ú		
3-4			ú				ú	
5-6					ú			
7-8								ú
9-10				ú		ú		
11-12				ú	ú	ú		
13-14			ú				ú	ú
15-16								ú
17-18			ú				ú	ú
19-20				ú	ú	ú		
21-22				ú			ú	
23-24					ú	ú		
25-26			ú					ú
27-28					ú	ú		

LW21(12)-16D/49.4682. 7			分后	预合	合	合后	预分	分
			ī -	- ñ	ö	ñ	ī	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				ú		ú		
3-4			ú				ú	
5-6					ú			
7-8								ú
9-10				ú	ú	ú		
11-12			ú				ú	ú
13-14				ú	ú	ú		
15-16			ú				ú	ú
17-18			ú	ú			ú	ú
19-20					ú	ú		
21-22				ú	ú	ú	ú	
23-24			ú					ú
25-26								
27-28								

			分后	预合	合	合后	预分	分
			ī	ñ	ö	ñ	ī	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2								
3-4								
5-6								
7-8								
9-10								
11-12								
13-14								
15-16								
17-18								
19-20								
21-22								
23-24								
25-26								
27-28								

LW21(12)-16D/49.6782. 6	LW21(12)-16D/49.6783. 8	LW2-Z-1a.4.6a.40.20.4/F8	分后	预合	合	合后	预分	分
			ī -	- ñ	ö	ñ	ī	÷
			90°	0°	45°	0°	90°	135°
1-2	1-2	1-3		Ů		Ů		
3-4	3-4	2-4	Ů				Ů	
5-6	5-6	5-8			Ů			
7-8	7-8	6-7						Ů
9-10	9-10	9-10		Ů		Ů		
	11-12	9-12			Ů			
11-12	13-14	10-11	Ů				Ů	Ů
	15-16	---		Ů	Ů	Ů		
13-14	17-18	21-24			Ů			
15-16	19-20	22-23						Ů
17-18	21-22	13-14		Ů			Ů	
	23-24	14-15	Ů					Ů
19-20	25-26	13-16			Ů	Ů		
21-22	27-28	17-19			Ů	Ů		
	29-30	17-18		Ů			Ů	
23-24	31-32	18-20	Ů					Ů

LW21(12)-16D/49.6784. 6	LW21(12)-16D/49.6785. 8	LW2-Z-1a.4.6a.40.20.6a/F8	分后	预合	合	合后	预分	分
			ī	ñ	ö	ñ	ī	÷
			90°	0°	45°	0°	90°	135°
1-2	1-2	1-3		Ů		Ů		
3-4	3-4	2-4	Ů				Ů	
5-6	5-6	5-8			Ů			
7-8	7-8	6-7						Ů
9-10	9-10	9-10		Ů		Ů		
	11-12	9-12			Ů			
11-12	13-14	10-11	Ů				Ů	Ů
13-14	15-16	21-22		Ů		Ů		
	17-18	21-24			Ů			
15-16	19-20	22-23	Ů				Ů	Ů
17-18	21-22	13-14		Ů			Ů	
	23-24	14-15	Ů					Ů
19-20	25-26	13-16			Ů	Ů		
21-22	27-28	17-19			Ů	Ů		
	29-30	17-18		Ů			Ů	
23-24	31-32	18-20	Ů					Ů

LW21(12)-16D/49.6786. 6	LW21(12)-16D/49.6787. 8	LW2-Z-1a.4.6a.40.20.4/F8	分后	预合	合	合后	预分	分
			ī -	- ñ	ö	ñ	ī	÷
			90°	0°	45°	0°	90°	135°
1-2	1-2	1-3		Ů		Ů		
3-4	3-4	2-4	Ů				Ů	
5-6	5-6	5-8			Ů			
7-8	7-8	6-7						Ů
9-10	9-10	9-10		Ů		Ů		
	11-12	9-12			Ů			
11-12	13-14	10-11	Ů				Ů	Ů
	15-16	---						Ů
13-14	17-18	13-14		Ů			Ů	
	19-20	14-15	Ů					Ů
15-16	21-22	13-16			Ů	Ů		
17-18	23-24	17-19			Ů	Ů		
19-20	25-26	18-20	Ů					Ů
21-22	27-28	21-23			Ů	Ů		
	29-30	21-22		Ů			Ů	
23-24	31-32	22-24	Ů					Ů

LW21(12)-16D/49.4601. 6	LW21(12)-16D/49. 4601 8	LW2-Z-1a.4.6a.40.20/F8	分后	预合	合	合后	预分	分
			ī	ñ	ö	ñ	ī	÷
			90°	0°	45°	0°	90°	135°
1-2	1-2	1-3		Ů		Ů		
3-4	3-4	2-4	Ů				Ů	
5-6	5-6	5-8			Ů			
7-8	7-8	6-7						Ů
9-10	9-10	9-12			Ů			
	11-12	10-11						Ů
13-14	13-14	13-14		Ů		Ů		
	15-16	13-16			Ů			
15-16	17-18	14-15	Ů				Ů	Ů
	19-20	---						
17-18	21-22	17-18		Ů			Ů	
	23-24	18-19	Ů					Ů
19-20	25-26	17-20			Ů	Ů		
21-22	27-28	22-23			Ů	Ů		
	29-30	21-22		Ů			Ů	
23-24	31-32	22-24	Ů					Ů

LW21(12)-16D/49.6792. 6	LW21(12)-16D/49.6793. 8	LW2-Z-1a.4.6a.40.40.F8	分后	预合	合	合后	预分	分
			ī -	- ñ	ö	ñ	ī	÷
			90°	0°	45°	0°	90°	135°
1-2	1-2	1-3		ú		ú		
3-4	3-4	2-4	ú				ú	
5-6	5-6	5-8			ú			
7-8	7-8	6-7						ú
9-10	9-10	9-10	ú				ú	
	11-12	10-11						ú
11-12	13-14	9-12		ú	ú	ú		
13-14	15-16	13-14		ú		ú		
	17-18	13-16			ú			
15-16	19-20	14-15	ú				ú	ú
17-18	21-22	17-18		ú			ú	
	23-24	18-19	ú					ú
19-20	25-26	17-20			ú	ú		
21-22	27-28	21-22		ú			ú	
	29-30	22-23	ú					ú
23-24	31-32	21-24			ú	ú		

LW21(12)-16D/49.6721. 6	LW21(12)-16D/49. 6721 8	LW2-Z-1a.4.6a.6a.40.40.F8	分后	预合	合	合后	预分	分
			ī	ñ	ö	ñ	ī	÷
			90°	0°	45°	0°	90°	135°
1-2	1-2	1-3		ú		ú		
3-4	3-4	2-4	ú				ú	
5-6	5-6	5-8			ú			
7-8	7-8	6-7						ú
9-10	9-10	9-10		ú		ú		
	11-12	9-12			ú			
11-12	13-14	10-11	ú				ú	ú
13-14	15-16	13-14		ú		ú		
	17-18	13-16			ú			
15-16	19-20	14-15	ú				ú	ú
17-18	21-22	17-18		ú			ú	
	23-24	18-19	ú					ú
19-20	25-26	17-20			ú	ú		
21-22	27-28	21-22		ú			ú	
	29-30	22-23	ú					ú
23-24	31-32	21-24			ú	ú		

LW21(12)-16D/49.4624. 8	LW2-Z-1a.4.6a.40.20.1a.F8		分后	预合	合	合后	预分	分
			ī -	- ñ	ö	ñ	ī	÷
			90°	0°	45°	0°	90°	135°
1-2	1-3			ú		ú		
3-4	2-4		ú				ú	
5-6	5-8				ú			
7-8	6-7							ú
9-10	9-10			ú		ú		
11-12	9-12				ú			
13-14	10-11		ú				ú	ú
15-16	13-14							
17-18	13-16			ú			ú	
19-20	14-15		ú					ú
21-22	17-18				ú	ú		
23-24	18-19				ú	ú		
25-26	17-20			ú			ú	
27-28	21-22		ú					ú
29-30	22-23			ú		ú		
31-32	21-24		ú				ú	

LW21(12)-16D/49.4630. 8	LW2-Z-4.4.4.6.6a.4.F8		分后	预合	合	合后	预分	分
			ī	ñ	ö	ñ	ī	÷
			90°	0°	45°	0°	90°	135°
1-2	1-3				ú			
3-4	2-4							ú
5-6	5-8				ú			
7-8	6-7							ú
9-10	9-10				ú			
11-12	9-12							ú
13-14	10-11				ú			
15-16	13-14							ú
17-18	13-16		ú				ú	
19-20	14-15							ú
21-22	17-18			ú	ú	ú		
23-24	18-19			ú		ú		
25-26	17-20		ú				ú	ú
27-28	21-22				ú			
29-30	22-23				ú			
31-32	21-24							ú

LW21(12)-16D/49.4639. 8.			分后	预合	合	合后	预分	分
			ī -	- ñ	ö	ñ	ī	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				ú		ú		
3-4			ú				ú	
5-6					ú			
7-8								
9-10				ú		ú		
11-12			ú				ú	
13-14					ú			
15-16				ú			ú	
17-18			ú					
19-20					ú	ú		
21-22				ú			ú	
23-24			ú					
25-26					ú	ú		
27-28				ú		ú		
29-30			ú				ú	
31-32					ú			

LW21(12)-16D/49.4656. 8.			分后	预合	合	合后	预分	分
			ī	ñ	ö	ñ	ī	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				ú		ú		
3-4			ú				ú	
5-6					ú			
7-8								ú
9-10				ú	ú	ú		
11-12			ú				ú	ú
13-14					ú			
15-16								ú
17-18			ú	ú			ú	ú
19-20					ú	ú		
21-22					ú	ú		
23-24			ú					ú
25-26						ú		
27-28						ú		
29-30								
31-32								

LW21(12)-16D49.4659. 8.	改 LW2-Z-1a46a4020(a+20) /B.		分后	预合	合	合后	预分	分
			ī -	- ñ	ö	ñ	ī	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				ú		ú		
3-4			ú				ú	
5-6					ú			
7-8								ú
9-10				ú		ú		
11-12					ú			
13-14			ú				ú	ú
15-16				ú		ú		
17-18					ú	ú		
19-20								
21-22				ú			ú	
23-24			ú					ú
25-26					ú	ú		
27-28					ú	ú		
29-30				ú			ú	
31-32			ú					ú

LW21(12)-16D/49.4661. 8.			分后	预合	合	合后	预分	分
			ī	ñ	ö	ñ	ī	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				ú		ú		
3-4			ú				ú	
5-6					ú			
7-8								ú
9-10				ú	ú	ú		
11-12			ú				ú	ú
13-14				ú	ú	ú		
15-16			ú				ú	ú
17-18			ú	ú			ú	ú
19-20					ú	ú		
21-22				ú	ú	ú	ú	
23-24			ú					ú
25-26				ú		ú		
27-28					ú	ú		
29-30								
31-32								

LW21(12)-16D49.467. 8			分后	预合	合	合后	预分	分
			Ÿ -	- ñ	ö	ñ	Ÿ	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				Ů		Ů		
3-4					Ů			
5-6								Ů
7-8			Ů				Ů	
9-10				Ů		Ů		
11-12					Ů			
13-14			Ů				Ů	Ů
15-16				Ů			Ů	
17-18					Ů	Ů		
19-20			Ů					Ů
21-22				Ů			Ů	
23-24					Ů	Ů		
25-26			Ů					Ů
27-28				Ů		Ů		
29-30					Ů			
31-32			Ů				Ů	Ů

LW21(12)-16D/49.4675. 8	LW2-Z-1a.4.6a.40.20./F 8		分后	预合	合闸	合后	预分	分闸
			Ÿ	ñ	ö	ñ	ö	ø
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2	1-3			Ů		Ů		
3-4	2-4		Ů				Ů	
5-6	5-8				Ů			
7-8	6-7							Ů
9-10	9-10			Ů		Ů		
11-12	9-12				Ů			
13-14	10-11		Ů				Ů	Ů
15-16	21-24			Ů		Ů		
17-18	13-14			Ů			Ů	
19-20	14-15		Ů					Ů
21-22	13-16				Ů	Ů		
23-24	17-19				Ů	Ů		
25-26	17-18			Ů			Ů	
27-28	18-20		Ů					Ů
29-30	23-24				Ů	Ů		
31-32								

LW21(12)-16D49.4676. 8.			跳后	预合	合闸	分后	预跳	跳闸
			Ÿ	ñ	ö	ñ	Ÿ	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				Ů		Ů		
3-4			Ů				Ů	
5-6					Ů			
7-8								Ů
9-10				Ů	Ů	Ů		
11-12			Ů				Ů	Ů
13-14					Ů			
15-16								Ů
17-18			Ů	Ů			Ů	Ů
19-20					Ů	Ů		
21-22					Ů	Ů		
23-24			Ů					Ů
25-26			Ů	Ů			Ů	Ů
27-28					Ů	Ů		
29-30					Ů	Ů		
31-32			Ů					Ů

			分后	预合	合	合后	预分	分
			Ÿ	ñ	ö	ñ	Ÿ	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2								
3-4								
5-6								
7-8								
9-10								
11-12								
13-14								
15-16								
17-18								
19-20								
21-22								
23-24								
25-26								
27-28								
29-30								
31-32								

LW21(12)-16D49.6732. 8			跳后	预合	合闸	分后	预跳	跳闸
			ī	ñ	ö	ñ	ī	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				ú		ú		
3-4			ú				ú	
5-6					ú			
7-8								ú
9-10				ú	ú	ú		
11-12				ú	ú	ú		
13-14			ú				ú	ú
15-16				ú		ú		
17-18					ú			
19-20			ú				ú	ú
21-22					ú	ú		
23-24			ú	ú			ú	ú
25-26					ú	ú		
27-28					ú	ú		
29-30				ú			ú	
31-32			ú					ú

LW21(12)-16D49.6818. 8			分后	预合	合	合后	预分	分
			ī	ñ	ö	ñ	ī	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				ú		ú		
3-4			ú				ú	
5-6					ú			
7-8								ú
9-10				ú		ú		
11-12					ú			
13-14			ú				ú	ú
15-16								ú
17-18				ú			ú	
19-20			ú					ú
21-22					ú	ú		
23-24					ú	ú		
25-26				ú			ú	
27-28			ú					ú
29-30				ú	ú			
31-32					ú	ú		

LW21(12)-16D49.4629. 9			跳后	预合	合闸	分后	预跳	跳闸
			ī	ñ	ö	ñ	ī	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				ú		ú		
3-4			ú				ú	
5-6					ú			
7-8					ú			
9-10								ú
11-12				ú		ú		
13-14					ú			
15-16			ú				ú	ú
17-18				ú		ú		
19-20					ú			
21-22			ú				ú	ú
23-24				ú			ú	
25-26			ú					ú
27-28					ú	ú		
29-30					ú	ú		
31-32				ú			ú	
33-34			ú					ú
35-36								

LW21(12)-16D49.4662. 9			分后	预合	合	合后	预分	分
			ī	ñ	ö	ñ	ī	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				ú		ú		
3-4			ú				ú	
5-6					ú			
7-8								ú
9-10				ú		ú		
11-12					ú			
13-14			ú				ú	ú
15-16				ú			ú	
17-18			ú					ú
19-20					ú	ú		
21-22					ú	ú		
23-24				ú			ú	
25-26			ú					ú
27-28				ú		ú		
29-30					ú			
31-32			ú				ú	ú
33-34				ú		ú		
35-36			ú				ú	

LW21(12)-16D/49.6730. 9			跳后	预合	合闸	分后	预跳	跳闸
			ī	ñ	ö	ñ	ī	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				ú		ú		
3-4			ú				ú	
5-6					ú			
7-8								ú
9-10				ú	ú	ú		
11-12				ú	ú	ú		
13-14			ú				ú	ú
15-16					ú	ú		
17-18					ú	ú		
19-20			ú					ú
21-22					ú	ú		
23-24			ú	ú			ú	ú
25-26					ú	ú		
27-28					ú	ú		
29-30				ú			ú	
31-32			ú					ú
33-34								
35-36								

LW21(12)-16D/49.6731. 9			分后	预合	合	合后	预分	分
			ī	ñ	ö	ñ	ī	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				ú		ú		
3-4			ú				ú	
5-6					ú			
7-8								ú
9-10				ú	ú	ú		
11-12				ú	ú	ú		
13-14			ú				ú	ú
15-16					ú			
17-18								ú
19-20			ú					ú
21-22					ú	ú		
23-24			ú	ú			ú	ú
25-26					ú	ú		
27-28					ú	ú		
29-30				ú			ú	
31-32			ú					ú
33-34								
35-36								

LW21(12)-16D/49.6805. 8	LW21(12)-16D/49.6805. 11	LW2-Z-1a.4.6a.40.20.20. 4.20/F8	分后	预合	合	合后	预分	分
			ī -	- ñ	ö	ñ	ī	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2	1-2	1-3		ú		ú		
3-4	3-4	2-4	ú				ú	
5-6	5-6	5-8			ú			
7-8	7-8	6-7						ú
9-10	9-10	9-10		ú		ú		
	11-12	9-12			ú			
11-12	13-14	10-11	ú				ú	ú
---	15-16	---						
13-14	17-18	25-26			ú			
15-16	19-20	27-28						ú
17-18	21-22	13-14		ú			ú	
	23-24	14-15	ú					ú
19-20	25-26	13-16			ú	ú		
21-22	27-28	17-19			ú	ú		
23-24	29-30	18-20	ú					ú
25-26	31-32	21-23			ú	ú		
---	33-34	21-22		ú			ú	
27-28	35-36	22-24	ú					ú
29-30	37-38	29-31			ú	ú		
---	39-40	29-30		ú			ú	
31-32	41-42	30-32	ú					ú
---	43-44	---						

LW21(12)-16D/49.6790. 7	LW21(12)-16D/49.6791. 9	LW2-Z-1a.4.6a.40.20.20. 6a/F8	分后	预合	合	合后	预分	分
			ī	ñ	ö	ñ	ī	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2	1-2	1-3		ú		ú		
3-4	3-4	2-4	ú				ú	
5-6	5-6	5-8			ú			
7-8	7-8	6-7						ú
9-10	9-10	9-10		ú		ú		
	11-12	9-12			ú			
11-12	13-14	10-11	ú				ú	ú
13-14	15-16	25-26		ú		ú		
	17-18	25-28			ú			
15-16	19-20	26-27	ú				ú	ú
17-18	21-22	13-14		ú			ú	
	23-24	14-15	ú					ú
19-20	25-26	13-16			ú	ú		
21-22	27-28	17-19			ú	ú		
23-24	29-30	18-20	ú					ú
25-26	31-32	21-23			ú	ú		
---	33-34	21-22		ú			ú	
27-28	35-36	22-24	ú					ú

LW21(12)-16D/49.4613. 6	LW21(12)-16D/49. 4613.0	LW2-Z-1a.4.6a.40.20.40/ F8	分后	预合	合	合后	预分	分
			ī -	- ĩ	ö	ñ	ï	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2	1-2	1-3		Ů		Ů		
3-4	3-4	2-4	Ů				Ů	
5-6	5-6	5-8			Ů			
7-8	7-8	6-7						Ů
9-10	9-10	9-10		Ů		Ů		
	11-12	9-12			Ů			
11-12	13-14	10-11	Ů				Ů	Ů
---	15-16	---						
13-14	17-18	13-14		Ů			Ů	
	19-20	14-15	Ů					Ů
15-16	21-22	13-16			Ů	Ů		
17-18	23-24	17-19			Ů	Ů		
---	25-26	17-18		Ů			Ů	
19-20	27-28	18-20	Ů					Ů
21-22	29-30	21-22		Ů			Ů	
	31-32	22-23	Ů					Ů
23-24	33-34	21-24			Ů	Ů		
---	35-36	---						

LW21(12)-16D/49.6796. 7	LW21(12)-16D/49.6797. 9	LW2-Z-1a.4.6a.40.20.20. 1a/F8	分后	预合	合	合后	预分	分
			ī	ñ	ö	ñ	ï	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2	1-2	1-3		Ů		Ů		
3-4	3-4	2-4	Ů				Ů	
5-6	5-6	5-8			Ů			
7-8	7-8	6-7						Ů
9-10	9-10	9-10		Ů		Ů		
	11-12	9-12			Ů			
11-12	13-14	10-11	Ů				Ů	Ů
---	15-16	---						
13-14	17-18	25-27		Ů		Ů		
15-16	19-20	26-28	Ů				Ů	
17-18	21-22	13-14		Ů			Ů	
	23-24	14-15	Ů					Ů
19-20	25-26	13-16			Ů	Ů		
21-22	27-28	17-19			Ů	Ů		
23-24	29-30	18-20	Ů					Ů
25-26	31-32	21-23			Ů	Ů		
---	33-34	21-22		Ů			Ů	
27-28	35-36	22-24	Ů					Ů

LW21(12)-16D/49.6727. 7	LW21(12)-16D/49. 6727.0	LW2-Z-1a.4.6a.40.20.6a. 4/F8	分后	预合	合	合后	预分	分
			ī -	- ĩ	ö	ñ	ï	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2	1-2	1-3		Ů		Ů		
3-4	3-4	2-4	Ů				Ů	
5-6	5-6	5-8			Ů			
7-8	7-8	6-7						Ů
9-10	9-10	9-10		Ů		Ů		
	11-12	9-12			Ů			
11-12	13-14	10-11	Ů				Ů	Ů
13-14	15-16	21-22		Ů		Ů		
	17-18	21-24			Ů			
15-16	19-20	22-23	Ů				Ů	Ů
17-18	21-22	25-28			Ů			
19-20	23-24	26-27						Ů
21-22	25-26	13-14		Ů			Ů	
	27-28	14-15	Ů					Ů
23-24	29-30	13-16			Ů	Ů		
25-26	31-32	17-19			Ů	Ů		
---	33-34	17-18		Ů			Ů	
27-28	35-36	18-20	Ů					Ů

LW21(12)-16D/49.6788. 7	LW21(12)-16D/49.6789. 9	LW2-Z-1a.4.6a.40.20.20. 4/F8	分后	预合	合	合后	预分	分
			ī	ñ	ö	ñ	ï	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2	1-2	1-3		Ů		Ů		
3-4	3-4	2-4	Ů				Ů	
5-6	5-6	5-8			Ů			
7-8	7-8	6-7						Ů
9-10	9-10	9-10		Ů		Ů		
	11-12	9-12			Ů			
11-12	13-14	10-11	Ů				Ů	Ů
---	15-16	---						
13-14	17-18	25-28			Ů			
15-16	19-20	26-27						Ů
17-18	21-22	13-14		Ů			Ů	
	23-24	14-15	Ů					Ů
19-20	25-26	13-16			Ů	Ů		
21-22	27-28	17-19			Ů	Ů		
23-24	29-30	18-20	Ů					Ů
25-26	31-32	21-23			Ů	Ů		
---	33-34	21-22		Ů			Ů	
27-28	35-36	22-24	Ů					Ů

LW21(12)-16D/49.6794. 7	LW21(12)-16D/49. 6795-10	LW2-Z-1a.4.6.6a.40.40.4 0/F8	分后	预合	合	合后	预分	分
			ī -	- ĩ	ö	ñ	ï	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2	1-2	1-3		Ů		Ů		
3-4	3-4	2-4	Ů				Ů	
5-6	5-6	5-8			Ů			
7-8	7-8	6-7						Ů
9-10	9-10	9-10	Ů				Ů	
	11-12	10-11						Ů
11-12	13-14	9-12		Ů	Ů	Ů		
13-14	15-16	13-14		Ů		Ů		
	17-18	13-16			Ů			
15-16	19-20	14-15	Ů				Ů	Ů
17-18	21-22	17-18		Ů			Ů	
	23-24	18-19	Ů					Ů
19-20	25-26	17-20			Ů	Ů		
21-22	27-28	21-22		Ů			Ů	
	29-30	22-23	Ů					Ů
23-24	31-32	21-24			Ů	Ů		
25-26	33-34	25-26		Ů			Ů	
	35-36	26-27	Ů					Ů
27-28	37-38	25-28			Ů	Ů		
---	39-40	---						

LW21(12)-16D/49.4611. 10			分后	预合	合	合后	预分	分
			ī	ñ	ö	ñ	ï	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				Ů		Ů		
3-4			Ů				Ů	
5-6					Ů			
7-8								Ů
9-10			Ů				Ů	
11-12								Ů
13-14			Ů					Ů
15-16					Ů	Ů		
17-18			Ů				Ů	Ů
19-20					Ů			
21-22				Ů			Ů	
23-24			Ů					Ů
25-26					Ů	Ů		
27-28				Ů			Ů	
29-30			Ů					Ů
31-32					Ů	Ů		
33-34			Ů					Ů
35-36					Ů	Ů		
37-38					Ů	Ů		
39-40				Ů				Ů

LW21(12)-16D/49.4627. 10			分后	预合	合	合后	预分	分
			ī -	- ĩ	ö	ñ	ï	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2	1-2			Ů		Ů		
3-4	3-4		Ů				Ů	
5-6	5-6				Ů			
7-8	7-8							Ů
9-10	9-10			Ů		Ů		
11-12	9-12				Ů			
13-14	10-11		Ů				Ů	Ů
15-16	空号							
17-18	21-22				Ů			
19-20	23-24							Ů
21-22	13-14			Ů			Ů	
23-24	14-15		Ů					Ů
25-26	13-16				Ů	Ů		
27-28	18-19				Ů	Ů		
29-30	17-18			Ů			Ů	
31-32	19-20		Ů					Ů
33-34	25-26			Ů			Ů	
35-36	26-27		Ů					Ů
37-38	25-28				Ů	Ů		
39-40								

LW21(12)-16D/49.4640. 10			分后	预合	合	合后	预分	分
			ī	ñ	ö	ñ	ï	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2	1-2			Ů		Ů		
3-4	3-4		Ů				Ů	
5-6	5-6				Ů			
7-8	7-8							Ů
9-10	9-10			Ů		Ů		
11-12	9-12				Ů			
13-14	10-11		Ů				Ů	Ů
15-16	空号							
17-18	13-14			Ů			Ů	
19-20	14-15		Ů					Ů
21-22	13-16				Ů	Ů		
23-24	18-19				Ů	Ů		
25-26	17-18			Ů			Ů	
27-28	19-20		Ů					Ů
29-30	21-22			Ů			Ů	
31-32	22-23		Ů					Ů
33-34	21-24				Ů	Ů		
35-36	25-26			Ů			Ů	
37-38	26-27		Ů					Ů
39-40	25-28				Ů	Ů		

LW21(12)-16D/49.4647. 10			分后	预合	合	合后	预分	分	LW21(12)-16D/49.4658. 10			分后	预合	合	合后	预分	分
			ī -	- ĩ	ö	ñ	ī	÷				ī	ñ	ö	ñ	ī	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰				90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2	1-2			Ů		Ů			1-2			Ů		Ů			
3-4	3-4		Ů				Ů		3-4		Ů					Ů	
5-6	5-6				Ů				5-6					Ů			Ů
7-8	7-8							Ů	7-8				Ů				
9-10	9-10			Ů		Ů			9-10			Ů		Ů			
11-12	10-11		Ů				Ů	Ů	11-12		Ů					Ů	
13-14	9-12				Ů				13-14								Ů
15-16	13-14			Ů			Ů		15-16				Ů				
17-18	14-15		Ů					Ů	17-18		Ů					Ů	Ů
19-20	13-16				Ů	Ů			19-20			Ů		Ů			
21-22	17-18			Ů			Ů		21-22		Ů					Ů	
23-24	18-19		Ů					Ů	23-24			Ů		Ů			
25-26	17-20				Ů	Ů			25-26		Ů					Ů	
27-28	21-22			Ů			Ů		27-28			Ů		Ů			
29-30	22-23		Ů					Ů	29-30			Ů				Ů	
31-32	21-24				Ů	Ů			31-32			Ů				Ů	
33-34	25-26			Ů			Ů		33-34		Ů						Ů
35-36	26-27		Ů					Ů	35-36				Ů	Ů			
37-38	25-28				Ů	Ů			37-38		Ů						Ů
39-40									39-40				Ů	Ů			

LW21(12)-16D/49.4666. 10			分后	预合	合	合后	预分	分	LW21(12)-16D/49.4677. 10	LW2-Z-1a.4.6a.40.20.4.4 .4/F8	跳后	预合	合闸	合后	预跳	跳闸
			ī -	- ĩ	ö	ñ	ī	÷			ī	ñ	ö	ñ	ī	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				Ů		Ů			1-2	1-3		Ů		Ů		
3-4			Ů				Ů		3-4	2-4	Ů				Ů	
5-6					Ů				5-6	5-8			Ů			
7-8								Ů	7-8	6-7						Ů
9-10				Ů		Ů			9-10	9-10		Ů		Ů		
11-12			Ů				Ů	Ů	11-12	9-12			Ů			
13-14					Ů				13-14	10-11	Ů				Ů	Ů
15-16									15-16	21-24			Ů			
17-18				Ů			Ů		17-18	22-23						Ů
19-20			Ů					Ů	19-20	25-28			Ů			
21-22					Ů	Ů			21-22	26-27						Ů
23-24					Ů	Ů			23-24	29-32			Ů			
25-26			Ů					Ů	25-26	30-31						Ů
27-28				Ů			Ů		27-28	13-14		Ů			Ů	
29-30				Ů			Ů		29-30	14-15	Ů					Ů
31-32			Ů					Ů	31-32	13-16			Ů	Ů		
33-34					Ů	Ů			33-34	17-19			Ů	Ů		
35-36					Ů	Ů			35-36	17-18		Ů			Ů	
37-38			Ů					Ů	37-38	18-20	Ů					Ů
39-40				Ů			Ů		39-40							

LW21(12)-16D/49.6733. 10			分后	预合	合	合后	预分	分	LW21(12)-16D/49.4685. 10			分后	预合	合	合后	预分	分
			ī -	- ñ	ö	ñ	ī	÷				ī	ñ	ö	ñ	ī	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰				90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				Ů		Ů			1-2			Ů		Ů			
3-4			Ů				Ů		3-4		Ů				Ů		
5-6					Ů				5-6			Ů					
7-8								Ů	7-8							Ů	
9-10				Ů	Ů	Ů			9-10			Ů		Ů			
11-12				Ů	Ů	Ů			11-12			Ů					
13-14			Ů				Ů	Ů	13-14		Ů				Ů	Ů	
15-16					Ů	Ů			15-16			Ů					
17-18					Ů	Ů			17-18							Ů	
19-20			Ů					Ů	19-20			Ů		Ů			
21-22					Ů	Ů			21-22								
23-24			Ů	Ů			Ů	Ů	23-24			Ů	Ů				
25-26					Ů	Ů			25-26			Ů			Ů		
27-28					Ů	Ů			27-28		Ů					Ů	
29-30			Ů					Ů	29-30			Ů	Ů				
31-32					Ů	Ů			31-32			Ů	Ů				
33-34				Ů			Ů		33-34		Ů					Ů	
35-36			Ů					Ů	35-36			Ů	Ů				
37-38									37-38			Ů			Ů		
39-40									39-40		Ů					Ů	

LW21(12)-16D/49.6728. 7	LW21(12)-16D/49. 6728.10	LW2-Z-1a.4.6a.40.20.20. 20/F8	分后	预合	合	合后	预分	分	LW21(12)-16D/49.6784. 7	LW21(12)-16D/49.6785. 9	LW2-Z-1a.4.6a.40.20.6a/ F8	分后	预合	合	合后	预分	分
			ī -	- ñ	ö	ñ	ī	÷				ī	ñ	ö	ñ	ī	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰				90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2	1-2	1-3		Ů		Ů			1-2	1-2	1-2		Ů		Ů		
3-4	3-4	2-4	Ů				Ů		3-4	3-4	3-4	Ů				Ů	
5-6	5-6	5-8			Ů				5-6	5-6	5-7		Ů		Ů		
7-8	7-8	6-7						Ů	7-8	7-8	6-8	Ů				Ů	
9-10	9-10	9-10		Ů		Ů			9-10	9-10	9-12			Ů			
	11-12	9-12			Ů				11-12	11-12	10-11						Ů
11-12	13-14	10-11	Ů				Ů	Ů	13-14	13-14	13-14		Ů		Ů		
---	15-16	---							15-16	15-16	13-16			Ů			
13-14	17-18	13-14		Ů			Ů		15-16	17-18	14-15	Ů				Ů	Ů
	19-20	14-15	Ů					Ů	17-18	19-20	25-26		Ů		Ů		
15-16	21-22	13-16			Ů	Ů			21-22	21-22	25-28			Ů			
17-18	23-24	17-19			Ů	Ů			19-20	23-24	26-27	Ů				Ů	Ů
---	25-26	17-18		Ů			Ů		21-22	25-26	17-18		Ů			Ů	
19-20	27-28	18-20	Ů					Ů		27-28	18-19	Ů					Ů
21-22	29-30	21-23			Ů	Ů			23-24	29-30	17-20			Ů	Ů		
---	31-32	21-22		Ů			Ů		25-26	31-32	21-23			Ů	Ů		
23-24	33-34	22-24	Ů					Ů	---	33-34	21-22		Ů			Ů	
25-26	35-36	25-27			Ů	Ů			27-28	35-36	22-24	Ů					Ů
---	37-38	25-26		Ů			Ů										
27-28	39-40	26-28	Ů					Ů									

LW21(12)-16D/49.6733. 11			分后	预合	合	合后	预分	分
			Ÿ -	- ñ	ö	ñ	Ÿ	÷
			90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2				ú		ú		
3-4			ú				ú	
5-6					ú			
7-8								ú
9-10				ú	ú	ú		
11-12				ú	ú	ú		
13-14			ú				ú	ú
15-16					ú	ú		
17-18					ú	ú		
19-20			ú					ú
21-22					ú	ú		
23-24			ú	ú			ú	ú
25-26					ú	ú		
27-28					ú	ú		
29-30			ú					ú
31-32					ú	ú		
33-34				ú			ú	
35-36			ú					ú
37-38			ú					ú
39-40					ú	ú		
41-42								
43-44								

		分后	预合	合	合后	预分	分
		Ÿ	ñ	ö	ñ	Ÿ	÷
		90 ⁰	0 ⁰	45 ⁰	0 ⁰	90 ⁰	135 ⁰
1-2							
3-4							
5-6							
7-8							
9-10							
11-12							
13-14							
15-16							
17-18							
19-20							
21-22							
23-24							
25-26							
27-28							
29-30							
31-32							
33-34							
35-36							
37-38							
39-40							

型号 角度 端子编号	LW21(12)-16DL/49.4006.															
	90°	45°	0°	45°												
	ĩ	õ	ñ	ö												
1-2				ú												
3-4		ú														

型号 角度 端子编号	DL/49.4001.2				DL/49.4005.2				DL/49.4011.2							
	45°	0°	45°	90°	90°	45°	0°	45°	90°	45°	0°	45°	90°			
	õ	ñ	ö	đ	ĩ	õ	ñ	ö	đ	õ	ñ	ö	ĩ			
1-2			ú					ú				ú	ú			
3-4	ú					ú						ú	ú			
5-6				ú					ú				ú			
7-8									ú				ú			

型号 角度 端子编号	DL/49.5509.2				DL/49.5557.2											
	45°	0°	45°	90°	90°	45°	0°	45°								
	õ	ñ	ö	đ	ĩ	õ	ñ	ö								
1-2				ú				ú								
3-4	ú					ú										
5-6				ú			ú									
7-8			ú					ú								

型号 角度 端子编号	DL/49.6142.2					DL/49.6402.2					DL/49.6437.2				DL/49.6438.2			
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	90°	45°	0°	45°	45°	0°	45°	90°
	ĩ	õ	ñ	ö	đ		ĩ	õ	ñ	ö	đ	ĩ	õ	ñ	ö	ñ	ö	ĩ
1-2				ú				ú					ú				ú	ú
3-4		ú								ú				ú			ú	
5-6					ú		ú				ú				ú			
7-8					ú					ú				ú	ú			ú

型号 角度 端子编号	DL/49.6465.2				DL/49.6466.2				DL/49.6497.2				DL/49.6450.2				DL/49.9857.2			
	90°	45°	0°	45°	45°	0°	45°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	45°	0°	45°
	ĩ	õ	ñ	ö	õ	ñ	ö	đ	õ	ñ	ö	đ	ĩ	õ	ñ	ö	ĩ	õ	ñ	ö
1-2	ú						ú		ú						ú					ú
3-4		ú	ú	ú	ú						ú			ú					ú	ú
5-6				ú			ú					ú	ú						ú	ú
7-8	ú						ú				ú		ú					ú	ú	

型号 角度 端子编号	DL/49.BQ0007.3				DL/49.4002.3				DL/49.4003.3				DL/49.4004.3			
	90°	45°	0°	45°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°
	ĩ	õ	ñ	ö	õ	ñ	ö	đ	õ	ñ	ö	đ	õ	ñ	ö	đ
1-2		ú					ú				ú				ú	
3-4				ú	ú				ú						ú	ú
5-6			ú	ú				ú		ú	ú			ú	ú	
7-8			ú	ú				ú			ú	ú	ú	ú		
9-10	ú							ú				ú				ú
11-12	ú							ú				ú				ú

型号 角度 端子编号	DL/49.4010.3				DL/49.4018.3				DL/49.4030.3				DL/49.3990.3				
	45° ↗	0° ↔	45° ↖	90°	90°	45° ↗	0° ↔	45° ↖	90°	45° ↗	0° ↔	45° ↖	90°	90°	45° ↗	0° ↔	45° ↖
	ǒ	ñ	ǒ	ǒ	ĩ	ǒ	ñ	ǒ	ĩ	ǒ	ñ	ǒ	ǒ	ĩ	ǒ	ñ	ǒ
1-2			ǒ			ǒ	ǒ						ǒ		ǒ		
3-4	ǒ							ǒ	ǒ								ǒ
5-6			ǒ				ǒ	ǒ					ǒ		ǒ		
7-8					ǒ				ǒ								ǒ
9-10				ǒ		ǒ	ǒ	ǒ	ǒ			ǒ			ǒ		
11-12				ǒ								ǒ					ǒ

型号 角度 端子编号	DL/49.5716.3			DL49.6654.3				DL/49.6487.3							
	90°	45°	45°	90°	45° ↗	0° ↔	45° ↖	90°	45° ↗	0° ↔	45° ↖	90°	45°	45°	90°
	ĩ	ǒ	ǒ	ĩ	ǒ	ñ	ǒ	ĩ	ǒ	ñ	ǒ				
1-2			ǒ				ǒ	ǒ							
3-4		ǒ					ǒ		ǒ	ǒ	ǒ	ǒ			
5-6			ǒ			ǒ		ǒ							
7-8		ǒ				ǒ		ǒ							
9-10			ǒ		ǒ				ǒ						
11-12		ǒ			ǒ						ǒ				

型号 角度 端子编号	DL/49.BQ0005.4				DL/49.4007.4				DL/49.4008.4				DL/49.4403.4			
	90°	45° ↗	0° ↔	45° ↖	45° ↗	0° ↔	45° ↖	90°	45° ↗	0° ↔	45° ↖	90°	45° ↗	0° ↔	45° ↖	90°
	ĩ	ǒ	ñ	ǒ	ǒ	ñ	ǒ	ǒ	ǒ	ñ	ǒ	ǒ	ǒ	ñ	ǒ	ǒ
1-2		ǒ										ǒ				ǒ
3-4				ǒ								ǒ	ǒ			
5-6			ǒ							ǒ	ǒ			ǒ	ǒ	
7-8			ǒ						ǒ	ǒ					ǒ	ǒ
9-10	ǒ					ǒ	ǒ					ǒ				ǒ
11-12	ǒ					ǒ	ǒ			ǒ	ǒ	ǒ	ǒ			ǒ
13-14	ǒ							ǒ								
15-16			ǒ					ǒ								

型号 角度 端子编号	DL/49.4014.4				DL/49.4015.4								DL/49.4821.4				
	45° ↗	0° ↔	45° ↖	90°	45° ↗	0° ↔	45° ↖	90°					45° ↗	0° ↔	45° ↖	90°	135°
	ǒ	ñ	ǒ	ǒ	ǒ	ñ	ǒ	ǒ					ǒ	ñ	ǒ	ǒ	ø
1-2			ǒ		ǒ								ǒ				
3-4	ǒ						ǒ									ǒ	
5-6		ǒ	ǒ		ǒ								ǒ	ǒ			
7-8			ǒ	ǒ			ǒ						ǒ	ǒ			
9-10				ǒ				ǒ							ǒ	ǒ	
11-12		ǒ	ǒ					ǒ							ǒ	ǒ	
13-14			ǒ	ǒ				ǒ									ǒ
15-16				ǒ				ǒ									ǒ

型号 角度 端子编号	DL/49.6496.4				DL/49.6497.4=6498.4				DL/49.9855.4				DL/49.9901.4			
	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°
	ī	ō	ñ	ö	ī	ō	ñ	ö	ī	ō	ñ	ö	ī	ō	ñ	ö
1-2				ū		ū	ū	ū			ū	ū		ū		
3-4		ū			ū						ū	ū				ū
5-6			ū	ū		ū	ū	ū			ū	ū			ū	ū
7-8			ū	ū		ū	ū	ū			ū	ū			ū	ū
9-10			ū	ū	ū							ū			ū	ū
11-12			ū	ū	ū							ū			ū	ū
13-14				ū	ū	ū				ū				ū	ū	ū
15-16		ū	ū					ū		ū			ū			

型号 角度 端子编号	DL/49.4012.5				DL/49.4028.5				DL/49.4041.5					DL/49.6448.5				
	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	90°	45°	0°	45°	
	ī	ō	ñ	ö	ī	ō	ñ	ö	ī	ō	ñ	ö	đ	ī	ō	ñ	ö	
1-2				û				û		û						û		
3-4		û				û							û					û
5-6	û				û							û	û		û			
7-8	û				û						û	û			û			
9-10	û				û				û						û			
11-12	û				û									û	û			
13-14		û	û	û		û	û	û							û			
15-16		û	û	û			û								û			
17-18		û	û	û			û								û			
19-20		û	û	û			û								û			

型号 角度 端子编号	DL/49.6455.5				DL/49.6485.5				DL/49.9856.5				DL/49.BP0006.5				
	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°
	ī	ō	ñ	ö	ī	ō	ñ	ö	ī	ō	ñ	ö	ī	ō	ñ	ö	ö
1-2		ū				ū				ū	ū			ū			
3-4				ū				ū		ū	ū						ū
5-6	ū				ū							ū	ū				
7-8	ū				ū						ū	ū		ū	ū		
9-10		ū	ū	ū		ū	ū	ū		ū					ū	ū	
11-12	ū				ū						ū	ū			ū	ū	
13-14		ū	ū	ū		ū	ū	ū				ū			ū	ū	
15-16	ū				ū						ū	ū		ū	ū		
17-18	ū					ū	ū	ū		ū	ū		ū				
19-20	ū				ū						ū	ū					ū

型号 角度 端子编号	DL/49.BQ0001.6				DL/49.BE0002.6				DL/49.BQ0003.6					DL/49.BP0004.6				
	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°
	ḡ	ḡ	ḡ	ḡ	ḡ	ḡ	ḡ	ḡ	ḡ	ḡ	ḡ	ḡ	ḡ	ḡ	ḡ	ḡ	ḡ	ḡ
1-2				ḡ				ḡ		ḡ					ḡ			
3-4		ḡ				ḡ							ḡ					ḡ
5-6	ḡ				ḡ					ḡ	ḡ				ḡ	ḡ		
7-8	ḡ				ḡ		ḡ			ḡ	ḡ				ḡ	ḡ		
9-10	ḡ				ḡ		ḡ					ḡ	ḡ				ḡ	ḡ
11-12	ḡ				ḡ		ḡ					ḡ	ḡ				ḡ	ḡ
13-14			ḡ			ḡ	ḡ	ḡ				ḡ	ḡ				ḡ	ḡ
15-16			ḡ			ḡ	ḡ	ḡ			ḡ	ḡ				ḡ	ḡ	
17-18			ḡ			ḡ	ḡ	ḡ				ḡ	ḡ		ḡ			
19-20			ḡ			ḡ	ḡ	ḡ			ḡ	ḡ						ḡ
21-22	ḡ				ḡ				ḡ									ḡ
23-24			ḡ			ḡ	ḡ	ḡ					ḡ	ḡ				

型号 角度 端子编号	DL/49.BP0006.5					DL/49.1613.6				DL/49.4017.6				DL/49.6389.6			
	90°	45°	0°	45°	90°	90°	45°	0°	45°	90°	45°	0°	45°	90°	45°	0°	45°
	ī	ō	ñ	ö	ö	ī	ō	ñ	ö	ī	ō	ñ	ö	ī	ō	ñ	ö
1-2		ū					ū		ū	ū	ū			ū			
3-4				ū			ū		ū			ū	ū				ū
5-6		ū	ū				ū	ū					ū	ū	ū		
7-8		ū	ū				ū	ū		ū	ū	ū			ū	ū	
9-10				ū	ū			ū	ū				ū	ū		ū	ū
11-12				ū	ū			ū	ū	ū	ū	ū				ū	ū
13-14				ū	ū			ū					ū	ū			ū
15-16			ū	ū				ū		ū							ū
17-18	ū								ū		ū	ū	ū	ū			ū
19-20					ū				ū	ū						ū	ū
21-22							ū				ū	ū	ū	ū			ū
23-24							ū									ū	ū

型号 角度 端子编号	DL/49.6493.6				DL/49.6495.6				DL/49.9864.6							
	90°	45°	0°	45°	90°	45°	0°	45°	45°	0°	45°	90°	135°			
	ī	ō	ñ	ö	ī	ō	ñ	ö	ö	ñ	ö	ö	ø			
1-2				ū				ū	ū							
3-4		ū				ū					ū					
5-6	ū				ū				ū	ū						
7-8	ū				ū				ū	ū						
9-10	ū				ū				ū	ū						
11-12	ū				ū						ū	ū				
13-14		ū	ū	ū		ū	ū	ū			ū	ū				
15-16			ū			ū	ū	ū			ū	ū				
17-18			ū			ū	ū	ū			ū	ū				
19-20			ū			ū	ū	ū		ū	ū					
21-22	ū				ū								ū			
23-24				ū	ū								ū			

型号 角度 端子编号	DL/49.BP0007.7					DL/49.BQ0008.7					DL/49.4013.7									
	90°	45°	0°	45°	90°	90°	45°	0°	45°		90°	45°	0°	45°						
	ī	ō	ñ	ö	ð	ī	ō	ñ	ö		ī	ō	ñ	ö						
1-2		ū							ū					ū						
3-4					ū		ū					ū								
5-6		ū	ū				ū				ū									
7-8		ū	ū						ū		ū									
9-10				ū	ū		ū				ū									
11-12				ū	ū		ū				ū									
13-14				ū	ū		ū					ū	ū	ū						
15-16			ū	ū			ū					ū	ū	ū						
17-18				ū	ū			ū				ū	ū	ū						
19-20			ū	ū				ū				ū	ū	ū						
21-22					ū			ū			ū									
23-24					ū	ū		ū				ū	ū	ū						
25-26					ū			ū				ū	ū	ū						
27-28					ū							ū	ū	ū						

型号 角度 端子编号	DL/49BE0001.8				DL/49.BE0003.8.				DL/49.BP0008.8									
	45°	0°	45°	90°	90°	45°	0°	45°	90°	45°	0°	45°	90°					
	ō	ñ	ö	ð	ī	ō	ñ	ö	ī	ō	ñ	ö	ð					
1-2			ū					ū		ū								
3-4	ū					ū							ū					
5-6				ū	ū					ū								
7-8				ū	ū					ū								
9-10				ū	ū								ū					
11-12				ū	ū								ū					
13-14	ū	ū	ū			ū	ū	ū				ū	ū					
15-16	ū	ū	ū			ū	ū	ū			ū	ū						
17-18	ū	ū	ū			ū	ū	ū				ū	ū					
19-20	ū	ū	ū			ū	ū	ū				ū	ū					
21-22				ū	ū				ū									
23-24	ū	ū	ū			ū	ū	ū									ū	
25-26	ū	ū	ū			ū	ū	ū									ū	
27-28	ū	ū	ū			ū	ū	ū	ū		ū	ū					ū	
29-30	ū	ū	ū			ū	ū	ū	ū									
31-32	ū	ū	ū			ū	ū	ū					ū					

型号 角度 端子编号	DL/49..BQ0002.9				DL/49.BE0009.9.												
	90°	45°	0°	45°	90°	45°	0°	45°	90°								
	ī	ō	ñ	ö	ī	ō	ñ	ö	ö								
1-2				ū		ū											
3-4		ū						ū									
5-6			ū			ū											
7-8			ū			ū											
	90°位置				90°位置												
9-10	ū								ū								
11-12	ū								ū								
13-14			ū					ū	ū								
15-16	ū						ū	ū									
17-18			ū					ū	ū								
19-20	ū							ū	ū								
21-22			ū		ū												
23-24	ū									ū							
25-26			ū				ū	ū		ū							
27-28	ū				ū		ū	ū		ū							
29-30			ū		ū												
31-32	ū									ū							
33-34			ū		ū		ū	ū		ū							
35-36	ū				ū												

LW21(12)-16 万能转换开关同一型号不同接点更改表

序号	原型号	操作位置	改为	操作位置	改为
1	9.0292.1	2	保留	3	/4.0305.1
2	9.0615.2	3	保留	2	取消
3	9(4).0647.2(3)	90°	保留	45° 自复	Z/4.0668.3
4	Z/4.0653.3	3	保留	3	Z/4.0658.3
5	4.0747.3	3	保留	7	/4.5760.3
6	4.1074.4	4	保留	3	/4.1071.4
7	Z/4.1295.5	3	保留	4	Z/4.4837.5
8	4.1707.6	7	保留	6	取消
9	9.2550.8	4	保留	3	/9.2553.8
10	D/4.4039.4	5	保留	8	取消
11	4.5422.2	3	保留	4	/9.5400.2
12	4.5547.2	5	保留	4	取消
13	4.5563.2(6)	3	保留	4	Z/4.5653.3
14	4.5572.2	5	保留	8	取消
15	4.5769.3	3	保留	5	/4.5788.3
16	4.5782.3	4	保留	3	/4.5789.3
17	4.5916.3	5		6	
18	4.6019.4	4	保留	3	取消
19	4.6095.4	7	保留	8	/4.6052.4
20	4.6125.4	6	保留	5	取消
21	4.6177.4	5	保留	4	/4.6109.4
22	4.6191.4	5	保留	8	AK-07
23	4.6214.4	8	保留	7	/4.6096.4
24	4.6232.4	7	保留	3	取消
25	4.6263.4	7	保留	11	/3.6229.4
26	9.6264.4	2	保留	2	取消
27	4.6736.6	5	保留	4	取消
28	4.6849.6	7	保留	8	取消
29	4.6888.6				
30	4.6889.6	5		12	
31	4.7088.7	4	保留	3	取消
32	4.7124.4	6	保留	5	取消
33					
34					

LW21(12)-16 万能转换开关型号不同接点相同表

序号	相同型号	序号	相同型号
1	9.0295.1=9.0296.1	2	4.0414.2=4.0417.2
3	4.0415.2=4.0425.2	4	4.0418.6=4.1618.6
5	4.0426.2=4.0462.2	6	4.0427.2=4.0434.2
7	4.0437.2=4.0476.2	8	4.0449.2=4.5398.2
9	9.0615.2=9.0617.2	10	9.0616.2=9.0625.2
11	9.0630.7=9.6603.7=9.7217.7	12	9.0632.2=9.5637.2
13	9.0637.2=9.0662.2=9.9020.2	14	9.0641.2=9.0642.2
15	4.0648.2=4.5475.2	16	9.0663.2=9.9023.2
17	4.0730.3=4.0740.3	18	4.0931.3=4.5714.3
19	4.1032.4=4.6031.4	20	4.1140.4=4.6199.4
21	4.1146.4=4.1746.4	22	9.1252.4=9.6264.4
23	9.1257.4=9.6276.4=9.6279.4	24	9.1272.4=9.6269.4
25	4.1347.5=4.1460.5	26	4.1676.7=4.2005.7
27	4.2324.8=4.2423.8	28	4.2325.12=4.7621.12
29	4.4501.1=4.5184.1	30	4.4504.2=4.5446.2
31	4.5429.2=4.5516.2	32	4.5498.2=4.5546.2
33	4.5547.2=4.5562.2	34	4.5563.6=4.5564.6
35	9.5632.2=9.5648.2	36	3.5701.3=3.5997.3
37	4.5702.3=4.5703.3=4.6825.3	38	4.5719.3=4.5771.3=4.5864.3
39	4.5909.3=4.5955.3	40	3.5917.3=3.5935.3
41	9.5939.3=9.5941.3	42	3.5984.6=3.6944.6=3.6993.6
43	3.5995.5=3.6996.5	44	4.6103.4=4.6104.4
45	4.6115.4=4.6125.4	46	4.6212.4=4.6261.4
47	9.6232.4=9.6267.4	48	3.6255.5=3.6288.5
49	9.6275.4=9.6572.4	50	4.6303.8=4.7416.8
51	4.6482.5=4.6483.5	52	3.6495.7=3.6595.7
53	9.6583.5=9.6586.5	54	4.6741.6=4.6684.6
55	4.6774.6=4.6885.6	56	4.6849.6=4.6850.6
57	4.6878.6=4.6898.6	58	9.6895.7=9.7218.7
59	4.7009.7=4.7088.7	60	4.7902.10=4.7914.10
61	3.8591.12=3.8592.12	62	9.9023.2=9.0663.2
63	Z/4.9812.4=Z/4.9846.4	64	Z/4.9813.4=Z/4.9848.4
65	Z/4.9820.2=Z/4.9836.2	66	4.9825.6=4.9833.6
67	Z/4.9826.3=Z/4.9842.3		